

74

COMPUTIST

U.S. \$3.75

Canada & Mexico \$7

Table of Contents

Editorial Note	3	Putting "Who Framed Roger Rabbit?" on 3.5" disk	11	Platoon	17
RDEX Contributors	23	Putting Playroom on 3.5" disk	10	Playroom	9
Most Wanted Softkeys	23	Rumors & Propaganda	6	Pow! Zap! Ker-Plunk! The Comic Book Maker, School Edition	15
The Product Monitor	4	RWTS Worm v2.0	13	Problem Solving Inc. or PC INC.	21
Report from the Computer Wars	4	Source for Print Shop envelopes	16	QIX GS	10
Reviews		Source for Tape Labels	16	Reading Comprehension: Finding the Main Idea	7
Populous	4	The Ancient Land of Y's Character Revival	19	Risk v1.3	11
The Magic Candle	4	Ultima 5 Editors	7	Sound Tracks	15
Grand Prix Circuit	5	Ultima CDA v1.0		Spellagraph	21
Windwalker	5	A Ultima V Character Editor	17	Sporting News Baseball	10
Space Rogue	5	Wizfix 2.1		Sports Scheduler version C.12	9
Powerdrome	5	An editor for Wizardry I-III (A.P.T.)	18	States and Traits	21
Dragon Strike	5	Softkeys:		Talking Text Library	21
Champions of Krynn	5	Alge-Blaster Plus 3.5"	11	Three Stooges GS	11
Solitaire Royale	5	Arkanoid	21	Ultima Trilogy	21
Knights of Legend	5	Bad Dudes	17	Where in Time is Carmen Sandiego	9
Fast Frames, Updates, Etc.		Batman	16	Writer's Assistant Interactive Writing Tools	21
Copy II Plus 9.2?	5	Body Transparent	21	Bitkeys:	
Too Old to Turbo Mouse	5	Bubble Bobble	10	Math Blaster Plus 3.5"	20
Vendors	5	Certificates and More	11	Mathosaurus Grade 2	15
Features, Notes and such:		Choose the Operation	21	Word Attack Plus 3.5"	20
A Public Service Message	22	Counting Critters	11	APTs:	
Bad Block Maker program	7	European Nations and Locations	21	Ancient Land of Y's	19
BBS General Messages	6	Find the Pattern	21	Arkanoid	21
BBS News	5	Force 7	21	Heavy Barrel	20
Bug in COMPUTIST #67	12	Galaxian	21	Pharaoh's Revenge	20
Bugs in ShrinkIt 3.01	6	Gamma Force	21	Ultima V	17
Cheap word processor	16	Gnarly Golf	10	Wizardry I ver 2.1	18
Comments on Copy II Plus v9.0	21	Grammar Examiner	21	Wizardry II	18
Detachable keyboard source	16	Great Western Shootout	20	Wizardry III	18
Esc Key Patch for \$100,000 Pyramid	21	Greek Mythology	21	Playing Tips:	
Free CD-ROM disk	6	I Can Carry and Borrow	15	Arkanoid	21
Hardware suggestions	16	Individualized Study Master	21	Dungeon Master	20
Locksmith v6.0's Fast Backup commands ..	12	Jenny's Journeys	15	Planetfall	20
Making Ile Programs RUN on a Laser 128 ..	12	John Madden's Football	10	Stationfall	20
New Commands for the BBS	5	Math Blaster Mystery 3.5"	11	IBM Softkeys:	
Note on 'About The Finder'	6	Math Blaster Mystery 5.25"	11	Batman	22
Note on Arkanoid II	10	Math Blaster Plus	21	Motocross	22
Note on Boot Tracing on a Laser 128	21	Math Blaster Plus GS	11	Populous	22
Note on copying Wasteland	7	Math Maze	21	SimCity	22
Note on free software from Beagle Bros ..	10	Mathosaurus	7	Their Finest Hour - the Battle of Britain ..	22
Note on ProDOS Cracks	6	Mission Algebra	21	Welltris	22
Note on QIX GS SoftKey	10	Number Munchers	15		
Notes on Eamon Adventures	12	Omega	19		
Notes on Easy Graph II	6	Pace Writing Program			
Notes on Milliken Skillbuilder Software ..	15	"Success With Writing"	21		
Omega Notes	12	Plato Courseware: Basic Number Facts	15		
PRE, the Applesoft Pre-processor	13				

**Subscribe to
COMPUTIST**

**We give you
More!**

Only \$24 for 8 issues

- I am:
- A new subscriber (start me with issue # _____)
 - Renewing my current subscription
 - Changing my address (Please include last mail label)

- Subscription rates:
- U.S. regular — Please allow 4-8 weeks for 1st issue.\$24
 - U.S. regular — I can't wait. Here's an extra \$2.
Send my 1st issue by 1st Class mail\$26
 - U.S. 1st Class / Canada / Mexico\$34
 - All other Foreign\$54
 - COMBO (1st Class plus Disk)\$68
 - Foreign COMBO (1st Class plus Disk)\$95

Name _____

Address _____

City _____ State _____ Zip _____

Country _____ Phone _____

VISA/MC _____ Exp. _____

Signature _____

• Send US funds drawn on US bank. • For regular subscriptions, please allow 4-8 weeks for 1st issue or add \$2 for postage and we will send your 1st issue by 1st Class mail. • Send check/money order to:

COMPUTIST 33821 E Orville Rd Eatonville WA 98328 (206) 832-3055

COMPUTIST
33821 E Orville Rd
Eatonville WA 98328

BULK RATE
U.S. Postage
PAID
Tacoma WA
Permit No. 269

COMPUTIST

Charles R. Haight
Karen Fitzpatrick
Jeff Hurlburt
Dave Goforth

Editor
Circulation
Reviews
BBS

COMPUTIST is published by SoftKey Publishing. Address all advertising inquiries to:

COMPUTIST
Advertising Department
33821 East Orville Road
Eatonville, WA 98328
(206) 832-3055

Mail all RDEX letters to:

COMPUTIST
Apple-RDEX or IBM-RDEX
33821 East Orville Road
Eatonville, WA 98328

• COMPUTIST does NOT purchase editorial material. The entire editorial content consists of information submitted to COMPUTIST for publication in the shared interests of all COMPUTISTS.

• Unsolicited material (manuscripts, letters to the editor, softkeys, A.P.T.s, playing tips, questions, etc.) are assumed to be submitted as letters-to-the-RDEX-editor for publication with all and exclusive rights belonging to COMPUTIST.

• Entire contents copyright 1990 by SoftKey Publishing. All rights reserved. Copying done for other than personal or internal reference (without express written permission from the publisher) is prohibited.

• The editorial staff assume no liability or responsibility for the products advertised in this newsletter. Any opinions expressed by the authors are not necessarily those of COMPUTIST magazine, its staff or SoftKey Publishing.

SUBSCRIPTIONS: Rates (for 8 issues):

U.S.\$24 Canada/Mexico\$34
U.S. 1st Class\$34 Other Foreign\$54

• Send subscription inquiries to:

COMPUTIST
Subscription Department
33821 East Orville Road
Eatonville, WA 98328

• Domestic Dealer rates: Call (206) 832-3055 for more information.

• Change Of Address: Please allow 4 weeks for change of address to take effect. On postal form 3576 supply your new address and your most recent address label. When we receive your notice of change of address, we will send you a acknowledgement card. If you do not receive the acknowledgement card after 2 weeks, send another notice or call us direct.

Issues missed due to non-receipt of change of address may be acquired at the regular back issue rate.

We are not responsible for missing issues 90 days after mailing date. If you do not receive an issue at the usual time each month, please call or write.

Apple® is a trademark of Apple Computers. IBM® is the IBM trademark.

Readers Data EXchange

New COMPUTIST readers using Apple IIs are advised to read this page carefully to avoid frustration when attempting to follow a softkey or entering the programs printed in this issue.

What is a softkey, anyway?

Softkey is a term which we coined to describe a procedure that removes, or at least circumvents, any copy-protection on a particular disk. Once a softkey procedure has been performed, the resulting backup copy can usually be copied by the normal copy programs (for example: COPYA, on the DOS 3.3 System Master disk).

Commands and control keys

Commands which a reader is required to perform are set apart by being in boldface and on a separate line. The return key must be pressed at the end of every such command unless otherwise specified. Control characters are preceded by "ctrl". An example of both is:
6 ctrl P

Type 6. Next, place one finger on the ctrl key and then press P. Don't forget to press the return key.

Other special combination keypresses include ctrl reset and open-apple ctrl reset. In the former, press and hold down the ctrl key then press the reset key. In the latter, press and hold down

both ctrl and open-apple then press reset.

Software recommendations

The Starter Kit contains most of the programs that you need to "Get started". In addition, we recommend that you acquire the following:

- Applesoft program editor such as "Global Program Line Editor (GPLE)".
- Assembler such as "Merlin/Big Mac".
- Bit-copy program such as "Copy II Plus", "Locksmith" or "Essential Data Duplicator".
- Word-processor (such as AppleWorks).
- "COPYA", "FID" and "MUFFIN" from the DOS 3.3 System Master disk.

Super IOB and Controllers

This powerful deprotection utility (in the COMPUTIST Starter Kit) and its various Controllers are used in many softkeys. (It is also on each Super IOB Collection disk.)

Reset into the Monitor

Softkeys occasionally require the user to stop the execution of a copy-protected program and directly enter the Apple's system monitor. Check the following list to see what hardware you will need to obtain this ability.

Laser 128: Your ROM includes a forced jump to the monitor. Press ctrl return reset.

Apple II+, //e, compatibles: 1) Place an Integer BASIC ROM card in one of the Apple slots. 2) Use a non-maskable interrupt (NMI) card such as Replay or Wildcard.

Apple II+, compatibles: 1) Install an F8 ROM with a modified reset-vector on the computer's motherboard as detailed in the "Modified ROM's" article (COMPUTIST #6 or Book Of Softkeys III) or the "Dual ROM's" article (COMPUTIST #19).

Apple //e, //c: Install a modified CD ROM on the computer's motherboard that changes the open-apple ctrl reset vector to point to the monitor. (This will void an Apple //c warranty since you must open the case to install it.)

Apple //gs: If you have the 2.x ROM, there is a hidden Classic Desk Accessory (CDA) that allows you to enter the monitor. In order to install the new CDA, you should enter the monitor (CALL -151) before running any protected programs and press # return. This will turn on two hidden CDAs, Memory Peeker and Visit Monitor. Thereafter press openapple ctrl esc to go to the Desk Accessories menu. Select Visit Monitor and there you are. Use ctrl Y to exit.

Recommended literature

- Apple II Reference Manual (or IIe, IIc, etc.)
- DOS 3.3 & ProDOS manual
- Beneath Apple DOS & Beneath Apple ProDOS, by Don Worth and Pieter Lechner, from Quality Software

Typing Applesoft programs

BASIC programs are printed in a format that is designed to minimize errors for readers who key in these programs. If you type:

```
10HOME:REMCLEAR SCREEN
```

The LIST will look like:

```
10 HOME : REM CLEAR SCREEN
```

Applesoft inserts spaces into a program listing before and after every command word or mathematical operator. These spaces don't pose a problem except when they are inside of quotes or after a DATA command. There are two types of spaces: those that have to be keyed and those that don't. Spaces that must be typed appear in COMPUTIST as special characters (◊). All other spaces are there for easier reading.

NOTE: If you want your checksums to match, only type spaces within quotes or after DATA statements if they are shown as (◊) characters. SAVE the program at periodic intervals using the name given in the article. All characters after a REM are not checked by the checksum program so typing them is optional.

Typing Hexdumps

Machine language programs are printed in COMPUTIST as hexdumps, sometimes also as source code.

Hexdumps are the shortest and easiest format to type in. You must first enter the monitor:
CALL -151

Key in the hexdump exactly as it appears in the magazine, ignoring the four-digit checksum (\$ and four digits) at the end of each line. When finished, return to BASIC with:
3DOG

BSAVE the program with the filename, address and length parameters given in the article.

Typing Source Code

The source code is printed to help explain a program's operation. To enter it, you need an "Assembler". Most of the source code in older issues is in S-C Assembler format. If you use a

different assembler, you will have to translate portions of the source code into something your assembler will understand.

Computing checksums

Checksums are 4-digit hexadecimal numbers which tell if you typed a program correctly and help you locate any errors. There are two types of checksums: one created by the CHECKBIN program (for machine language programs) and the other created by the CHECKSOFT program (for BASIC programs). Both are on the "Starter Kit".

If your checksums do not match the published checksums then the line where the first checksum differs is incorrect.

CHECKSOFT instructions: Install Checksoft (BRUN CHECKSOFT) then LOAD your program. Press & to get the checksums. Correct the program line where the checksums first differ.

CHECKBIN instructions: Enter the monitor (CALL -151), install Checkbin at some out of the way place (BRUN CHECKBIN, A\$6000), and then LOAD your program. Get the checksums by typing the Starting address, a period and the Ending address of the file followed by a ctrl Y. **SSSS.EEEE ctrl Y**

Correct the lines where the checksums differ.

Writing to the RDEX editor

RDEX (are-decks) stands for: Reader's Data EXchange. We print what you write. When you send in articles, softkeys, APTs, etc., you are submitting them for free publication in this magazine. RDEX does not purchase submissions nor do we verify data submitted by readers. If you discover any errors, please let us know so that we may inform our other readers.

Remember that your letters or parts of them may be used in RDEX even if not addressed to the RDEX editor. Correspondence that gets published may be edited for clarity, grammar and space requirements.

Because of the great number of letters we receive and the ephemeral and unpredictable appearance of our volunteer staff, any response to your queries will appear only in RDEX, so it would be more appropriate for you to present technical questions to the readers and ask for their responses which will then be placed in the Apple-RDEX.

How to get a free library disk

Whenever possible, send everything on Apple format (5.25" - DOS/ProDOS or 3.5" - ProDOS) or IBM format (3.5") disks. Other formats are acceptable but there may be some delay as we look for someone to translate it for us. (If you use a 5.25" disk, when we print your letter, we will return your disk with the current library disk copied onto it.) Use whatever text editor you like, but tell us which one. Put a label on the disk with your name (or pseudonym) and address (if you want to receive mail). Don't reformat any programs or include them in the text of your letter. Send Applesoft programs as normal Applesoft

files and machine language programs as normal binary files. We have programs to convert them to the proper format for printing. If you are sending source code files, and you are not using the S-C Assembler, send them as normal text files.

When to include a printed letter

Don't include hardcopy (printout) unless:

- a. You are writing about a bug or other printing error.
- b. You are writing to ask for help.
- c. You are answering another readers help request.
- d. You are writing about your subscription or sending an order for back issues or software.

Bugs, requests for help and answers to requests for help are bumped to the head of the line and go in the very next issue. All other letters are printed in the order that we receive them.

Writing to get help

When writing to request help, be sure to include ALL relevant information. The more information you include, the easier it is to find a solution. There's an old saying that goes "A properly framed question includes 90% of the answer".

How to get mail

If you are interested in receiving mail from other readers, be sure that we have a current address. If you use a pen name and want to receive mail, we need to have your address. Our readers privacy is important, so we will not print your address unless you specifically say too.

How to write to RDEX authors

When writing to one of the RDEX authors. Write your letter and seal it in an envelope. Put your return address, the authors name (as it appears in RDEX) and the correct postage on the envelope. Put this envelope into another and send it to RDEX. We will put the correct address on your letter and mail it for you. Check to the right of the authors name to see if the author is writing from a foreign country and include the proper postage.

Help Line

These readers have volunteered their time to help you. Please call only within the given time frames (corrected for your time zone). No collect calls.

Jack Nissel (Disk Protection, 7-10PM EST)
(215) 365-8160

Electronic Bulletin Board System (BBS)

Dave Goforth is the sysop for the Computist BBS. The number is: (206) 581-9292. If you already have a User ID# and password, sign-on using the User ID#. If you are a new user, it may take a day or so to validate your new ID# and password.

You have a LEGAL RIGHT to an unlocked backup copy of your commercial software.

Our editorial policy is that we do NOT condone software piracy, but we do believe that users are entitled to backup commercial disks they have purchased.

In addition to the security of a backup disk, the removal of copy-protection gives the user the option of modifying programs to meet his or her needs.

Furthermore, the copyright laws guarantee your right to such a DEPROTECTED backup copy:

..."It is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided:

- 1) that such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with a machine and that it is used in no other manner, or
- 2) that such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful.

Any exact copies prepared in accordance with the provisions of this section may be leased, sold, or otherwise transferred, along with the copy from which such copies were prepared, only as part of the lease, sale, or other transfer of all rights in the program. Adaptations so prepared may be transferred only with the authorization of the copyright owner."

United States Code title 17, §117

Features, Notes and such:

A Public Service Message for Apple II Users	22
Ancient Land of Y's Character Revival	19
Bad Block Maker program	7
BBS General Messages	6
BBS News	5
Bug in COMPUTIST #67	12
Bugs in ShrinkIt 3.01	6
Cheap word processor	16
Comments on Copy II Plus v9.0	21
Detachable keyboard source	16
Esc Key Patch for \$100,000 Pyramid	21
Free CD-ROM disk	6
Hardware suggestions	16
Modifying Programs to RUN on a Laser 128	12
New Commands for the BBS	5
Note on 'About The Finder'	6
Note on Arkanoid II	10
Note on Boot Tracing on a Laser 128	21
Note on copying Wasteland	7
Note on free software from Beagle Bros	10
Note on ProDOS Cracks	6
Note on QIX GS SoftKey	10
Notes on Eamon Adventures	12
Notes on Easy Graph II	6
Notes on Locksmith v6.0's Fast Backup commands	12
Notes on Milliken Skillbuilder Software	15
Omega Notes	12
PRE, the Applesoft Pre-processor	13
Putting "Who Framed Roger Rabbit?" on 3.5" disk	11
Putting Playroom on 3.5" disk	10
Rumors & Propaganda	6
RWTS Worm v2.0	13
Source for Print Shop envelopes	16
Source for Tape Labels	16
Ultima 5 Editors	7
Ultima CDA v1.0—A Ultima V Character Editor	17
Wizfix 2.1—An editor for Wizardry I-III (A.P.T.)	18

Editorial Message

At last! Issue #74 has finally arrived. Real late, but it did arrive. I took a much needed (several week) vacation, but I guess you noticed.

So what's new? Well, I'm looking for someone who is going to be at ApFest as an exhibitor and who would be willing to pass out some sample copies of Computist. Let me know if you're that person/company or if you know of someone who fits the bill.

Also, I've worked out a plan to pay back our creditors. The timetable requires that Computist go monthly. (I can hear the cheers already.)

In case anyone hasn't noticed, we have moved Computist to Eatonville so that I can spend more time working on the issues and less time commuting. If you write to us, use the new address:

Computist
33821 E Orville Rd
Eatonville, WA 98328

Table of Contents

Editorial Note	3
RDEX Contributors	23
Most Wanted Softkeys	23
The Product Monitor	4
Report from the Computer Wars	4
Reviews	
Populous	4
The Magic Candle	4
Grand Prix Circuit	5
Windwalker	5
Space Rogue	5
Powerdrome	5
Dragon Strike	5
Champions of Krynn	5
Solitaire Royale	5
Knights of Legend	5
Fast Frames, Updates, Etc.	
Copy II Plus 9.2?	5
Too Old to Turbo Mouse	5
Vendors	5
Softkeys:	
Alge-Blaster Plus 3.5"	11
Arkanoid	21
Bad Dudes	17
Batman	16
Body Transparent	21
Bubble Bobble	10

Certificates and More	11
Choose the Operation	21
Counting Critters	11
European Nations and Locations	21
Find the Pattern	21
Force 7	21
Galaxian	21
Gamma Force	21
Gnarly Golf	10
Grammar Examiner	21
Great Western Shootout	20
Greek Mythology	21
I Can Carry and Borrow	15
Individualized Study Master	21
Jenny's Journeys	15
John Madden's Football	10
Math Blaster Mystery 3.5"	11
Math Blaster Mystery 5.25"	11
Math Blaster Plus	21
Math Blaster Plus GS	11
Math Maze	21
Mathosaurus	7
Mission Algebra	21
Number Munchers	15
Omega	19
Pace Writing Program	
"Success With Writing"	21
Plato Courseware: Basic Number Facts	15
Platoon	17
Playroom	9
Pow! Zap! Ker-Plunk!	
The Comic Book Maker, School Edition ...	15
Problem Solving Inc. or PC INC.	21
QIX GS	10
Reading Comprehension:	
Finding the Main Idea	7
Risk v1.3	11
Sound Tracks	15

Spellagraph	21
Sporting News Baseball	10
Sports Scheduler version C.12	9
States and Traits	21
Talking Text Library	21
Three Stooges GS	11
Ultima Trilogy	21
Where in Time is Carmen Sandiego	9
Writer's Assistant	
Interactive Writing Tools	21
Bitkeys:	
Math Blaster Plus 3.5"	20
Mathosaurus Grade 2	15
Word Attack Plus 3.5"	20
APTs:	
Ancient Land of Y's	19
Arkanoid	21
Heavy Barrel	20
Pharaoh's Revenge	20
Ultima V	17
Wizardry I ver 2.1	18
Wizardry II	18
Wizardry III	18
Playing Tips:	
Arkanoid	21
Dungeon Master	20
Planetfall	20
Stationfall	20
IBM Softkeys:	
Batman	22
Motocross	22
Populous	22
SimCity	22
Their Finest Hour - the Battle of Britain	22
Welltris	22

The PRODUCT MONITOR

RATINGS

- Superb ★★★★★
- Excellent ★★★★
- Very Good ★★★
- Good ★★
- Fair ★
- Poor ☹
- Bad ☹☹
- Defective ☹☹☹

When the great wheel of the small computing universe takes a major turn, wobbles, and settles into a new plane, there are bound to be many users who will doubt the evidence of their senses. ("Did the earth tremble? Did the stars shift? WHAT happened?") Hence, the 'last minute' decision to compress this month's reviews and issue the "Report".

Report from the Computer Wars

I. Tsunami

What promised just last summer to be a PC wave has become a rolling tsunami. One minute you're strolling down a city street, considerably stepping over and around islands of PC hardware; the next, you're running for your life in the shadow of a churning skyscraper-high wall of machines and circuit boards. Something important has happened in Computerville; a milestone has been reached. When? Sometime between last fall and this spring. What? Nothing less than the end of Computer Wars I!

II. Myth

During some fifteen years of competition among names like Altair, Southwest Technical, Imsai, (Ohio Scientific, Tandy, Atari, Apple, Commodore, ...), it became an article of faith that the outcome would be THE dominant computer maker. Presumably, the manufacturer of the best machines would attract the overwhelming majority of users and that would be that.

Much to the delight of TRS-80, Apple II, and Atari 800 makers, the Microcomputer Club soon gave way to product-specific groups of true believers determined to expand membership and win immortality ("II Forever!", etc.) for their machines. It was entertaining; but, of course, it was mainly hype. Even were users willing and able to flit from machine to machine like butterflies, no major manufacturer was particularly attracted to anything so intangible as Computer Wars "victory". The corporations (believe it or not) were aiming to maximize profits, not user numbers! Both Apple and Commodore built up large, enthusiastic home user bases, then neglected them in favor of the lower volume, higher profit business market. So much for "winning the world".

III. Sluff-off

For home users, developers, software publishers—for everyone, in fact, with a stake in the "low end" machine—such half-hearted support has always been as puzzling as it is frustrating. We invest hard cash in an Apple computer, join Apple clubs, subscribe to Apple publications, (slap Apple stickers on binders, use an Apple key ring, ...), fill shelves with Apple software, and buy Apple peripherals. Apple, in return, drags out development of a IIgs operating system, pours money into its business machine, and adopts a 'dog in the manger' position which all but kills any chance of a timely third party upgrade needed to maintain IIgs performance parity with the competition.

To be fair, Apple has behaved no worse—indeed, on the whole, much better—than other home user 'flagships'. Each new II model has preserved broad downward compatibility; and documentation, from early manuals through the current Addison Wesley series, has been among

the best. Finally, both the IIgs and its operating system benefitted from recent minor upgrades. It's no wonder home users are confused. If Apple is at all concerned about its II series, why isn't concerned enough?

After the near brush with collapse in '85, we reasoned that Apple (now also "Big Green" the business machine maker) would forever regard holding onto its II home user base as a high priority. Surely, Apple had learned its lesson. So it had, though not the lesson we supposed. IIgs revenues were a help in those troubled times; but the more important contribution was an industry-wide confidence that "Apple is back". Stock values rose, capital rolled in, the Mac II was launched, and viola!, Apple WAS back! The lesson for Apple was clear enough: 'everyone' still equated corporate health with II prosperity. It had become captive to its low end, low profit product line.

There are several reasons why Apple might view this situation with alarm. Of these, the popular notion that a IIgs resulting from a series of forced upgrades might impact Mac sales is probably the most over-rated. As Apple's own marketing people have adroitly demonstrated, it is entirely possible to render a product "business invisible". Your ads merely assert that the IIgs is a home/school computer and that the Mac is for business. Once the systems are bundled with appropriate software and the price tags slapped on, few IS managers would consider filling an office with IIgs's.

No, the simplest explanation for Apple's concern is also the one which best fits the facts. Well before the '85 crisis, Apple had decided that costs of its II series were beginning to outweigh rewards. Selling all of those computers, disk drives, and printers to create a large home user base was great fun. Customer service, support R&D, and selling upgrades to maintain it was not nearly so profitable. Apple wished to be free to deal with its II series on its own terms. Most certainly, the Lords of Cupertino were determined to be rid of a situation which allowed home user complaints, doomsday editorials, or expressions of teacher dissatisfaction to rock corporate pylons at the foundation.

By 1988, an aggressive ad campaign and expanding Mac II sales had solved the problem. Apple shed its "home computer maker" skin and became "Apple, the maker of pricey, high class business computers". Whether the II line is spun-off, sold, or merely "supported" at current low levels, one thing seems clear. The odds are very slim that II users will ever again be an important part of Apple's empire. Consider yourself sluffed.

IV. IBM: Grud-maker

IBM's first PC was chiefly remarkable for what it was not. It was not a closed-box, highly complex machine packed with proprietary hardware. Featuring an out-of-the-Intel-manual design with slots for peripheral boards, it was virtually Apple's II+ 'done in business grey'.

From the start, PC's simple, straightforward profile proved both a blessing and a curse. The blessing was that flocks of third party manufacturers quickly began to fill the machine with performance-enhancing boards and peripherals. The curse, from IBM's point of view, is that it proved impossible to protect PC from hordes of grud-like cloners.

[Note: In case you missed playing "Dark Forest" or a sequel, gruds are short, green, swarthy, fast-multiplying reptiles—sort of a one-horned ninja turtle without the shell.]

Anybody could make a "PC compatible" and, from AT&T to one-garage assembly shops, 'anybody' did. Worse still, as IBM moved first to the XT and then the AT, it encountered successively more cloners taking progressively less time to develop better copies at lower prices! When, at last, Big Blue moved to its supposedly less clonable PS/2 platform, it was already widely understood that the best grud AT's were at least as good as the IBM original AND cheaper.

Had the Mainframe Moguls set out purposefully to create a dangerously competitive computer making sub-culture, they could hardly have improved upon the course followed. Faced with such inept meddling, the Apple Lords must have felt a bit like the old Sorcerer watching his Apprentice chop the animated broom into a million pieces. Naturally, by the time Big Blue ran for the hills, the small computing landscape was knee-deep in gruds. (Even today, it is said, Apple's Consummate Enlightened One will awaken in the dead of night, sit up bolt straight in his bed, and scream "Why must I lose to such idiots!")

For good or ill, IBM had delivered big manufacturer technology and the market to go with it into the hands of countless small manufacturing free enterprise fanatics. Here the "big names" appear on metallic stickers slapped into square indentations thoughtfully provided by PC case manufacturers; and you're only as good as your

prices are low. Though, in this maze of interlocking board makers, assemblers, and sellers, each component may come from almost anywhere, by 1988 the cloners had managed a 'stock' AT featuring VGA color. Soon there followed compatible '386 models, low cost Ad Lib sound; and (barely months after the chip became available) the first '486 machines were ready. Incredibly, the no-name gruds had moved beyond mere clone-making without missing a beat.

V. Outcome

Computer Wars I did not pick a winning manufacturer; it did pick a winning, standard platform: the "PC AT or compatible". Just look at unit sales, the quantity, quality, and range of software releases, peripherals variety, and newspaper/magazine advertising. The clincher is a pattern of plummeting prices, increasing performance, and rapid adoption of cutting-edge technology. It all adds up to the same thing: a 'standard computer'. Today, when you say "computer", everyone knows you mean "PC".

As of summer 1990, the 'typical PC' is an 8-16MHz '286-based machine with 640K-1MB (zero wait state) RAM, 1.2 MB 5.25" floppy, and 40-60MB hard disk. Featuring VGA color and Ad Lib sound, the system also includes "enhanced keyboard", VGA monitor, and cards for serial & parallel I/O, disk controllers, clock, and joystick ports—all for about \$1400. (33MHz '386 versions sell for roughly \$2000). If current trends persist, by late fall prices will have dropped 10-15%.

Where does this leave II users? As of this spring, IIgs users sat atop a large, diverse software base. As of summer, very little has been added. While you can reasonably expect continued releases in such areas as utilities, languages, and education, the outlook for productivity wares is rather poor. As for major vendor entertainment releases, don't ask! Just take last summer's predictions and slap on a "You are Here" sticker.

Though loyal, literally, to a fault, II users are not likely to long tolerate a situation which not only saddles them with sub-par performance, but also shuts them out of the major vendor software stream. Mainly, you 'won't take it any more' because you don't have to. Look at the economics: As a IIgs owner you are probably looking forward to a speed/graphics upgrade and the addition of a 40-60MB hard disk. Well, at normal Apple stuff prices (and assuming a graphics upgrade becomes available) your planned outlay comes painfully close to the total cost of the "typical PC AT"! This much seems clear, by next summer many (perhaps most) II owners will also be PC users.

Doom? Gloom? The 'end of forever'? Not at all. In fact, the gruds may have delivered what Apple only promised: practically unlimited II continuance. One of the ironies of the present situation is that the very forces which make taking the PC plunge so appealing (e.g. low prices) also make dumping your IIgs stuff unattractive. Even as the junior partner in a two-machine installation, your IIgs is worth vastly more to you than it is likely to sell for. (Besides, all of your records are in Appleworks files; little Suzy just started "Dungeon Master", etc., etc.) So long as II's remain in the hands of skilled users there will be no lack of interest in performance enhancements, peripherals, and new software.

The gruds may be dancing in the streets, but the biggest winner in Computer Wars I is the computer user. Proprietary fiefdoms and semi-monopolistic pricing are being swept away; and, for the first time, we can look forward to a unified software base spanning home, school, and business users. Granted, this was a conflict that ended, not with the clash of cymbals, but the toot of a kazoo. The big name manufacturers, assorted publications, and many others will, naturally, try to pretend that it's "business as usual". It isn't. Computer Wars I is history. Computer Wars II is a whole new ball game!

Populous

Electronic Arts



\$49.95 for 512K PC

Having observed the relish with which computer wargamers take to their god-like powers, the guys at Bullfrog Software decided "What the heck. Why not stop beating around the bush and go for the Real Thing!" Right, in EA's "Populous" YOU are a god. Like the gods of Greece, Rome, etc., your power depends upon the numbers and prosperity of worshipers (i.e. the number of map squares they've settled). Since, regrettably, there's just so much 'map' to go around on any given planet, your arrival on another god's world always sparks a no-holds-barred

contest with each side's followers squarely in the middle.

Each of the five hundred worlds is different. Aside from the map, a world will offer one of four 'stock' terrains: Forest and grass, Volcanic rock, Snow and ice, or Desert with palm trees. Other major variables determine starting numbers and location(s) of followers, limitations on building structures (by followers), the hazard presented by water, deadliness of any swamps which may be created, the adeptness (i.e. speed and smarts) of the opposing god, and the powers each god is permitted to invoke. For instance, only the enemy god may be allowed to create berserker "Knights" (who immediately head for your territory and carve a path of destruction until killed); whereas only you may have access to the awesomely destructive Volcano power.

At any given time the arena of conflict is a much-magnified square slice you've selected from the world map. Here, as on a papermache model, you see hills, shorelines, mountain cliffs, plains, etc. along with huts, lodges, and other structures, up through elaborate castles. People are visible too—usually, scurrying about looking for land to settle. Depending upon current power level and scenario limits, you may visit destruction on enemy followers via earthquakes (everything shakes and buildings collapse), swamps, volcanoes, or flooding. To help good followers you might create a knight or relocate the Papal Magnet to guide followers to new areas for building and/or conquest. (When opposite side followers meet, they fight to the death.) By far, your most important contribution is the creation and reshaping of land for settlement. This you do (via point and click) by scalloping out and filling as appropriate. (Landscaping, by the way, turns out to be an inherently pleasurable activity, like popping monsters in an arcade.) Ultimately, your goal is to rid the world of all but your own believers; whereupon you win!

Wow! Even 'red ants versus black ants' was never so much fun! To observe that the game's graphics and animation are spectacular almost qualifies as understatement. Add full-range Ad Lib (or Roland) sound effects and Electronic Arts chalks up a wargaming masterpiece.

The Magic Candle

Mindcraft



\$49.95 for 64K Apple II

In this major Ultima-look adventure, your real problems start when the Dwarves won't give you the Hoyam essence needed to attract the White Wolf (who, you have heard, has an amulet needed to get into the Sudogur maze, where 'the book' is said to be) until you recover the Great Hammer of Thorin, which (alas) was stolen by some orcs. Then, someone (?) has to deal with the Ogre Lord; the Queen of Crystal Castle says no crystal dust until you've cleared her dungeons of enemies; the Elves want their Magic Cloak returned, and ... Well, it's small wonder that most of Deruvia's inhabitants halfway expect the Great Candle (the one you're trying to save) to finish melting and release a dreaded demon lord!

Offering a multi-continent, multi-island gamescape dotted with cities, villages, and castles, plus ten challenging multi-level mazes, "Candle" is, in fact, a much larger undertaking than even its considerable real estate suggests. Each city, village, etc. is inhabited by numerous personages. These are real people, with occupations and schedules; and, usually, each possesses one or more bits of valuable information. (e.g. "You'll find old Ferrin at the Inn early in the morning", "Seek the Mad Wizard's help", etc.) Keeping track of who said what, PLUS where and when (in case you need to return for follow-up questioning), AND, once you have the 'pieces', putting them together... all amount to a decent test of organizational skill. Meanwhile, you are managing the affairs of six fighters and/or magic users, whom you may disperse and follow individually or in smaller groups for training, to earn gold in shops, or explorations. Good systems for weapons/armor and magic plus entertaining tactical combats guarantee that maze and countryside explorations are fully as engrossing as your contacts with friendlier inhabitants.

When I finally wrapped up "Magic Candle", it was only a minor shock to discover that an entire 8 x 11 tablet had been filled with maps, chants, teleporter combinations, assorted legends, and other notes. Three or four weeks enmeshed in the intricate, colorful, humor-laced quest had simply flown by. Aside from the near-invulnerability your party acquires toward the latter third of the game, this is expertly crafted, smooth-running adventuring with the graphics, sound support, and long-play fun you expect in a genuine classic.

Grand Prix Circuit

Accolade



\$44.95 for 512K Apple IIs

Since, by now, everyone's had a taste of the road roasting realism of Accolade's "Test Drive II", the implications of putting this sort of power on a super-res, super-sound Grand Prix track won't take a lot of elaboration. Depending upon choice of Formula One racing team, you pilot a road-hugging V-12 Ferrari, a versatile V-8 Renault, or a Honda Turbo 6-speed bomb; and, as in "Drive II", you'll be able to see, hear, and feel each car's distinctive 'signature'.

Of course, in "Circuit", the 'enemy' isn't just the twisting track you tackle in eight Grand Prix cities, it's that pack of nine roaring monsters you see in the rearview mirrors, crowding you on the turns, and trying to box you in on the straightaways. To even the odds a bit, 'instrumentation' (along with tach and speedometer) shows your location on a track map insert, damage taken (for planning pitstops), current lap, and position. (There must be something this program doesn't do right—like, maybe the scenery could be prettier...) For now, you can practice, pick a race and go for the track record, or take on the whole circuit in a quest for the World Driving Championship. Neat!

Windwalker

Origin



\$39.95 for 128K Apple II

It was bad enough when the warlord Zhurong usurped the throne of Khantun; but, when his henchman, the wizard Shen Jang, began gating in evil spirits to pollute the shrines...!!! At last, Mobius has called upon his most loyal disciple (i.e. you) to travel the islands and seas of the kingdom, perfect your powers, and restore correct order to Khantun.

Nominally the sequel to "Mobius", "Windwalker" sports the same kung-fu theme and motifs; and, once again, you will engage in arcade-action one-on-one ninja-style combats against variously armed opponents. (Not too long ago, this expertly animated fight arcade could easily have qualified as a game in itself.) Otherwise, "Windwalker" is a very different kind of adventure—one boasting a more complex scenario which makes exploration and problem solving at least as critical to success as combat. Since exceptional arcade expertise can substitute for magical assistance and vice-versa, the actual balance is up to you.

The lot of a would-be Windwalker (the highest of twenty-five ranks) is not an easy one. Aside from battling the occasional thief, ninja, guard, or other troublemaker, you must obtain food and supplies, find a boat to explore distant islands, exorcise temples of life-draining demons, earn your monk's robe and staff, search out magical potions and artifacts, and, somehow, get rid of the usurper and his cronies. Thanks to helpful "Kingdom Map" and "bird's-eye-view" displays, map-making, at least, entails little more than simple drawings to serve as reminders of what's where.

Showcasing a unique 'over-the-horizon' simulated 3-D adventuring display, "Windwalker" 's beautiful double-hires scenery, sound effects, entertaining combat, and clever scenario will have you hooked in no time. From thence onward, the only way out is the way of the Windwalker. Expect several long afternoons of first-rate questing.

Space Rogue

Origin



\$49.95 for 64K Apple II

Everyone knows the insectoid Manchi are raiding human space, but nobody seems to know why. Maybe it's poetic justice that you, the lone survivor of a bug strike on a trader, suddenly find yourself in the service of the Empire, charged with unraveling the mystery before it unravels Far Arm Cluster civilization.

Take "Elite" 's arcade combat and trading challenges, add Ultima-type maplets for stations in each of the eight Far Arm systems, and wrap everything in an involved scenario: that's "Space Rogue". Your job is to acquire a small fortune, improve your Sunracer's shields and weapons, build your combat rating, and follow a trail of conspiracy as twisted as the wormhole paths that link each star system. Love struck robots, mutant

monsters, pirates, priestesses, ... they're all here, and more (even a nifty little video game called "Hive"). Supplied with manuals and fold-out map, "Space Rouge" offers a colorful, well-planned mix of moderately easy combat action and fast-paced adventure.

Powerdrome

Electronic Arts



\$49.95 for 512K PC

There's a good reason the PC took so long to win enthusiastic home user support. Only last year did quality, low-cost Ad Lib sound become the recognized standard. Very, very few action games are worth playing without decent sound effects. "Powerdrome", a futuristic 3-D aircar racing challenge featuring fast, smooth, beautiful VGA displays and responsive controls is very attractive; but it is not among the exceptions. Everyone knows 25th-century racers are supposed to "Zavooom" or "Whoosh" or something!—not sail along in ghostlike 'old sound' near-silence.

Dragon Strike

SSI



\$49.95 for 512K PC (6Mhz min. AT)

Set in the days of the great "War of the Lance" (ref. "The DragonLanceChronicles"), this Dragon Combat Simulator starts you as a low-ranking knight, plops you on the back of a bronze dragon, and says "go get 'em". Your first mission (code name: "Snow Blind") takes you over the western mountains to intercept and knock down an enemy scout (riding a small white dragon), lest he report recent critical moves of the Good armies.

From the saddle, beyond the tip of your lance, your dragon's head, and its slowly beating wings, you have a half-screen view of the landscape and sky. Arranged around the view insert are a radar-like enemy locator sphere, compass, pictures of special items carried, and indicators for hitpoints plus dragon altitude, speed, power, and breath readiness. (i.e. the D&D version of a jet cockpit view.) Once the enemy is sighted, you can guide your mount to the attack (swoop down from above, etc.) and inflict damage with a well-place lance strike and/or a blast of dragon fire. Successful completion of a mission—there are 22 in all—yields a boost in rank, a tougher, deadlier mount, and, sometimes, the chance to acquire magical artifacts.

Supplied with manual and eight 'enemy identifier' cards, "Dragon Strike" is somewhat more clever in concept than execution. Between-mission pictures, Ad Lib music, and speedy Save-Restore are solid plusses; but they do not compensate for the weak sound effects and poor animation you encounter in combat.

Champions of Krynn

SSI



\$49.95 for 64K Apple IIe (65C02) or IIs
\$12.95 for Clue Book

(The compatibility specification is a bit confusing. The box label includes the II+; but, inside, "65C02" is specified. Evidently, since the program bombed on a II+ using a 65C02 speedup card, your Apple II must have a 65C02 or equivalent on the motherboard. The game runs fine on a IIs. Naturally, a PC version is available.)

Third of SSI's full-scale D&D adventures, "Krynn" (Vol. I of a new series) retains the format of earlier releases with just a few changes. (Mazes are still 3-D forward view; tactical combat is handled on a scrollable top-down view display; etc.) The most obvious change is the single-screen map of N.E. Ansalon upon which the party moves (as a dot) between major cities and outposts. A more subtle change is the move to a more involved, better thought-out scenario leading to a for-real conclusion and appropriately meaningful accolades (i.e. if you win).

Your goal in post-War (of the Lance) Ansalon is to thwart "The Plan", an evil arch-mage's ambitious plot to secretly renew the vanquished draconian hordes and exterminate the complacent forces of Good. As you encounter well-developed good, neutral, and evil personages (including some Evil henchmen you'll love to despise), you will have opportunities to make valuable alliances, solve puzzles, and acquire powerful artifacts. Though you will, if you live, arrive at the site of the big showdown in time to aid the good armies, your chances of victory here,

and along the way, will depend upon numerous earlier choices. You do not, in short, face the dreary prospect of a 'lock step' scenario.

While 'getting into' the story is much of the fun, the game's star achievement is a series of expertly-designed tactical encounters. Among the, generally, improved combats are 10-15 especially challenging, highly entertaining battles which entail (besides a pre-conflict game save) special planning and preparation. These, once won, are 'the stuff of legends'!

Supplied with manual, journal (including the usual key "paragraphs" and "Tavern Tales"), and directions card, "Champions of Krynn" is the first of SSI's D&D productions for which the cluebook is not absolutely essential. This is the SSI game D&D veterans have been waiting for.

Solitaire Royale

Spectrum HoloByte



\$34.95 for 512K Apple IIs

Spectrum's solitaire collection delivers super-res, super-sound table top realism and the convenience of no-fumble mouse-click 'card handling'. "Royale" offerings include Pyramid, Golf, Klondike, Canfield, Three Shuffles and a Draw, Calculation, and Reno. A separate "Children's Menu" offers three simple 'concentration' and matching games.

Arrangement options let you select and play a single game, play all eight games in sequence (i.e. play a "Tour"), and set up a single game or Tour tournament involving any number of players. The top five scores are maintained for the non-tournament Tour and current tournament. For some reason, perhaps to be "fair", the program insists upon dealing identical hands to tournament participants—not, of course, especially fair if other players happen to be watching.

Offering a choice of several card sets and the option to settable color, "Solitaire Royale" comes with an attractive, well-written rules/instructions manual guaranteed to launch even a rank beginner in minutes. This is a gem of a package good for many hours of solitary entertainment.

Knights of Legend

Origin



\$49.95 for 384K PC

Supplied with fold-out command card and handsomely-illustrated 142-page manual, "Knights" spans six (6) 360K diskettes! Clearly, this is an ambitious project—one for which, according to a card in the box, "further region and adventuring modules are in development". Too bad. Whereas the Apple II version is so slow, hobbled by disk swapping, and cumbersome as to be unplayable; the PC version, running on hard disk, is merely mildly punishing. Somehow, "Knights" seems to delight in making mundane operations (e.g. viewing a character's inventory) as clumsy and bothersome as possible. Experiments with tactical combats only confirmed this impression. Despite attractive, smooth-scrolling EGA maps and the hints of a promising quest offered by town personages, this is an adventure cursed by its own user-hating interface. With luck, Origin's first "Knights" adventuring module will turn out to be a thoroughly reworked, play-tested "Knights of Legend" re-release.

Fast Frames, Updates, Etc.

Copy II Plus 9.2?

As promised Central Point has sent out version 9.1 (the free fix for 9.0) to registered owners. The Sort Catalog function works, 5.25" Auto Copy parms are now in a single convenient file, and an option has been added to facilitate restarting from ProDOS /8 or GSOS. Unfortunately, one fairly significant glitch has slipped through: if you have a RAM disk, some Bit Copy functions (notably Manual Sector Copy and Auto Copy) tend to bomb. (With RAM Disk set to zero everything seems to work fine.) Central Point has been notified.

Too Old to Turbo Mouse

In the favorable review of Kensington's "Turbo Mouse ADB" trackball I noted that the "chording" and acceleration detection features did not work when TM was used with a Woz (early release) IIs. Kensington explained that the product had been developed and tested on later IIs models which had undergone a fix (unannounced by Apple) of the ADB controller. They "hoped" to have a model which would work with all IIs's, but made no promises. Good

thing. A recently tested current model exhibited the same old problems when connected to a Woz IIs. (TM, by the way, is not the only product which has Woz problems.) For now, any fancy Turbo Mousing is best left to younger IIs's.

Vendors

ACCOLADE

Attn: Melinda Mongelluzzo
550 S. Winchester Blvd., Suite 200
San Jose, CA 95128
(408) 985-1700

ADDISON-WESLEY PUBLISHING

Attn: Abigail Genuth
Route 128
Reading, MA 01867
(617) 944-3700

AD LIB

Attn: Jill Carette
220 Grand-Allee East, Suite 960
Quebec, QC G1R 2J1
Canada
(800) 463-2686

CENTRAL POINT SOFTWARE

Attn: Copy II+ Mkt.
15220 N.W. Greenbrier Parkway #200
Beaverton, OR 97006-9937
(503) 690-8090

ELECTRONIC ARTS

Attn: Lisa Higgins
1820 Gateway Drive
San Mateo, CA 94404
(415) 571-7171

KENSINGTON MICROWARE

Attn: Carol Andreuzzi
251 Park Avenue South
New York, NY 10010
(800) 535-4242
in NY call (212) 475-5200

MINDCRAFT

Attn: PR Coordinator
2341 - 205th Street, Suite 102
Torrance, CA 90501
(213) 320-5215

ORIGIN SYSTEMS

Attn: Greg Malone
110 Wild Basin Road, Suite 330
Austin, TX 78746
(512) 328-0282

SPECTRUM-HOLOBYTE

Attn: Rita Harrington
2061 Challenger Dr.
Alameda, CA 94501
(415) 522-3584

STRATEGIC SIMULATIONS INC.

Attn: Linda Blanchard
1046 North Rengstorff Ave.
Mountain View, CA 94043
(415-964-1353)



NEWS

David L. Goforth WA

Well the BBS is doing pretty good. I've been working on several mods that people have requested, they are:

Autolog - Accessed from the Main menu, prior to starting it will ask if you wish to include the file bases, bulletins, and on-line sections (select the ones you want). It will then display all new messages in all accessible bases without pausing for any key strokes. If you selected to include files, it will then display the current file list in all file areas. Including bulletins will display all bulletins and if the on-line section was included it will show a list of the available on-line features. Upon completion, it will automatically log you off. This feature was added to reduce the connect time for long distance callers. Prior to displaying the first message, you will be asked if your copy buffer is on. Answer "Y"es and you need not press another key (BE SURE THAT YOU HAVE AVAILABLE DISK SPACE OR MEMORY TO HOLD ALL THE SELECTED INFO). If you answer "N"o to this question, you will be asked if you wish to continue anyway. A "N"o response will return you to the Main Menu. The ONLY three keys that will function once this

has started are the **ctrl S** (to stop the listing, any key will start it up again) and **ctrl Q** or **ESC** (these will abort the selected feature and return you to the Main menu without logging you off).

Quicklog - Works the same as **Autolog** except that rather than logging off, it will automatically return to the main menu so that you may stay on line to upload or download files, write messages, etc.

Note: Both Autolog and Quicklog will automatically update your message pointers so if you return to the message base after either of these, it will indicate that there are no new messages (because you just read them).

Post Office - A real private mail system! This will take the place of the E-Mail message base. It will also tell you when logging on if you have mail and give you the option of reading it then (you can also get to it from the Main menu). After reading your mail, you must choose to Delete, Reply, or Save it. After you reply (if you selected this), you must again choose to Delete or Save the original message. Saved mail will NOT show up at logon.

User setup - currently the Personal Data section will include an option for full (as currently seen), abbreviated (command letters only), or no menus (only a command prompt).

The message base will have the submenu command defaulted to "N" ext when reading messages (so you can press return rather than "N").

File bases ALREADY have separate sections for DOS 3.3, ProDOS, and GS. When the system expands to a larger hard drive a graphics section will be added. There will also be an EAMON section and new upload section. The new upload section will be where all newly uploaded files go until they are transferred to another section. As previously stated, all new bases are restricted to BBS members only...

Zoom description - New feature for the Files area. This will allow viewing a more detailed file description (10 lines max) that can be edited by the uploader.

Read ASCII text file - New feature for the files area. Allow reading ASCII text files. This can currently be done by selecting "D"ownload and then selecting "A"SCII transfer (rather than Xmodem).

Other coming features include a VERY large change to the Personal Data section (which will be changing to "U"ser setup). Some coming features include: Setting which message bases and file bases will be displayed with the autolog and quicklog feature. If you wish to make your REAL name or address or phone number and other data viewable in the user list (default is no, only user # and Handle will be shown).

Most of these changes are the result of user suggestions. I hope they help and you find them useful. If you have any other features you'd like to see on the BBS please let me know. Also, the winners of the software I mentioned in issue #72 will be listed in the next issue.



General (Public)

User #922

Subj: GIF Graphics

I am looking for individuals interested in exchanging GIF files. I have a large library available to offer. If you are interested, leave E-Mail for user #922. Also, I have an APW database showing the entire GIF listing that is available.

User #695

Subj: BBS

Call the only Apple II BBS in Colorado Springs - Mile HI Apple Pie 719-632-9126 Tell 'em Ober Drache sent you! :)

User #1062

Rumors & Propaganda

- GS System Disk v6.0 is in beta testing right now as is Hypercard GS. The new system disk will have many improved tool sets including a brand new one for sound. The sound tool (#35 I think) can play top quality sound without using up lots of disk/memory space. Hypercard GS will be able to directly read the Mac Hypercard stacks off of Mac disks. This seems to hint that a HFS FST will be included, either with the new system disk or the GS Hypercard package.

- Video Technologies, the folks who put out the Laser 128 line of computers (great computers BTW), are close to finishing a GS clone. The prototype has already been shown to developers.

- Zip Technologies (Zip Chip) are working on their own GS accelerator. Word has it that it runs at 12Mhz to start with and can be upgraded easily. The problem with it not being out yet has to do with marketing, not engineering.

- The rumored upcoming low cost Mac supposedly has 640x400 resolution, Apple // compatibility, 8 bit color (256 or so colors on screen), among other things. This to me sounds like the long awaited GS+ to me (let's hope!).

- Mac Inc. (everyone else calls them Apple Inc.) has a Mac Plus board that plugs into a slot in the current GS and allows it to run Mac Plus software (128K ROMs, HFS, etc).

User #1064

Subj: Ace Detective by Mindscape

Does anyone know how to crack Ace Detective? Any help would be appreciated. Disk can be copied but won't boot up.

User #750

Subj: Ace Detective

Try this technique to deprotect Ace Detective. It works for Ace Reporter and it might work for Ace Detective.

1. Copy disk with program that will ignore errors.

Ink	Sci	Byte	From	To
\$01	\$01	\$00	A2	60

Sysop (User #937)

Subj: Archived Programs

Bugs in ShrinkIt 3.01

ShrinkIt 3.01 has a few bugs. ShrinkIt 3.02 is now available for downloading in the public file base. It is an Executable text file that will automatically unshrink itself "-ShrinkIt" from BASIC or launch from the Finder. It will now work with the system 5.0x resource forks so no more shrinking disks for system 5.0x files.

User #15

Subj: Archived Programs

Does anyone know what the various file types and extensions are for programs archived with other than ShrinkIt? The ShrinkIt Docs. say it is file type \$E0 with an extension \$8002. I'm looking for ACU BLU BNY etc. Any help would be appreciated.

SYSOP (User #937)

Subj: Archived Programs (reply)

Going through the Apple tech notes: These should all be \$E0 with the following Aux types:

\$0001 - Apple single file format
\$0002 - Apple double header
\$0003 - Apple double data
\$8000 - Binary II
\$8002 - NuFx (ShrinkIt)

ACU, QQ (squeezed), DDD.PRO, & DD.Deluxe were not listed as of the March 1990 revision to the Apple Tech notes. ACU should however follow the same guidelines as ShrinkIt. The other unlisted ones (as well as Binary II) are not true archival, data compression routines & are used more for telecommunications transfers (multiple files into a single file - as stated for Binary II in the tech notes).

User #1064

Subj: Tetris IIe

Does anyone know how to crack Tetris. The parm for it on CopyII v9.0 doesn't seem to work and I've tried several other methods and can't come up with anything. thanks my user Id is 1064.

User #1061

Subj: Call Here

Here are some GREAT boards for you to call...

Byte Bastards(201) 697-7001
Silver Tongue(708) 759-1916
Apple Connection(714) 557-9138

User #1064

Subj: Easy Graph II by Grolier

Does anyone know how to crack Easy Graph II? When I sector edit the original, I find it to be written in Pascal, version 1.

User #1054

Subj: Tetris IIe (reply)

A crack for Tetris can be found in Computist #62 page 23. I used this crack to deprotect my Tetris game. The one thing I did find out is that the sector edits for the 128K version are at track 00 sector 02 and the one for the 48K was at track 00 sector 05 for my version of the game.

I found the same thing with one exception.

The II+ side would kill itself if it was not write protected (meaning that scores could not be kept) but other than that & the change in location (sectors) it worked fine. (sysop)

User #1100

Subj: Task Force (gs)

Anybody know or have the crack to this great GS game? It's been on the pirate boards for about a month now. It uses a bad block check. I tried my hand at it but it is very different than all the rest of Britannicas software protection schemes. The code is hiding from me and I cant find it.

User #543

Subj: Issue #72

To Keith B. Reed: Your apt for Pirates GS does eliminate the program asking for data about the Silver Train or Treasure fleet, but in my version it also wiped out all the towns too!

To Zorro: your article about putting Autoduel on a 3 1/2 disk was close but no cigar! Copy II plus, by the way, does not recognize UniDos. (I know you had no way of knowing this.) Also, I had a couple more edits for the file names to perform and still it didn't fly. Oh well, maybe later I'll give it another shot.

To Daniel Bashford: The apt for Wings of Fury (Hit esc type 'ask') didn't work on my disk. Is yours an original, if so what version?

User #1094

Subj: ProDOS Cracks

I am not sure if this will work on all ProDOS disks, but it worked for me on three - Curious George, Pow Bam Kerplunk and Weatherschool.

All three disks had ONE item in common. When you quit the original program, the ProDOS program comes on and asks you to state where you want to find the next application.

Here are the steps....please report any successes and failures:

- 1) Copy COPY II PLUS or CAT DOCTOR to RAM
- 2) Boot the original disk
- 3) Terminate the program and get to the copy program
- 4) Copy all files except ProDOS into RAM
- 5) Copy all files from RAM onto a freshly formatted ProDOS disk
- 6) Add a nice GOOD ProDOS to the copied files disk

This should work. Contact me at the Silicon Shed (505) 293-5538 and report what programs it worked on for YOU.

For those of you who wish to contact people closer to home, call my board, The Silicon Shed, in Albq., NM. (505) 293-5538.

User #457

Subj: GS Graphic Artist

I'm in need of a graphic artist on the GS (super-hi-res screens) if you think you can do artistic work and can follow guide lines please get in touch with me. I'd love to see some work. If you can I would need to know your address (real name) & phone # Thanks,

User #1082

Subj: Easy Graph II by Grolier (reply)

Most of the Pascal protections that I've run into have a check something like:

```
BD 8C C0
10 FB
C9 XX   Where xx is not D5 AA AD DE or 96
D0 F4   Branch to somewhere if the compare is wrong
18 60
```

What to do is put an 18 60 EA at the first BD 8C C0 that has the protection code in it.

User #790

Subj: Centauri Alliance

Help!! I am looking for some help to the following area's.

When in Zentek's Fortress, what is the password the computer is looking for? What about the Magic Mouth. What is the title I need to use for Tonka's place? What are some of the special items used for: Black Box, Cig Butt, etc.

User #17

Subj: Senior Prom

Is it still possible to order the Senior Prom? I called a telephone number listed in back issues, but they can no longer supply this product. Several cracks require a way into the monitor and this is the only product that I have seen mentioned that will be of assistance when using an Apple IIc. I hope someone can help me obtain information on this product's availability.

On another note, this BBS is great. I'm not

surprised, since the magazine is so good. Would it help the magazine if products were advertised in it? Maybe this is easier said than done, but all magazines need advertising revenue to remain solvent.

Well, keep up the good work.

User #601

Subj: Deluxe Paint II

A friend of mine just changed from GSOS v4 to v5.02 and now finds that her version of D.P. does not work. I read somewhere that a file needed to be copied under a different name but not having D.P. I did not write the name down. Does anybody Know how to get it to work under Sys.5?

User #1147

Subj: Certificates & More Help

I recently purchased Certificates & More from Mindscape for the Apple IIe with 128K of memory. The program is written to run under ProDOS but so far I haven't been able to copy it. It comes with a backup disk but the backup wouldn't boot due to the copy protection. If any one has any ideas on how to deprotect it, the information would be greatly appreciated.

User #1054

Subj: Dinosaur Days & Strike Fleet

Does anyone out there have a crack for Dinosaur Days by Pelican Software, Inc. other than the one in Computist #71 which I have tried repeatedly. I have found out that the speed at which the drive was set to write to the disk is approx. 195.5. Also does anyone have a crack for Strike Fleet by Electronic Arts? The only thing that I have been able to find is off my bit copy which doesn't work by changing the last jump (4C) to EA EA EA at track \$00 sector \$00 that I can look at the code. Also by tracing the jumps through after the bit copy breaks out into machine language that I come to a jump that jumps to an address of which it looks at the second hex bit and the hex bit of the next address and then hits a RTS (60). A really weird jump but it does take time to find it. I would appreciate any help that anyone can give me. I will soon upload a deprotect scheme for Practical II, and Neverending Story.

User #1094

Subj: National Inspirer

I am trying to de-protect a Tom Snyder program for classroom use. It is called National Inspirer, and although it is a Tom Snyder program, there is copy-protection that I cannot alter. I have tried what "cracks" have appeared in previous Computist magazines without help. If you can assist me, please leave E-Mail

User #543

Subj: Easter Egg

Try hitting option-shift when in the desktop and pulling down on your Apple. Instead of 'About The Finder', it should say 'About The System'. Then click on the icons in the box.

User #1137

Subj: Gradbusters 1,2,3

Does anyone out there have a "crack" for this program? I would VERY much appreciate any help that anyone can give. I would even be willing to send my registered back-up copy to anyone who feels they could handle the protection scheme. If you would rather contact me directly, leave E-Mail on the BBS for user #1137.

User #1141

Subj: Gradbusters 1,2,3,

I'd be interested in knowing what you find out about a crack for that program. I called the outfit several months ago to find out if they had a protection-free copy for installation on a Hard Drive. Come to think of it, I wrote them a letter. They DID respond, but the answer was a big fat, "No!". So I opted to stay with what I'm currently using, which is a modified version of GradeCalc, by Tamarac (Minnesota, I think).

User #1062

Subj: Vote for Apple //

Free CD-ROM disk

I called up this week and 'voted for the Apple //' by getting the free CD-ROM disk from Apple. If you haven't called yet, the number is 1-800-441-3001 extension 200. Ask for the free CD-ROM disk. They will ask you several questions like what your title is, what business you work for, etc. Of importance is the computer you use. MAKE SURE to tell them it is an Apple // (//e, //gs, whatever). Maybe if enough of us call, we can make a difference. The call is free. All you

have to do is spend about two (2) minutes of your time. Come on Computist readers, let's go to it!!!!

User #1047

Subj: D/L Files

I'm am having a problem with downloaded files. I'm using a Mac IIcx, with Smartcom II. The problem is that I can't get any file to run. I can access the file with a word processor, but the utility files won't run. I don't think the problem is the software or the protocol settings. Possibly, I need an application to run it on? I don't know. Any help will be great. Do you know if anyone has this problem? Or if anyone has this kind of setup, you could ask him.

About 95% of all software on BBS's is in some sort of archived format, this is to reduce disk space taken by the program & also allows for compacting several files or entire disks to a single file. These are usually suffixed with a SHK, BQY, BNY or other extension to tell the caller what compaction method was used so that they can uncompress the file(s) to their original format. You really need SHRINKIT to uncompress nearly ALL files on any system. Shrinkit will uncompress SHK (\$EO), BXY (Binary), BQY (Binary Squeezed), QQ (Squeezed) and perhaps a couple others, including ACU files. As for the TEXT file type, ALL files transferred with XModem will change to a file type of TEXT. Shrinkit will still recognize the file as a compressed file & uncompress it. If you download ANY file that is not compressed and not text you MUST use XModem-ProDOS (or YModem or ZModem if the BBS supports them) or the file will be converted to a text file & be totally useless!

If you are trying to run files downloaded from the Computist BBS then you need an Apple II series computer (no Mac files here, yet) or (2) if you've downloaded Mac files from other BBS's, they usually need to be un-archived (these files are usually compressed so as to save room on the disk, reduce transfer time when up/downloading, and combine several files into one). You will need a program that will un-arc these files back to their original format. (sysop)

User #1082

Subj: Bad Block Maker

I've uploaded a file called Bad Block Maker. It places a bad block on a 3.5" disk that uses that as copy protection. If you're copying a protected 3.5" disk and the copy program encounters an error or bad block, make a note of the hex number of the bad block. After you've made your copy, run BAD.BLOCK.MAKER and put the bad block back on the disk. This program only runs on a //GS from slot 5.....sorry //e owners. It at least gives you the opportunity of copying a protected disk that probably wouldn't run otherwise.

User #1142

Subj: Electronic Arts

Does anyone have any idea how to crack either Legacy of the Ancients or Strike Fleet? I've tried the procedure on Deathlord in Computist 62. I got it to read track F of every track but that is all. Please, anyone I am desperate.

User #622

Subj: CRACKS

Can you please add Might & Magic II to your crack list. Its a great game but they have a new protection that I haven't seen before. You can copy the disk and start up the game and even play but when you quit and try to save your gold etc., it doesn't save the game and you are back to square one. Hope someone out there can crack this one soon.

User #1062

Subj: Cracks

If anyone around here gets Might & Magic II then I will have a chance to look at it. I can't find it in the store, and I don't want to get it via mail order because I'm an Ultima fanatic.

Speaking of being an Ultima fanatic, did you know that Ultima VI: The False Prophet is probably not going to come out for the Apple II? Origin gives a load of reasons with most of them sounding like lazy excuses. Heck, the game is even coming out for the COMMODORE 64! I'm embarrassed. I saw the box for the MessyDOS machines at the software store yesterday. The game itself looks good.

On another note, Here is something we Computist subscribers can do to help our (Apple II) cause. Call this number 1-800-441-3001 ext. 200 and ask for the free CD-ROM demo. Tell them you have an Apple IIGS (or //e even) and an Apple CDsc CD-ROM drive. Just think: you're making Apple waste money for the free (to you) call and for the CD-ROM disk. You also get to

'vote' that there are a lot of Apple II users out there. Maybe if enough of us call up and get the CD-ROM disk, Apple will take notice of us!!!

Other notes: ShrinkIt v3.0 is now out. Pangea (the same folks who put out Xenocide) has a new game ready to be put out call NEXOS GS. It's like Operation Wolf (arcade game). Their only problem now is finding a publisher for the game.

User #622

Subj: Wasteland Crack

Don't know if this will help but the only way I could get a copy of Wasteland was using Essential Data Duplicator Plus 4. I have a IIGS with a EDD PLUS 4 board. If you have it or know someone that does, set sync (Yes) Bit Copy (Yes) Copy Side 1 (Don't forget to write protect after copying). Then copy sides 1-4 using Wasteland copy program. Use these to play with (Don't write protect this copy of side 1). Hope this helps.

User #1137

Subj: Security Card

This BBS is great! Greetings from Canada! I saw a card advertised in a local monthly that provided pass-code security for an IBM-type computer. How about the same for a IIe? I'm a school teacher and I get really tired of others (teachers and students) using my computer when I'm not looking - usually it is because their ribbon is worn out so they want to wear out mine! Those of you who are hardware hackers would get my eternal praise if you could come up with a card, chip, or anything that would secure my system with password access. God bless the Computist! I can't begin to explain (especially at long distance rates!) the incredible help that you have provided for me. Thanks a million!!

The problem with a card or chip for this function is that you'd never be able to change the password. A friend had a cheaper & easier solution on his machine. He'd replaced the power switch on his system with an ignition type switch (requiring a key). I'll see about making up some drawings on how to do this (it's better if done to a multi-outlet strip. That way it controls everything & no warranties are voided). (sysop)

User #1047

Subj: Suggestion

I would like to make a suggestion for this BBS. I am new to the modem world, I've only had one for a few months. So I don't know the time and expense that go's into maintaining a BBS. I due know a good board from a boring one. I think the addition of a multi-line system would greatly enhance this board. Users from all over the country could discuss there mutual concerns face to face (computer to computer)

Undoubtedly this would cost \$\$\$ to incorporate into the system, I for one would be willing to pay a one time fee to see this become a reality... Why not put out a general message on this matter and see what kind of response we get... Also you may want to print this in the next issue...

I have a second suggestion, How about dividing up the message area into CATEGORIES.

General Messages
A.P.T.s
Softkeys
IBM Stuff
...etc...

That way the user can post his or her messages under the category that it applies to.

I hope my suggestions are realistic, and help improve this fine BBS.

We've considered more phone lines. The main problem right now is cost. I've also suggested to Mr. Haight that we might consider getting a section on America OnLine (this would greatly reduce the long distance cost to users). What we're basically waiting for is to see how much use the BBS actually gets & how many people join & actually use it (so far it's looking pretty good).

There are now three new file areas. DOS 3.3, ProDOS, & IIGS for all those that requested it. It may be a little before there is much there so be patient & let me know what you'd like. (sysop)



RDEX INPUTS

Jack Moravetz User #1082

Softkey for...

Reading Comprehension:
Finding the Main Idea

Morning Star Inc.

The protection was found in a file called CHECKDSK.OVR on the two disks that booted.

I used BLOCK.WARDEN from ProSEL to follow this file. I found a 2000 BF and changed it to EA EA EA and further in the file I found a BD 8C C0 with some C9 FF's after it. I changed the BD 8C C0 to 18 60 EA and wrote the block back and it worked.

Softkey for...

Mathosaurus

Micrograms

This four disk set uses a single load format, so it probably could be captured with a copy card. I used Copy II Plus to format 4 blank disks. I then used the manual sector copy in the bit copy section to copy all the tracks except track \$01. Super IOB, with a controller to copy all the tracks except \$01, would also work.

PHANTOM User #794

Ultima 5 Editors

These are my Ultima 5 editors which I created 2 yrs. ago and let sit around for that time until now. They are all fixed. They run under ProDOS. If you're getting this from the BBS all you have to do is unshrink them. If you are typing them, be sure to use the right names when you save the 3 programs. STARTUP is the menu/hello program. Have fun!

STARTUP

```
10 HOME : PRINT : PRINT : PRINT : PRINT
20 PRINT "1)Character Editor"
30 PRINT "2)Miscellaneous Editor"
40 PRINT : INPUT "WHICH(1-2) : "A
45 PRINT CHR$(4) "PREFIX/ULTIMA5.EDIT"
50 IF A = 1 THEN PRINT CHR$(4) "RUNULT5.CHAR.EDIT"
60 IF A = 2 THEN PRINT CHR$(4) "RUNULT5.MISC.EDIT"
70 END
```

Checksums

10-\$3777	40-\$5247	60-\$213A
20-\$D423	45-\$8949	70-\$423E
30-\$4ECD	50-\$ECD9	

ULTS.CHAR.EDIT

```
10 REM
20 REM Ultima V
30 REM Character Editor
40 REM By Kevin Lynch
50 REM
60 REM (c) 1988 |
70 REM By: The Byte Zappers
80 REM
90 REM
100 CLEAR : NOTRACE : ONERR GOTO 1740
110 DIM D(16),A$(17):D$ = CHR$(4) : PRINT D$
"PR#3" : FOR R = 1 TO 16:D(R) = 0: NEXT R
120 P = 1:B = 1
130 REM
140 REM Set variables for title screen
150 REM
160 A$(17) = "Save and Quit to Main Menu"
170 HOME : PRINT :A$ = "Ultima V" :V = 12:
GOSUB 260:A$ = "Character Editor" :V = 13:
GOSUB 260:A$ = "By" :V = 15: GOSUB 260:A$ =
"The Phantom" :V = 17: GOSUB 260:A$ =
"Insert Britannia Disk and Press a Key"
:V = 22: GOSUB 260
180 REM
190 REM Load in character information
200 REM
210 GET A$: PRINT CHR$(4) : "PREFIX/BRI
TANIA" : PRINT CHR$(4) : "BLOAD/ROSTER"
220 GOTO 300
230 REM
240 REM A$ placement on screen
250 REM
260 H = (80 - LEN (A$)) / 2: VTAB V: HTAB H:
PRINT A$ : RETURN
270 REM
280 REM Main Menu
290 REM
300 HOME :I = 0
310 C$ = "Ultima V Character Editor" :
NORMAL
320 C$ = "0" + C$:Z$ = C$ + MID$(C$,1,8)
330 S = 17
340 PRINT : VTAB 1: INVERSE : PRINT SPC(80) :
VTAB S + 6: PRINT SPC(80) : FOR A = 2 TO S
+ 5: VTAB A: INVERSE : PRINT "0" : NORMAL
: PRINT SPC(78) : INVERSE : PRINT "0" :
NORMAL : NEXT
350 INVERSE:V = 1:A$ = "Character Stats. Menu"
: GOSUB 260: NORMAL :V = 2:A$ = "Rememb
er...Only 60 Characters in the Party" :
GOSUB 260:V = 7:A$ = "00000000 Characters
in Party" : GOSUB 260:C = 32768
360 REM
370 REM Read name from memory
380 REM
390 FOR B = 1 TO 16:A$(B) = "" : NEXT B:B = 1
400 FOR E = C TO C + 7: IF PEEK (E) < > 0 AND E
< > 32775 THEN A$(B) = A$(B) + CHR$( PEEK
```

```
(E)): NEXT E
410 REM
420 REM placement of character name on screen
430 REM
440 VTAB 3 + B: HTAB 3: PRINT "[0] :A$(B) : IF
D(B) = 1 THEN HTAB 25: INVERSE : PRINT ""
: NORMAL
450 REM
460 REM Advance B and C to read in next
character name
470 REM
480 B = B + 1:C = C + 8: IF B > 16 THEN 530
490 GOTO 400
500 REM
510 REM Check to see if character is in party
520 REM
530 G = 5:M = 5:Q = 32896
540 IF PEEK (Q) = 00 THEN K = Q - (((G - 4) * 8) +
120): FOR L = K TO K + 7: GOTO 560
550 GOTO 580
560 IF PEEK (L) < > 0 AND L < > 32775 THEN I$ =
I$ + CHR$( PEEK (L)): NEXT
570 VTAB M + 4:M = M + 1: HTAB 41: PRINT I$
580 G = G + 1:Q = Q + 16: IF Q > 33136 THEN
GOTO 600
590 I$ = "" : GOTO 540
600 VTAB 3 + B: HTAB 3: PRINT "[0] :A$(17)
610 B = 1
620 VTAB 3 + B: HTAB 4: INVERSE : PRINT CHR$(
27) : PRINT "E" : NORMAL : PRINT CHR$(
24) : PRINT
630 VTAB 24: HTAB 1: PRINT "I" : INVERSE :
PRINT "Ultima V" : NORMAL : PRINT "J" :
INVERSE : PRINT CHR$(27) : "FG" : NORMAL
: PRINT CHR$(24) :
640 K$ = MID$(Z$,P,8) : VTAB 24: HTAB 2:
INVERSE : PRINT K$: NORMAL : FOR Z = 1
TO 30: NEXT Z:P = P + 1: IF P > LEN (Z$) - 8
THEN P = 1
650 O = PEEK (- 16384) : IF O < 128 THEN GOTO
640
660 O = O - 128: POKE - 16384,O: IF O = 13 THEN
GOTO 720
670 IF O = 21 OR O = 8 OR O = 10 OR O = 11
THEN VTAB 3 + B: HTAB 4: PRINT "0" : GOTO
690
680 GOTO 650
690 Y = PEEK (49200):Y = PEEK (49200) : IF O = 8
OR O = 11 THEN B = B - 1: IF B < 1 THEN B =
S: GOTO 620
700 IF O = 21 OR O = 10 THEN B = B + 1: IF B > S
THEN B = 1: GOTO 620
710 GOTO 620
720 Q$ = A$(B) : VTAB 23: HTAB 1: PRINT : PRINT
"[" : INVERSE : PRINT "Have fun" : NORMAL
: PRINT "]" :T = 1
730 V$ = Q$ + "....." :J$ = MID$(V$,T,1) : VTAB
24: HTAB T + 11: PRINT J$: INVERSE : PRINT
CHR$(27) : "FG" : NORMAL : PRINT CHR$(
24) :T = T + 1: IF T > LEN (Q$) + 8 THEN
GOTO 750
740 GOTO 730
750 IF B > 0 OR B < 17 THEN S = B * 8:N = S +
32760:F = S + 120
760 IF B = 17 THEN GOTO 1440
770 FOR R = 1 TO 16: IF B = R AND D(R) = 1
THEN GOTO 800
780 NEXT
790 GOTO 850
800 INPUT "You have already edited this person
.Do you want to edit him/her again(Y/N) : "
:H$ : IF H$ = "Y" THEN GOTO 850
810 GOTO 300
820 REM
830 REM Start of character statistics
840 REM
850 G$ = "" : FOR E = N TO N + 7: IF PEEK (E) < >
0 AND E < > 32775 THEN G$ = G$ + CHR$(
PEEK (E)): NEXT
860 HOME :V = 2:A$ = "Character Stats. " :
GOSUB 260
870 PRINT : VTAB 10: PRINT "Name" :G$: HTAB
6: INPUT "" :A$: IF A$ = "" THEN N = N + F:
GOTO 900
880 IF LEN (A$) > 8 THEN GOTO 870
890 FOR W = 0 TO LEN (A$) - 1: POKE N + W,
ASC ( MID$(A$,W + 1,1)) + 128: NEXT : FOR X
= W TO 7: POKE N + X,O: NEXT :N = N + F
900 IF PEEK (N) = 00 THEN F$ = "Y" : GOTO 920
910 F$ = "N"
920 PRINT : VTAB 10: PRINT "In Party(Y/N) : "
:F$: CHR$(8) : INPUT "" :A$: IF A$ = "Y" THEN
FOR Q = 32896 TO 33136 STEP 16: IF PEEK
(Q) = 00 THEN I = I + 1
930 IF I > 5 THEN PRINT : PRINT "You can't have
any more characters in your party." : GET
B$: GOTO 300
940 IF A$ = "N" THEN POKE N,255: GOTO 970
950 IF A$ = "" THEN GOTO 970
960 NEXT : IF A$ = "Y" THEN POKE N,O
970 F$ = CHR$( PEEK (N + 2))
980 VTAB 10: PRINT CHR$(11) : "Avatar, Fighter
Bard, Mage" :F$: CHR$(8) : INPUT "" :A$
990 IF A$ = "" THEN GOTO 1040
1000 IF A$ = "A" THEN POKE N + 2,193
1010 IF A$ = "F" THEN POKE N + 2,198
```

```

1020 IF A$ = "B" THEN POKE N + 2,194
1030 IF A$ = "M" THEN POKE N + 2,205
1040 IF PEEK ( N + 1 ) = 62 THEN F$ = "M" : GOTO
1060
1050 F$ = "F"
1060 VTAB 10: PRINT CHR$( 11); "Sex(M/F):"
;F$; CHR$( 8);: INPUT "" ;A$: IF A$ = "" THEN
GOTO 1090
1070 IF A$ = "M" THEN POKE N + 1,62
1080 IF A$ = "F" THEN POKE N + 1,63
1090 IF PEEK ( N + 3 ) = 199 THEN F$ = "G" :
GOTO 1120
1100 IF PEEK ( N + 3 ) = 196 THEN F$ = "D" :
GOTO 1120
1110 F$ = "P"
1120 VTAB 10: PRINT CHR$( 11); "Health(G/D/
P):" ;F$; CHR$( 8);: INPUT "" ;A$: IF A$ = ""
THEN GOTO 1160
1130 IF A$ = "G" THEN POKE N + 3,199
1140 IF A$ = "D" THEN POKE N + 3,196
1150 IF A$ = "P" THEN POKE N + 3,208
1160 PRINT :E$ = "Strength" :D = LEN (E$) + 2:N =
N + 4: GOSUB 1500: PRINT :E$ = "Intelligence"
:D = LEN (E$) + 2:N = N + 1: GOSUB 1500:
PRINT :E$ = "Dexterity" :D = LEN (E$) + 2:N =
N + 1: GOSUB 1500
1170 PRINT :E$ = "Magic" :D = LEN (E$) + 2:N = N
+ 1: GOSUB 1500: PRINT :E$ = "CurrentHit
Points" :D = LEN (E$) + 2:N = N + 1: GOSUB
1600: PRINT :E$ = "MaximumHitPoints" :D =
LEN (E$) + 2:N = N + 2
1180 GOSUB 1600: PRINT :E$ = "Experience
Points" :D = LEN (E$) + 2:N = N + 2: GOSUB
1600
1190 PRINT :VTAB 10: PRINT CHR$( 11):VTAB
10: HTAB 25: PRINT "(0-9)":VTAB 10: HTAB 1:
PRINT "Level:" ;D = 7:N = N + 2: GOSUB 1560:
HTAB 7: INPUT "" ;A$: IF A$ = "" THEN GOTO
1220
1200 A = VAL (A$): IF A > 9 OR A < 0 THEN GOTO
1190
1210 GOSUB 1420
1220 IF N = 32910 THEN D(1) = 1
1230 IF N = 32926 THEN D(2) = 1
1240 IF N = 32942 THEN D(3) = 1
1250 IF N = 32958 THEN D(4) = 1
1260 IF N = 32974 THEN D(5) = 1
1270 IF N = 32990 THEN D(6) = 1
1280 IF N = 33006 THEN D(7) = 1
1290 IF N = 33022 THEN D(8) = 1
1300 IF N = 33038 THEN D(9) = 1
1310 IF N = 33054 THEN D(10) = 1
1320 IF N = 33070 THEN D(11) = 1
1330 IF N = 33086 THEN D(12) = 1
1340 IF N = 33102 THEN D(13) = 1
1350 IF N = 33118 THEN D(14) = 1
1360 IF N = 33134 THEN D(15) = 1
1370 IF N = 33150 THEN D(16) = 1
1380 GOTO 300
1390 REM
1400 REM Poke value into Buffer
1410 REM
1420 POKE N,(INT (A / 10) * 16) + (A - INT (A / 10)
* 10): RETURN
1430 REM
1440 REM Save Updated Information
1450 REM
1460 PRINT CHR$( 4)
"BSAVEOROSTER,A$8000,L$3FF" : HOME :
PRINT CHR$( 4) "PREFIX/ULTIMA5.EDIT" :
PRINT CHR$( 4) "RUNSTARTUP"
1470 REM
1480 REM Print Prompt for items of 0-99 value
1490 REM
1500 VTAB 10: PRINT CHR$( 11):VTAB 10: HTAB
25: PRINT "(0-99)":VTAB 10: HTAB 1: PRINT
E$; "": HTAB D: GOSUB 1560: HTAB D:
INPUT "" ;A$: IF A$ = "" THEN RETURN
1510 A = VAL (A$): IF A > 99 OR A < 0 THEN
GOTO 1500
1520 GOSUB 1420: RETURN
1530 REM
1540 REM Print actual amount of item
1550 REM
1560 VTAB 10: HTAB D: PRINT INT ( PEEK ( N ) /
16) * 10 + ( PEEK ( N ) - INT ( PEEK ( N ) / 16) *
16);: RETURN
1570 REM
1580 REM Print Prompt for items of 0-9999 value
1590 REM
1600 VTAB 10: PRINT CHR$( 11):VTAB 10: HTAB
25: PRINT "(0-9999)":PRINT :VTAB 10:
PRINT E$; "": HTAB D: GOSUB 1700: HTAB
D: INPUT "" ;A$: IF A$ = "" THEN RETURN
1610 A = VAL (A$): IF A > 9999 OR A < 0 THEN
1600
1620 GOSUB 1660: RETURN
1630 REM
1640 REM Poke value into buffer
1650 REM
1660 POKE N,INT (INT (A / 100) / 10) * 16 + INT
(A / 100) - (INT (INT (A / 100) / 10) * 10):
POKE N + 1,(INT ((A - (INT (A / 100) * 100)) /
10) * 16) + (A - (INT (A / 100) * 100) - INT ((A -
INT (A / 100) * 100) / 10) * 10): RETURN
1670 REM

```

```

1680 REM Print actual amount of item
1690 REM
1700 U = INT ( PEEK ( N ) / 16) * 10 + ( PEEK ( N ) -
INT ( PEEK ( N ) / 16) * 16):J = (INT ( PEEK ( N +
1) / 16) * 10) + ( PEEK ( N + 1) - (INT ( PEEK ( N
+ 1) / 16) * 16)): PRINT U * 100 + J;: RETURN
1710 REM
1720 REM Error Checking
1730 REM
1740 PRINT :PRINT "Error..make sure the Brit
annia disk is in the drive" : GET A$:
RESTORE : CLEAR : GOTO 100

```

Checksums

10-\$BADD	590-\$CD2B	1170-\$FFB3
20-\$9B13	600-\$9CE3	1180-\$4D8D
30-\$4D3B	610-\$C1B4	1190-\$3556
40-\$AD92	620-\$4A81	1200-\$5C31
50-\$C899	630-\$121E	1210-\$9E72
60-\$FF65	640-\$1307	1220-\$B266
70-\$A3BF	650-\$1540	1230-\$6913
80-\$A900	660-\$98DF	1240-\$7035
90-\$924D	670-\$E91A	1250-\$2D2C
100-\$B8B0	680-\$BAEA	1260-\$4C22
110-\$5F0B	690-\$A2ED	1270-\$CBF4
120-\$581E	700-\$BDAF	1280-\$A4B3
130-\$1C98	710-\$EE7A	1290-\$D4B5
140-\$9ADB	720-\$4AF7	1300-\$60CF
150-\$8DFA	730-\$DDED	1310-\$E73E
160-\$7CEC	740-\$0CD1	1320-\$B072
170-\$B37A	750-\$82D3	1330-\$28CB
180-\$6860	760-\$508E	1340-\$B441
190-\$EAF2	770-\$A05D	1350-\$3AD0
200-\$F88B	780-\$9CC6	1360-\$588A
210-\$7BA2	790-\$A581	1370-\$71D7
220-\$DD7A	800-\$0A78	1380-\$70C5
230-\$503B	810-\$3421	1390-\$530D
240-\$2527	820-\$600E	1400-\$FB15
250-\$C9AF	830-\$7B45	1410-\$2BA4
260-\$B525	840-\$1C73	1420-\$0386
270-\$91E8	850-\$8DB8	1430-\$64B8
280-\$10E1	860-\$F9FD	1440-\$4248
290-\$DD1F	870-\$6AB1	1450-\$6A07
300-\$8A39	880-\$C133	1460-\$54D9
310-\$AA29	890-\$6E8D	1470-\$5F49
320-\$2B72	900-\$5B1D	1480-\$0F99
330-\$C761	910-\$E3E8	1490-\$7710
340-\$AC40	920-\$F254	1500-\$BC8A
350-\$E8CB	930-\$48A4	1510-\$AA42
360-\$B7E2	940-\$1054	1520-\$1FDE
370-\$AAAA	950-\$08D0	1530-\$0C8A
380-\$1248	960-\$5C7F	1540-\$6FFD
390-\$0577	970-\$5D6F	1550-\$F4ED
400-\$9DCB	980-\$E15A	1560-\$7E54
410-\$D7DE	990-\$6A85	1570-\$C1A4
420-\$3EF5	1000-\$6734	1580-\$311C
430-\$D9FF	1010-\$039D	1590-\$8165
440-\$AE7E	1020-\$A2DE	1600-\$7D1D
450-\$4ED7	1030-\$B861	1610-\$4B9B
460-\$7BFE	1040-\$F0FB	1620-\$C9C9
470-\$3674	1050-\$97B7	1630-\$6033
480-\$CE79	1060-\$F3BC	1640-\$E2BD
490-\$CDE4	1070-\$8636	1650-\$2C12
500-\$7C7B	1080-\$92B3	1660-\$33D1
510-\$3F21	1090-\$2197	1670-\$A8CD
520-\$CA4E	1100-\$19C1	1680-\$4425
530-\$568F	1110-\$4F3B	1690-\$44B8
540-\$D98A	1120-\$B550	1700-\$FA63
550-\$4C3E	1130-\$2BEC	1710-\$3A00
560-\$C977	1140-\$9442	1720-\$8D21
570-\$75D5	1150-\$DF13	1730-\$78C1
580-\$D536	1160-\$4868	1740-\$ADDD

ULT5.MISC.EDIT

```

10 REM
20 REM Ultima V
30 REM Misc. Editor
40 REM By Kevin Lynch
50 REM
60 REM (c) 1988 |
70 REM| By: The Byte Zappers
80 REM
90 REM
100 CLEAR : NOTRACE : ONERR GOTO 1300
110 N = 7: DIM
N$(N),W$(48),S$(48),R$(8),P$(8),E$(8)
,M$(19),D(16):D$ = CHR$( 4): PRINT D$
"PR#3"
120 FOR R = 1 TO N: READ N$(R): NEXT : FOR W =
1 TO 48: READ W$(W): NEXT : FOR S = 1
TO 48: READ S$(S): NEXT
130 FOR R = 1 TO 8: READ R$(R): NEXT : FOR P
= 1 TO 8: READ P$(P): NEXT : FOR E = 1 TO
8: READ E$(E): NEXT : FOR M = 1 TO 19:
READ M$(M): NEXT : FOR R = 1 TO 16:D(R) =
0: NEXT
140 REM Set variables for title screen
150 HOME : PRINT :A$ = "Ultima V" :V = 12:
GOSUB 490:A$ = "Misc. Editor" :V = 13:
GOSUB 490:A$ = "By" :V = 15: GOSUB 490:A$
= "The Phantom" :V = 17: GOSUB 490:A$ =
"Insert Britannia Disk And Press a Key"
:V = 22: GOSUB 490
160 REM Load in character information
170 GET A$: PRINT CHR$( 4); "PREFIX/BRITAN
NIA" : PRINT CHR$( 4); "BLOADOROSTER"
180 REM Main Menu

```

```

190 B$ = "Ultima V Misc. Editor" : NORMAL :B$
= "0" + B$:Z$ = B$ + MID$( B$,1,8)
200 B = 1: HOME :N = 7:A$ = "Ultima V
Misc. Editor Menu" :V = 2: GOSUB 490: PRINT :
NORMAL :VTAB 4: INVERSE : PRINT SPC(
80):VTAB N + 7: PRINT SPC( 80)
210 FOR A = 5 TO N + 6:VTAB A: PRINT "0" ;;
NORMAL : PRINT SPC( 78);: INVERSE :
PRINT "0" : NEXT
220 FOR O = 1 TO N:VTAB 5 + O: HTAB 12:
NORMAL : PRINT "[0]";:N$(O): NEXT :R = 1
230 IF U(R) = 1 THEN VTAB 5 + R: HTAB 39:
INVERSE : PRINT "" : NORMAL
240 R = R + 1: IF R > N THEN GOTO 260
250 GOTO 230
260 NORMAL :P = 1
270 VTAB 5 + P: HTAB 13: INVERSE : PRINT
CHR$( 27);: PRINT "E" ;; NORMAL : PRINT
CHR$( 24);:
280 PRINT :VTAB 20: HTAB 1: PRINT "[ " ;;
INVERSE : PRINT "Ultima V" ;; NORMAL :
PRINT "]" ;; INVERSE : PRINT CHR$( 27);:
"FG" ;; NORMAL : PRINT CHR$( 24);:
290 C$ = MID$( Z$,B,8):VTAB 20: HTAB 2:
INVERSE : PRINT C$;: NORMAL : FOR T = 1
TO 30: NEXT T:B = B + 1: IF B > LEN (Z$) - 8
THEN B = 1
300 K = PEEK ( - 16384): IF K < 128 THEN GOTO
290
310 K = K - 128: POKE - 16368,0: IF K = 13 THEN
410
320 IF K = 21 OR K = 8 OR K = 10 OR K = 11 OR K
> 48 AND K < 49 + N THEN VTAB 5 + P: HTAB
13: PRINT "0" ;; GOTO 350
330 IF K = 21 OR K = 8 OR K = 10 OR K = 11 OR K
> 48 AND K < 49 + N THEN VTAB 5 + P: HTAB
13: PRINT "0" ;; GOTO 350
340 GOTO 300
350 A = PEEK (49200):A = PEEK (49200)
360 IF K = 8 OR K = 11 THEN P = P - 1: IF P < 1
THEN P = N: GOTO 270
370 IF K = 21 OR K = 10 THEN P = P + 1: IF P > N
THEN P = 1: GOTO 270
380 IF K < 49 OR K > 49 + (N - 1) THEN GOTO 270
390 P = K - 48: GOTO 270
410 G = LEN (N$(P)) - 3:P$ = RIGHT$( N$(P),G)
420 PRINT
430 VTAB 20: HTAB 1: PRINT "[ " ;; INVERSE :
PRINT "Bye Bye" ;; NORMAL : PRINT "]";:
440 L = 1
450 G$ = P$ + "....." :R$ = MID$( G$,L,1):VTAB
20: HTAB L + 11: PRINT R$;: INVERSE :
PRINT CHR$( 27) "FG" ;; NORMAL : PRINT
CHR$( 24);:L = L + 1: IF L > LEN (P$) + 8 THEN
GOTO 470
460 GOTO 450
470 U(P) = 1: ON P GOTO 530,570,610,650,690,
730,950: END
480 REM Menu for characters
490 H = (80 - LEN (A$)) / 2:VTAB V: HTAB H:
PRINT A$;: RETURN
500 REM Poke value into Buffer
510 POKE N,(INT (A / 10) * 16) + (A - INT (A / 10) *
10): RETURN
520 REM Weapons & Armor
530 HOME :V = 2:A$ = "Weapons & Armor" :
GOSUB 490:W = 1:N = 33280
540 PRINT :E$ = W$(W):D = LEN (E$) + 2: GOSUB
970:W = W + 1:N = N + 1: IF W > 48 THEN
HOME : GOTO 200
550 GOTO 540
560 REM Spells
570 HOME :V = 2:A$ = "Spells" : GOSUB 490:
PRINT :V = 3:A$ = "In Order To Cast Higher
Level Spells You Must Have Characters
Of Higher Levels" : GOSUB 490:W = 1:N =
33344
580 PRINT :E$ = S$(W):D = LEN (E$) + 2: GOSUB
970:W = W + 1:N = N + 1: IF W > 48 THEN
HOME : GOTO 200
590 GOTO 580
600 REM Scrolls
610 HOME :V = 2:A$ = "Scrolls" : GOSUB 490:W =
1:N = 33392
620 PRINT :E$ = R$(W):D = LEN (E$) + 2: GOSUB
970:W = W + 1:N = N + 1: IF W > 8 THEN
HOME : GOTO 200
630 GOTO 620
640 REM Potions
650 HOME :V = 2:A$ = "Potions" : GOSUB 490:W =
1:N = 33400
660 PRINT :E$ = P$(W):D = LEN (E$) + 2: GOSUB
970:W = W + 1:N = N + 1: IF W > 8 THEN
HOME : GOTO 200
670 GOTO 660
680 REM Reagents
690 HOME :V = 2:A$ = "Reagents" : GOSUB 490:W =
1:N = 33440
700 PRINT :E$ = E$(W):D = LEN (E$) + 2: GOSUB
970:W = W + 1:N = N + 1: IF W > 8 THEN
HOME : GOTO 200
710 GOTO 700
720 REM Miscellaneous
730 HOME :V = 2:A$ = "Miscellaneous" : GOSUB
490:N = 33152: PRINT :E$ = M$(1):D = LEN
(E$) + 2: GOSUB 1030: PRINT :E$ = M$(2):D =

```

```

LEN (E$) + 2:N = N + 2: GOSUB 1030
740 PRINT :E$ = M$(3):D = LEN (E$) + 2:N = N +
2: GOSUB 970: PRINT :E$ = M$(4):D = LEN
(E$) + 2:N = N + 1: GOSUB 970: PRINT :E$ =
M$(5):D = LEN (E$) + 2:N = N + 1: GOSUB 970
750 IF PEEK (33159) = 1 THEN F$ = "Y" : GOTO
770
760 F$ = "N"
770 VTAB 10: PRINT CHR$( 11);:VTAB 10: PRINT
M$(6); "Y(N)":;F$; CHR$( 8);: INPUT "" ;A$:
IF A$ = CHR$( 13) THEN GOTO 800
780 IF A$ = "Y" THEN POKE 33159,1
790 IF A$ = "N" THEN POKE 33159,0
800 PRINT :E$ = M$(7):D = LEN (E$) + 2:N = N +
2: GOSUB 970
810 C = 33264:F = 8: GOSUB 1320
820 C = 33265:F = 9: GOSUB 1320
830 C = 33266:F = 10: GOSUB 1320
840 PRINT :E$ = M$(11):D = LEN (E$) + 2:N =
33267: GOSUB 970
850 C = 33268:F = 12: GOSUB 1320
860 PRINT :E$ = M$(13):D = LEN (E$) + 2:N =
33269: GOSUB 970
870 C = 33270:F = 14: GOSUB 1320
880 PRINT :E$ = M$(15):D = LEN (E$) + 2:N =
33271: GOSUB 970
890 C = 33272:F = 16: GOSUB 1320
900 C = 33273:F = 17: GOSUB 1320
910 C = 33274:F = 18: GOSUB 1320
920 C = 33275:F = 19: GOSUB 1320
930 GOTO 200
940 REM Save Updated Information
950 PRINT CHR$( 4) "BSAVEOROSTER,A$8000,
L$3FF" : HOME : PRINT CHR$( 4) "PREFIX/
ULTIMA5.EDIT" : PRINT CHR$( 4) "RUN
STARTUP"
960 REM Print Prompt for items of 0-99 value
970 VTAB 10: PRINT CHR$( 11):VTAB 10: HTAB
25: PRINT "(0-99)":VTAB 10: HTAB 1: PRINT
E$; "": HTAB D: GOSUB 1010: HTAB D:
INPUT "" ;A$: IF A$ = "" THEN RETURN
980 A = VAL (A$): IF A > 99 OR A < 0 THEN GOTO
970
990 GOSUB 510: RETURN
1000 REM Print actual amount of item
1010 VTAB 10: HTAB D: PRINT INT ( PEEK ( N ) /
16) * 10 + ( PEEK ( N ) - INT ( PEEK ( N ) / 16) *
16);: RETURN
1020 REM Print Prompt for items of 0-9999 value
1030 VTAB 10: PRINT CHR$( 11):VTAB 10: HTAB
25: PRINT "(0-9999)":PRINT :VTAB 10:
PRINT E$; "": HTAB D: GOSUB 1090: HTAB
D: INPUT "" ;A$: IF A$ = "" THEN RETURN
1040 A = VAL (A$): IF A > 9999 OR A < 0 THEN
1030
1050 GOSUB 1070: RETURN
1060 REM Poke value into buffer
1070 POKE N,INT (INT (A / 100) / 10) * 16 + INT
(A / 100) - (INT (INT (A / 100) / 10) * 10):
POKE N + 1,(INT ((A - (INT (A / 100) * 100)) /
10) * 16) + (A - (INT (A / 100) * 100) - INT ((A -
INT (A / 100) * 100) / 10) * 10): RETURN
1080 REM Print actual amount of item
1090 U = INT ( PEEK ( N ) / 16) * 10 + ( PEEK ( N ) -
INT ( PEEK ( N ) / 16) * 16):J = (INT ( PEEK ( N +
1) / 16) * 10) + ( PEEK ( N + 1) - (INT ( PEEK ( N
+ 1) / 16) * 16)): PRINT U * 100 + J;: RETURN
1100 REM Data for Main Menu
1110 DATA "1) Weapons & Armor", "2) Spells",
"3) Scrolls", "4) Potions", "5) Reagents",
"6) Miscellaneous", "7) Quit"
1120 REM Data for Weapons & Armor
1130 DATA "Leather Helm", "Chain of Col",
"Iron Helm", "Spk of Helm", "Sm. Shield",
"Lg. Shield", "Spk. Shld", "Shld/Magic",
"Shld/Jewel", "Cloth", "Leather"
1140 DATA "Ring of Mail", "Scale", "Chain", "Plate",
"Myst. Armor", "Dagger", "Sling", "Club",
"Flmg of Oil", "Main of Gauch", "Spear",
"Thrwng of Axe", "Sht. of Sword", "Mace"
1150 DATA "Morn. of Star", "Bow", "Arrows",
"Crossbow", "Quarrels", "Long of Sword",
"2H of Hammer", "2H of Axe", "2H of Sword",
"Halberd", "Chaos of Swrd", "Magic of Bow"
1160 DATA "Silver of Swd", "Magic of Axe",
"Glass of Swrd", "Jewel of Swrd", "Myst. of Swrd",
"Inv. of Ring", "Prot. of Ring", "Regen of Ring", "Am/
Turning", "Sp. of Collar", "Ankh"
1170 REM Data for Spells
1180 DATA "In of Lor", "Grav of Por", "An of Zu",
"An of Nox", "Mani", "An of Ylem", "An of Sanct",
"An of Xen of Cor", "Rel of Hur", "In of Wis",
"Kal of Xen", "In of Xen of Man", "Vas of Lor",
"Vas of Flam", "In of Flam of Gr", "In of Nox of Gr",
"In of Zu of Grav", "In of Por"
1190 DATA "An of Grav", "In of Sand", "In of Sanct of G",
"Uus of Por", "Des of Por", "Wis of Quas",
"In of Bet of Xen", "An of Ex of Por", "In of Ex of Por",
"Vas of Mani", "In of Zu", "Rel of Tym", "In of Vas of Py",
"Quas of An of Wi", "In of An"
1200 DATA "Wis of An of Yle", "An of Xen of Ex",
"Rel of Xen of Be", "Sanct of Lo", "Xen of Corp",
"In of Quas of Xe", "In of Quas of Wi", "In of Nox of Hur",
"In of Quas of Go", "In of Mani of Co", "Kal of Xen of Co",
"In of Vas of Go of C", "In of Flam of Hu", "Vas of Rel of Po",
"An of Tym"

```

```

1210 REM Data for Scrolls
1220 DATA "Vas0Lor", "Rel0Hur", "In0Sanct",
"ln0An", "ln0Quas0Wis", "Kal0Xen0Corp",
"ln0Mani0Corp", "An0Tym"
1230 REM Data for Potions
1240 DATA "Blue", "Yellow", "Red", "Green",
"Orange", "Purple", "Black", "White"
1250 REM Data for Reagents
1260 DATA "Sulfur0Ash", "Ginseng", "Garlic",
"Sp.0Silk", "Blood0Moss", "Blk.0Pearl",
"Nightshade", "Mandrake"
1270 REM Data for Miscellaneous
1280 DATA "Food", "Gold", "Keys", "Gems",
"Torches", "Grappling0Hook", "Magic0Carpet",
"Shard/Falsehood", "Shard/Hatred", "Shard/
Cowardice", "Spyglass", "HMS0Cape0Plan",
"Sextants", "Pocket0Watch", "Skull0Keys",
"Amulet", "Crown", "Sceptre", "Black0Badge"
1290 REM Error Checking
1300 PRINT : PRINT "Error..0make0sure0the
0Britannia0disk0is0in0the0drive": GET A$:
RESTORE : CLEAR : GOTO 100
1310 REM Print and Poke the value of item
1320 IF PEEK (C) = 255 THEN F$ = "Y": GOTO
1340
1330 F$ = "N"
1340 VTAB 10: PRINT CHR$(11);: VTAB 10:
PRINT M$(F);: 0(Y/N);: F$; CHR$(8);: INPUT
": AS: IF A$ = "" THEN RETURN
1350 IF A$ = "Y" THEN POKE C,255
1360 IF A$ = "N" THEN POKE C,0
1370 RETURN

```

Checksums

10-\$BADD	480-\$A753	940-\$B426
20-\$9B13	490-\$8BB8	950-\$B345
30-\$4D3B	500-\$609D	960-\$7CCF
40-\$AD92	510-\$CF59	970-\$77F0
50-\$C899	520-\$D28E	980-\$8D91
60-\$FF65	530-\$4234	990-\$4207
70-\$A3BF	540-\$D435	1000-\$1E3A
80-\$A900	550-\$513B	1010-\$A964
90-\$924D	560-\$28C0	1020-\$F999
100-\$A2BE	570-\$DEB6	1030-\$EE33
110-\$60AC	580-\$B035	1040-\$4C34
120-\$6A79	590-\$1F97	1050-\$29D3
130-\$8BFD	600-\$E40A	1060-\$FFAC
140-\$D3DA	610-\$9AF2	1070-\$349B
150-\$B9F2	620-\$B5F1	1080-\$0F63
160-\$C070	630-\$2C1C	1090-\$505B
170-\$4C40	640-\$CB69	1100-\$3FC5
180-\$4217	650-\$5E39	1110-\$B42F
190-\$9AF7	660-\$9737	1120-\$0B17
200-\$1884	670-\$32CA	1130-\$1530
210-\$B8E5	680-\$65B1	1140-\$CF65
220-\$8DBD	690-\$2A94	1150-\$34DA
230-\$2528	700-\$A4C8	1160-\$5CDC
240-\$E090	710-\$09E3	1170-\$BC24
250-\$F3B1	720-\$D0F8	1180-\$2067
260-\$8AC0	730-\$C6A1	1190-\$1900
270-\$15E5	740-\$5557	1200-\$62F5
280-\$48BA	750-\$9F7F	1210-\$61F4
290-\$08A4	760-\$7D88	1220-\$11CA
300-\$2138	770-\$ED4F	1230-\$EAE7
310-\$1EF4	780-\$6DA3	1240-\$1C49
320-\$250F	790-\$40E0	1250-\$BD96
330-\$3EF1	800-\$8D32	1260-\$C614
340-\$5F7F	810-\$A3C2	1270-\$14BC
350-\$8021	820-\$DF87	1280-\$3E49
360-\$6ACD	830-\$303C	1290-\$0F99
370-\$F7E8	840-\$7D0E	1300-\$17F6
380-\$DE76	850-\$6758	1310-\$5448
390-\$19B4	860-\$31AD	1320-\$E827
410-\$D24A	870-\$801C	1330-\$1E81
420-\$DAC8	880-\$4728	1340-\$DEED
430-\$2785	890-\$3514	1350-\$906A
440-\$167C	900-\$6587	1360-\$C7B2
450-\$D423	910-\$7A68	1370-\$937B
460-\$E841	920-\$5FAC	
470-\$F913	930-\$58E5	

Brian A. Troha & Terry Waskowich

Softkey for...
Where in Time is Carmen Sandiego

Broderbund

Requirements:
64K Apple II
5.25" disk copier
5.25" disk editor

Where in Time is Carmen Sandiego (WTCS) is the fourth educational/adventure type program in the Carmen Sandiego series. In this program you must track Carmen through time on your Chronoskimmer checking your clues and witnesses and eventually getting your criminal. Like the other programs in the series, WTCS is copy protected. The copy protection shows up when you finish a case (on an Apple IIs) or right away on an Apple IIe. WTCS is using the PROLOK copy protection so you don't see any signs of the CP when making your backup until it actually asks for the original side A. I found the CP routines on side C & D of the four disk set in the

file called MP. Checking the starting address of the file revealed it loads in at \$9600. Searching for references to \$9600 I found two JSR \$9600's, one on disk C and one on disk D. Changing these to NOP NOP CLC (EA EA 18) results in a deprotected backup. The following is a listing of the copy protection and an explanation of what it's doing as it would be in memory:

```

9600:AD 30 BF LDA BF30 Load last slot accessed
9603:29 F0 AND #F0 Mask off drive number
9605:8D 20 96 STA #960 Store in temp
9608:A0 00 LDY #000
960A:B9 32 BF LDA BF32,Y Load first device number
960D:29 F0 AND #F0 Mask off drive number
960F:CD 30 BF CMP BF30 Compare to last accessed
9612:F0 0F BEQ 9623 (+0F) If equal, then continue
9614:C8 INY Increment Y index
9615:D0 F3 BNE 960A (-0D) and try another device
9617:38 SEC If no matches, the set carry (CP failed)
9618:B0 3A BCS 9654 (+3A) Go to the return section
961A:B9 32 BF LDA BF32,Y Load the device number
961D:29 F0 AND #F0 Mask off drive
961F:C9 FF CMP #FFF
9621:F0 31 BEQ 9654 (+31)
9623:8C 4B 96 STY 964B Store device index number
9626:85 2B STA 2B Store slot times $10
9628:4A LSR
9629:4A LSR
962A:4A LSR
962B:4A LSR
962C:29 07 AND #07 Mask off all other high bits
962E:09 C0 ORA #9C0 Turn in Cx, where x=slot
9630:85 81 STA 81 Store it
9632:A2 00 LDX #000
9634:86 80 STX 80 Store zero for indirect indexing
9636:BC 5B 96 LDY 965B,X Load Y index vale
9639:B1 80 LDA (80),Y Load Cx00+Y ID byte, where x=slot
963B:DD 60 96 CMP 9660,X Compare to known 5.25" interface values
963E:D0 0A BNE 964A (+0A) Not equal, try another slot
9640:E8 INX Increment the X index
9641:E0 05 CPX #05 Did we check all 5 values?
9645:90 F1 BCC 9636 (-0F) No, go through more
9645:20 65 96 JSR 9665 Go to the ONLINE compare & CP
9648:90 0A BCC 9654 (+0A) Carry clear means it's an ORIGINAL
964A:A0 FF LDY #F0
964C:88 DEY
964D:10 CB BPL 961A (-35)
964F:AC 31 BF LDY BF31
9652:D0 C6 BNE 961A (-3A) Keep trying to find slot
9654:AD 20 96 LDA 9620 Load temp
9657:8D 30 BF STA BF30 Tell ProDOS it was the last accessed device
965A:60 RTS Return to caller
965B:01 03 05 07 FF 5.25" disk interface ID byte locations
9660:20 00 03 3C 00 Expected ID byte values
Where x=slot, Cx01=20, Cx03=00, Cx05=03 on most disk drive interfaces. Cx07=3C and CxFF=00 on the 5.25" (Cx07=00 and CxFF=dispatch address on 3.5") interface.
9665:A5 2B LDA 2B Load slot time $10
9667:8D 75 96 STA 9675 Store in parameter table
966A:20 00 B5 JSR BF00 ProDOS 8 Machine Language Interface
966D:C5 C5 Command number for ONLINE
966E:74 96 9674 Parameters start at $9674 in memory
9670:F0 12 BEQ 9684 (+12) Accumulator=00 for no errors
9672:38 SEC Otherwise set carry for "CP failed"
9673:60 RTS Return to $9648
9674:02 00 00 60 0B Buffer=$6000, Pathname length=$0B
9679:43 41 52 4D 45 4E 2E 54 49 4D 45 CARMEN.TIME (path name)
9684:AD 00 60 LDA 6000 Load the volume length byte
9687:29 0F AND #0F Mask off upper four bits
9689:C9 0B CMP #0B Should be eleven bytes long
968B:D0 E5 BNE 9672 (-1B) If not equal, then branch to the "CP failed"
968D:AA TAX Transfer the $0B to X register for indexing
968E:BD 00 60 LDA 6000,X Load the ONLINE disk volume
9691:DD 78 96 CMP 9678,X Compare to expected volume (CARMEN.TIME)
9694:D0 DC BNE 9672 (-24) If not equal, then branch to the "CP failed"
9696:CA DEX Decrement the indexing register
9697:D0 F5 BNE 968E (-0B) Compare all eleven bytes
9699:A2 F0 LDX #F0 Load new index
969B:B5 00 LDA 00,X Save the zero page locations $F0-$FF
969D:9D 00 02 STA 200,X And store them from $2F0-$2FF
96A0:E8 INX Increment the index
96A1:D0 F8 BNE 969B (-08) Move all sixteen bytes
96A3:A9 0A LDA #0A Load max numbers of tries
96A5:85 F4 STA F4 Store max tries in F4
96A7:A5 2B LDA 2B Load the slot times sixteen
96A9:29 70 AND #70 Mask off any lower bits
96AB:85 2B STA 2B Store it again
96AD:AA TAX Transfer it to the X

```

```

96AE:BD 89 C0 LDA C089,X Turn on the drive, X=60 for slot 6
96B1:BD 8E C0 LDA C08E,X
96B4:A9 3F LDA #93F
96B6:85 F6 STA F6
96B8:A9 97 LDA #97
96BA:85 F7 STA F7 $F6-$F7 point to 973F or the PROLOK bytes
96BC:A9 80 LDA #80
96BE:85 F5 STA F5
96C0:C6 F5 DEC F5
96C2:F0 5C BEQ 9720 (+5C)
96C4:20 47 97 JSR 9747 Find start of a sector
96C7:80 57 BCS 9720 (+57)
96C9:A5 F1 LDA F1 Load sector number found
96CB:C9 07 CMP #07 We're looking for sector seven
96CD:D0 F1 BNE 96C0 (-0F) If not equal, try again
96CF:A0 00 LDY #00
96D1:BD 8C C0 LDA C08C,X Load data latch
96D4:10 FB BPL 96D1 (-05) Loop until the high bit is set
96D6:88 DEY
96D7:F0 47 BEQ 9720 (+47)
96D9:C9 D5 CMP #D5 Should find a D5
96DB:D0 F4 BNE 96D1 (-0C)
96DD:A0 00 LDY #00
96DF:BD 8C C0 LDA C08C,X Get a byte
96E2:10 FB BPL 96DF (-05)
96E4:88 DEY
96E5:F0 39 BNE 9720 (+39)
96E7:C9 E7 CMP #E7 Should be E7
96E9:D0 F4 BNE 96DF (-0C)
96EB:BD 8C C0 LDA C08C,X Get a byte
96EE:10 FB BPL 96EB (-05)
96F0:C9 E7 CMP #E7 Should be E7
96F2:D0 2C BNE 9720 (+2C)
96F4:BD 8C C0 LDA C08C,X Get a byte
96F7:10 FB BPL 96F4 (-05)
96F9:C9 E7 CMP #E7 Should be E7
96FB:D0 23 BNE 9720 (+23)
96FD:BD 8D C0 LDA C08D,X Clear data latch
9700:A0 10 LDY #10
9702:24 06 BIT 06 Delay to allow a few bits to slip by
9704:BD 8C C0 LDA C08C,X Get a byte
9707:10 FB BPL 9704 (-05)
9709:88 DEY
970A:F0 14 BEQ 9720 (+14)
970C:C9 EE CMP #EE Should be EE
970E:D0 F4 BNE 9704 (-0C)
9710:A0 07 LDY #07 We need the next eight bytes
9712:BD 8C C0 LDA C08C,X Get a byte
9715:10 FB BPL 9712 (-05)
9717:D1 F6 CMP (F6),Y Compare to PROLOK bytes at 973F
9719:D0 05 BNE 9720 (+05) If not equal, go to "keep trying"
971B:88 DEY Decrement Y index
971C:10 F5 BPL 9712 (-0C) Keep getting bytes until Y=FF
971E:30 03 BMI 9723 (+03) Always taken as Y=FF
9720:4C 33 97 JMP 9733 Go to decrement counter
9723:A0 F0 LDY #F0 Set up to restore stored info
9725:B9 00 02 LDA 0200,Y Load a store byte
9728:99 00 00 STA 0000,Y Store it back ($F0-$FF)
972B:C8 INY
972C:D0 F7 BNE 9725 (-09) Move all sixteen bytes
972E:BD 88 C0 LDA C088,X Turn off the drive
9731:18 CLC Carry clear means CP passed
9732:60 RTS Return to $9648
9733:C6 F4 DEC F4 Decrement number of tries
9735:F0 03 BEQ 973A (+03) If zero tries the error out
9737:4C BC 96 JMP 96BC Jump back up and try again
973A:BD 88 C0 LDA C088,X Turn off the drive
973D:38 SEC Carry set means CP failed
973E:60 RTS Return to $9648
973F:FC EE EE FC E7 E7 PROLOK bytes
9747:A0 FD LDY #FD
9749:85 F8 STA F8
974B:88 DEY
974C:D0 04 BNE 9752 (+04)
974E:E6 F8 INC F8
9750:F0 3D BEQ 978F (+3D) Go to error out section
9752:BD 8C C0 LDA C08C,X Get a byte
9755:10 FB BPL 9752 (-05)
9757:C9 D5 CMP #D5 Looking for D5
9759:D0 F0 BNE 974B (-10) If not equal, try again
975B:EA NOP
975C:BD 8C C0 LDA C08C,X Get a byte
975F:10 FB BPL 975C (-05)
9761:C9 AA CMP #AA Looking for AA
9763:D0 F2 BNE 9757 (-0E) Or keep trying
9765:A0 03 LDY #03 Set up for reading four 4x4 encoded bytes
9767:BD 8C C0 LDA C08C,X Get a byte
976A:10 FB BPL 9767 (-05)
976C:C9 96 CMP #96 Looking for 96
976E:D0 E7 BNE 9757 (-19) Or keep trying
9770:A9 00 LDA #00
9772:85 F9 STA F9 Zero out F9
9774:BD 8C C0 LDA C08C,X Load a byte
9777:10 FB BPL 9774 (-05)
9779:2A ROL Rotate left for 4x4 nibble encoding
977A:85 F8 STA F8 Store it at F8
977C:BD 8C C0 LDA C08C,X Get a byte
977F:10 FB BPL 977C (-05)
9781:25 F8 AND F8 Decode the 4x4 nibble encoded byte
9783:99 F0 00 STA 00F0,Y Store it at F0 plus the Y index
9786:45 F9 EOR F9

```

```

9788:88 DEY Did we do all four bytes?
9789:10 E7 BPL 9772 (-19) If no, then get more
978B:A8 TAY
978C:EA NOP
978D:18 CLC
978E:60 RTS No read errors
978F:38 SEC Return to $96C7
9790:60 RTS Could NOT find a sector
Return to $96C7

```

There you have the copy protection routines outlined. First the routine finds the last accessed slot number and stores it. Then it does an ONLINE call, or reads block 2 and gets the name of the disk. This is important, because it also brings the drive head to track zero. Then it looks for sector seven and at the end of sector seven is the PROLOK byte sequence. Starting at 9791 in memory is the text for "INSERT ORIGINAL PROGRAM DISK SIDE A", at 97B6 is "PRESS ANY KEY TO CONTINUE", and finally at 97D1 is "WELL DONE" and the rest of the normal text for completing a case. The copy protection doesn't return or store any special values (but does clear the carry as a flag), so simply killing the calls to it deprotects this one. The code on the disk looks like this:

```

9C:20 00 96 JSR 9600 Go do the copy protection
9F:90 25 BCC C6 (+25) Carry clear means CP passed (original)
A1:20 9A 45 JSR 459A
A4:A9 32 LDA #32
A6:8D FE 44 STA 44FE
A9:A9 91 LDA #91
AB:A2 97 LDX #97 Pointer to "INSERT ORIGINAL..."
Print it to the screen
AD:20 E9 4D JSR 4DE9
B0:20 3A 4F JSR 4F3A
B3:20 3A 4F JSR 4F3A
B6:A9 B6 LDA #B6
B8:A2 97 LDX #97 Pointer to "PRESS ANY KEY..."
Print it to the screen
BA:20 E9 4D JSR 4DE9
BD:20 A0 AE JSR AEA0
C0:20 F4 87 JSR A8F4
C3:4C 9C 71 JMP 719C Jump back up to 9C (do CP again)
C6:AC 35 44 LDY 4435 Continue with the program

```

To make a deprotected backup of the four 5.25" disk set of Where in Time is Carmen Sandiego follow these steps:

1. Make a fast copy of all four disk sides
2. Make the following edits to the following disks:

Disk side C

Trk	Sct	Byte	From	To
\$1F	\$0F	\$9C	20 00 96	EA EA 18

Disk side D

Trk	Sct	Byte	From	To
\$20	\$0E	\$9C	20 00 96	EA EA 18

3. Write each sector back to the disk
4. Use/play off the newly deprotected backups

Jack Moravetz User #1082

Softkey for...
Sports Scheduler version C.12
Sports Software Associates

Copy the disk with any copier that will ignore errors or format a ProDOS disk and copy all the files to it.

Using a sector or block editor, scan for the bytes D0 03 A5 0C and change the D0 03 to EA EA. Write the changes to the disk. Next scan for the bytes A0 FC 8C 6B D3 and change them to 4C EB D6 EA EA. Write the changes to the disk. Finally scan for the bytes 38 60 18 60 00. Make these changes:

0EE6:38	SEC	
0EE7:60	RTS	
0EE8:18	CLC	
0EE9:60	RTS	
0EEA:00	BRK	
0EEB:AD 2C 62	LDA \$622C	
0EEC:C9 90	CMP #90	
0EF0:D0 05	BNE \$0EF7	
0EF2:A9 50	LDA #50	
0EF4:8D 2C 62	STA \$622C	
0EF7:A0 FC	LDY #FC	
0EF9:8C 6B D3	STY \$D36B	
0EFC:4C 9B D3	JMP \$D39B	
0EFF:00	BRK	

Write the changes to the disk. All the changes were made to the program's modified ProDOS.

Softkey for...
Playroom
Broderbund

Playroom is a children's program that begins with a scene of a child's room. Objects in the room may be clicked on with the keyboard, joystick, or the mouse. Some of the objects in the room make a sound or animation when clicked on while others run a game. Playroom was supplied on four 5.25" disks. With all the disk swapping involved, it seemed like a good candidate for a 3.5" disk.

Playroom seemed to be a fairly normal ProDOS when it booted although the screen was blank during the boot. When a copy was run, the program would go to the quit code. The protection was found in the file PLAYROOM.SYSTEM. The remaining three disks had no protection on them. Here is the protection code that I found and four ways of defeating it. You only have to do one of the changes.

```

10DD:BD 8C C0 LDA $C08C,X 1. Change to 18 60 EA
10E0:10 FB BPL $10DD
10E2:88 DEY
10E3:F0 3A BEQ $111F
10E5:C9 E7 CMP #$E7
10E7:D0 F4 BNE $10DD
10E9:BD 8C C0 LDA $C08C,X 2. Change to 18 60 EA
10EC:10 FB BPL $10E9
10EE:C9 E7 CMP #$E7
10F0:D0 2D BNE $111F
10F2:BD 8C C0 LDA $C08C,X
10F5:10 FB BPL $10F2
10F7:C9 E7 CMP #$E7
10F9:D0 24 BNE $111F
10FB:BD 8D C0 LDA $C08D,X
10FE:A0 10 LDY #$10
1100:24 06 BIT $06
1102:BD 8C C0 LDA $C08C,X 3. Change to 18 60 EA
1105:10 FB BPL $1102
1107:88 DEY
1108:F0 15 BEQ $111F
110A:C9 EE CMP #$EE
110C:D0 F4 BNE $1102
110E:A0 07 LDY #$07
1110:BD 8C C0 LDA $C08C,X
1113:10 FB BPL $1110
1115:D9 53 64 CMP $6453,Y
1118:D0 05 BNE $111F
111A:88 DEY
111B:10 F3 BPL $1110
111D:30 03 BMI $1122
111F:4C 47 64 JMP $6447 4. Change to EA EA EA
1122:A0 F0 LDY #$F0
1124:B9 00 BA LDA $BA00,Y
1127:99 00 00 STA $0000,Y
112A:C8 INY
112B:D0 F7 BNE $1124
112D:BD 88 C0 LDA $C088,X
1130:18 CLC
1131:60 RTS

```

Putting Playroom on 3.5" disk

Since all four of the disks for Playroom had the volume name /PLAYROOM, I thought it would be really easy to put them all on a 3.5" disk. But the program kept crashing after it booted. Once more, some changes had to be made to the file PLAYROOM.SYSTEM.

```

1046:20 00 BF JSR $BF00
1049:80 (read block) | Change
104A:D1 62 | all
104C:B0 D8 BCS $1026 | of
104E:20 9C 09 JSR $099C | these
1051:AD D2 62 LDA $62D2 | bytes
1054:29 70 AND #$70 | to
1056:85 2B STA $2B | EA's.
1058:B0 C9 BCS $1026
105D:20 9F 09 JSR $099F
1060:20 00 BF JSR $BF00
1063:C6 (set prefix)

```

Brian A. Troha User #457

Softkey for...
Gnarly Golf
Britannica

Requirements:
512K Apple IIgs
3.5" disk copier
3.5" disk editor

Gnarly Golf is another crazy miniature golf type game along the same lines as Zany Golf (Electronic Arts). The graphics and game holes are very good and that makes the game enjoyable. The program comes on two disks and has a special formatted block \$63F (the last block on the disk) that contains some data bytes. Although the data isn't need for the actual game, it is checksummed as part of the copy protection. Below is the code that reads the altered format block into memory, does the checksum, then continues or asks for the original as it is executed:

```

1302:18 CLC Carry clear is need for
the ROL
1303:A0 AC 07 LDY #$07AC Load a "encrypted"
value
1306:98 TYA Transfer it into the
accumulator
1307:2A ROL Rotate left with carry,
$7AC becomes $F58
1308:AA TAX Transfer to X for
indexing
1309:BF 00 00 E1 LDA E10000,X Load a 16 bit value
from data-header table
130D:48 PHA Push on the stack to
store original value
130E:BF 02 00 E1 LDA E10002,X Load a byte from
$E10F5A
1312:48 PHA Store in on the stack
1313:88 DEY Commands dealing
with Y index not needed
1314:88 DEY Decrement Y twice to
$7AA
1315:98 TYA Transfer it to the
accumulator
1316:82 53 1B BRL 2E6C (+1B53) Branch to next

```

```

part of CP routine
2E6C:A9 D5 AA LDA #AAD5 Load the corrupt data-
header value
2E6F:9F 00 00 E1 STA E10000,X Store at E10F58
2E73:C8 INY
2E74:E2 20 SEP #$20 Switch to 8 bit
accumulator
2E76:A9 AD LDA #AD Load the last corrupt
data-header value
2E78:C8 INY
2E79:9F 02 00 E1 STA E10002,X Store it at E10F5A
2E7D:9B TXY Transfer X to Y
2E7E:5A PHY Push Y ($F58) onto
stack
2E7F:82 7D F8 BRL 26FF (-0783) Branch to next
part of CP routine
26FF:38 SEC Set up for switch to
emulation mode (//E)
2700:FB XCE Do the switch
2701:20 00 BF JSR BF00 ProDOS 8 MLI entry
point
2704:80 80 Command number for
read_block
2705:10 27 2710 MLI parms located at
2710
2707:08 PHP Save the returned carry
status
2708:18 CLC Set up for switch to
native mode (IIGs)
2709:FB XCE Do the switch
270A:28 PLP Restore the carry
status
270B:C2 30 REP #$30 Switch 16 bit wide
Accumulator & index
regs
270D:82 1D 12 BRL 392D (+121D) Branch to next
part of CP routine
2710:03 50 00 50 3F 06 Parns,
Buffer=$5000,
Block=$63F
392D:FA PLX Pull data-header index
($F58)
392E:58 PLA Pull original E10F5A
value
392F:E2 20 SEP #$20 8 bit wide accumulator
3931:9F 02 00 E1 STA E10002,X Restore original
data-header value
3935:C2 20 REP #$20 16 bit wide accumulator
3937:68 PLA Pull original E10F58
value
3939:9F 00 00 E1 STA E10000,X Restore original
data-header value
393C:82 52 07 BRL 4091 (+0752) Branch to next
part of CP routine
4091:B0 1D BCS 40B0 (+1D) Carry set from read
error is a COPY!
4093:C2 30 REP #$30
4095:A0 FE 01 LDY #$01FE Go through all $200
bytes
4098:A2 00 00 LDX #0000
409B:98 TYA
409C:18 CLC
409D:E8 INX
409E:8A TAX
409F:2A ROL
40A0:AA TAX Self creating checksum
routine
40A1:08 PHP Store processor status
40A2:D9 00 50 CMP 5000,Y Compare to our read in
data
40A5:D0 08 BNE 40AF (+08) Not equal means a
COPY!
40A7:28 PLP Restore processor
status
40A8:88 DEY
40A9:88 DEY Decrement Y index
40AA:10 F1 BPL 409D (-0F) Are we done yet?
40AC:82 06 DF BRL 1FB5 (-20FA) Made it here
means an ORIGINAL
40AF:28 PLP Failed checksum
comes here
40B0:82 F0 DE BRL 1FA3 (-2110) Couldn't read
altered format comes
here
1FA3:20 B3 40 JSR 40B3 Ask for the original disk
1FA6:A2 19 00 LDX #00019
1FA9:A0 00 00 LDY #00000 X & Y values for short
delay
1FAC:88 DEY
1FAD:D0 FD BNE 1FAC (-03)
1FAF:C8 DEX
1FB0:D0 FA BNE 1FAC (-06)
1FB2:82 4D F3 BRL 1302 (-0CB3) Back up to start of
the CP routines
1FB5:E2 20 SEP #$20 8 bit wide accumulator
1FB7:AF 29 C0 E1 LDA E1C029 Load SHR softswitch
1FB8:09 C0 ORA #C0 Set bits #%11xxxxxx
1FBD:8F 29 C0 E1 STA E1C029 Store new value (turns
on SHR screen)
1FC1:C2 20 REP #$20 16 bit wide accumulator
1FC3:60 RTS Return to sender

```

That code was fun follow and easy to understand with a little help, right? Let me explain a little bit, starting at E10F57 through E10F6C are the current address/epilogue/data marks to use for reading or writing to a 3.5" disk, only they are listed backwards. So at E10F58 is AD AA D5, the standard data-header values listed backwards. The protection changes these values to D5 AA AD or simply turns them around. Then CP routine issues a normal ProDOS 8 block read using the altered data headers and the block should read in correctly. Then the CP routine restores the original values and goes to the checksum routine to verify data from that block. The programmers used BRL (BRanch Long) commands to make the code harder to back trace. So you couldn't just search for hard references to

26FF, like JSR 26FF or JMP 26FF. It's easy to find the block read call, but then you must go forward to find clues on what to look backwards for. After I found the STA E10002,X command at 3931 I searched for references to E10002 and uncovered the beginning of the CP routine.

The easiest way I can think of to bypass the copy protection routines would be to change the LDY #\$07AC at 1303 (in memory) to JMP 1FB5, which is the "it's okay to continue the program" section of code. So now, the first thing the copy protection routine does is clears the carry and jumps to the continue section allowing you play the game! The easy step by step method would be:

1. Make a copy of both Gnarly Golf game disks (ignore the read error on block \$63F on disk 1).
2. Make the following changes to a copy of disk 1:

Blk	Byte	From	To
\$14F	\$12A	A0 AC 07	4C B5 1F

3. Write the block back to the copy.

Vince Andrews User #926

Softkey for...
QIX GS

I spent a day and night trying to figure this one out and if it wasn't for Starbuck and his softkey for Arkanoid (#70), then I would never have figured it out!

Blk	Byte	From	To
4D5	77	22 73 02 00	AF 73 02 00
	81	22 A3 02 00	AF A3 02 00
	AC	22 B6 02 00	AF B6 02 00
	B0	90 09 A9 04	18 90 0E 04
52B	30	00 00	93 00
5B4	DC	0C 07 03 09	04 04 04 00

Brian A. Troha (User #457)

Note on QIX GS SoftKey

To Vince Andrews: You only need to make the first edits on block 4D5, for the fourth edit change the 90 09 to 80 09. Lastly, include the edit on block 5B4. Trust me I know all about Taito's CP routine (as I have sourced the entire NovaLogic copy protection routine). StarBuck got his info from a auto-patch program I wrote in BASIC.

Note on Arkanoid II

Arkanoid II can be cracked in the same manner as Vince Andrews QIX softkey, instead of the 22 73 02 00 look for 22 73 08 00 and use the 08 for the other two changes and again change the 90 09 to 80 09. On all GS wares the 0C 07 03 09 will appear, change these bytes to four bytes that add up to 12 or less.

Edward Teach User #226

Softkey for...
John Madden's Football
Electronic Arts

I have been asked how I deprotect disks. Well, sometimes, it is just by luck. This is a prime example of luck. This disk was COPYA to begin with, but a copy would not run. Looking at the files on the disk showed that there was a program named STARTUP. This looked like a good place to begin the search for protection. I loaded the file and list the memory location in the monitor. The very first thing that was done was to load the accumulator with a #00 and then store that number in memory location \$0287. All I did was to make the accumulator load a #01 and the doc check was bypassed. As I said... luck plays a major role sometimes.
CALL -151
BLOAD STARTUP
2001:01
BSAVE STARTUP, A\$2000, L\$80

Softkey for...
Bubble Bobble
Taito

There have been several Taito games on the most wanted list for awhile. Hopefully, this one is still there. I found a JSR \$9800 in the boot process. This JSR went directly to another JSR, all that is required is to bypass the first JSR. Why does this work? Well I wish I had an answer.

1. Boot your DOS 3.3 system disk.
 2. Tell DOS to ignore checksum and epilog errors and use COPYA to copy the disk.
POKE 47426,24
RUN COPYA
 3. Make the following sector edits to the copy.
- | Trk | Sct | Byte | From | To |
|------|------|------|----------|----------|
| \$00 | \$01 | ?? | 20 00 98 | 20 03 98 |

Softkey for... Sporting News Baseball

Epyx

This is your normal EPYX protection. So not to take up valuable column space with the ordinary, here are the bytes to change:

Trk	Sct	Byte	From	To
\$00	\$01	\$9E-??	??	A9 FC 85 F0 A9 EE 85 F1
				85 F2 A9 FC 85 F3 A9 E7
				85 F4 A9 EE 85 F5 A9 FC
				85 FC A9 E7 85 F7 EA EA
				EA EA EA EA EA EA EA EA
				EA EA EA EA EA EA EA EA

Lots of EA's I know, but I thought that you might like something different. And speaking of different, how would you like to be the first one on your block to add a new feature to this game. Scanning around in memory I located a picture that is loaded but not called. The above sector edits will allow the game to boot and run, but with a few additional sector edits we can add something neat.

Trk	Sct	Byte	From	To
\$00	\$0A	\$11	?	4C D0 0B
\$00	\$0D	\$D0	?	AD 00 C0 10 FB C9 9B D0 1B
				8D 91 B7 A0 00 B9 00 60 99
				FE 1F C8 D0 F7 EE E3 0B EE
				E0 0B AD E3 0B C9 3F D0 E8
				8D 10 C0 4C 66 B7 EA A0 A0
				4C 17 08
\$22	\$00	\$66	?	AD 91 B7 C9 9B D0 12 A9 00
				8D 0C C0 20 DE F3 EA EA EA
				EA EA EA EA EA EA A9 20
				8D 11 08 A9 17 8D 12 08 A9
				08 8D 13 08 4C 14 08 EA EA

Do not worry about the from bytes (they are almost all \$00). These changes turn off the double Hires (JSR \$F3DE) and also turn off the 80 column card (LDA \$00..STA \$C00C). Now boot the disk and when the picture of the baseball player appears press ESC, any other key and the game proceeds normally. Remember... "Basabawl Bin Berry Berry Good to me".

As a final note, I am really happy that the COMPUTIST covers computers other than the Apple. I have sold my IIe and gone off into IBM land. Not that there was anything wrong with the Apple, but instead, work is alot easier for me if I can do some stuff at home.

I was one of the "Hardcore Computists", which means that that group is now short on members. So if you would like to help the other computists, all you have to do is write a general article on any subject and send it off to Mr. Haight under the "Computists" name. I also need someone to take over the role of "Nissel Watch", we can't let him go back to those short softkeys, he was doing so well. Enjoy. I'll be back.

■ End of BBS News ■

Groucho Tarz PA

I would like to make this urgent plea to all Computist readers. SUPPORT COMPUTIST NOW!!! I have purchased many back issues in the last couple of months, written to all the Apple owners I can find, and joined the club Computist has formed. I strongly urge you to support them in every way, especially financially. It only costs a few cents to write to someone else and tell them about Computist and how it can help them. Back issues only cost a few dollars, and every one you order means that many dollars longer we will still be able to receive new issues of Computist. I propose that all readers buy at least one back issue for each softkey they have ever used from Computist. If you have all the back issues, fine. Just get one new subscriber for each softkey you've ever used. If we even get close to meeting this goal, Computist will be with us forever. And I don't know about the rest of you, but I don't know what I'd do without it!

There's an interesting development going on at Beagle Bros. Did you know that they are giving certain of their programs away to ANYONE who downloads them? That's right, as their older software products (such as Beagle Basic, Pronto DOS, and Mechanic) are out of stock, they are being placed on a BBS where ANYONE can download them. According to a Beagle flyer, "If you have received a Beagle Bros catalog in the past, you might be wondering what happened to all the old Beagle Bros utility programs, like DOS Boss and Silicon Salad. They are not in this catalog, but they are still alive and well on ProBeagle—the Beagle Bros bulletin board." The programs that were on the system when I called it included the following:

- Beagle BASIC
- Pronto DOS
- Alpha Plot
- Beagle Bag
- D Code
- Silicon Salad
- Extra K
- Utility City

The catalog also goes on to say "Like we said, these programs are free. You are welcome to use

them as much as you want—even share them with your friends. But please don't give away any programs other than those listed here."

The number for Pro Beagle is (619) 558-6151. When you call, all you have to do is give your name and city. You'll get immediate access to the downloads, all of which are compressed using Shrinkit (which is also available on the board). I wish more software companies would follow this trend with their older wares. To begin with, it's a great promotional gimmick because it gets a company's name out there in the public eye and shows what kind of software they're capable of producing. But it also means that those who bought and use outdated software will be able to find replacement copies when they want it. My only complaint is that Beagle Bros doesn't install documentation files on the disks. But considering the price of the software, I should expect to get what I pay for...

As always, I am willing to correspond with any and all Computist readers. Just contact me at:

Groucho Tarz
P.O. Box 200-X
Sewickley, PA 15143-0600

Jim Ross NH

Putting "Who Framed Roger Rabbit?" on 3.5" disk

Requirements:

Blank 3.5 disk
Copy II+

In COMPUTIST #68, p.17, the Sky Phantom softkeyed WFRR. Just above the sector edit for the softkey I noticed the ProDOS pathnames for the four sides of the 5.25 disks. They are: /DISK1SIDEA, /DISK1SIDEB, /DISK2SIDEA, /DISK2SIDEB. I searched all four sides of WFRR using Copy II+ sector editor scan for text and found the pathnames only appear once. Just below the pathnames are the text messages to insert the appropriate side. They are: Disk 1, Side A, etc. Both the protection and the ProDOS pathnames are in the file "MASTER.SYSTEM". So, we'll NOP out the JSR to the protection and change the pathnames from volumes to subdirectories on our 3.5" volume.

1. Format a blank 3.5" disk ProDOS, naming it WFRR.
 2. Copy the files ProDOS and MASTER.SYSTEM from boot side of original 5.25" disk.
 3. Use 3.5" sector editor from Copy II+ to scan for 20 00 1B 90 03 4C 3C 1A and change these 8 bytes to EA (NOP).
 4. Scan for text:/DISK1SIDEA. Press T in Copy II+ sector editor to change this to:/WFRR/SID1A. (Note: The number of characters must not change, hence no E in SID1A.)
 5. Change the remaining 3 pathnames:/WFRR/SID1B, /WFRR/SID2A, and /WFRR/SID2B.
 6. Change the 4 text messages from "Disk 1, Side A....." to "Volume WFRR ". (Note: Type a space before and after "Volume WFRR" so it has the same number of characters as the original text.) Write the sector back to disk.
 7. Use Copy II+ create subdirectory to create 4 subdirectories: SID1A, SID1B, SID2A, and SID2B.
 8. Copy all the files on SIDE1A except PRODOS and MASTER.SYSTEM to subdirectory SID1A.
 9. Copy all the files on sides 1B, 2A, and 2B to the appropriate subdirectory.
- Done! Enjoy.

Softkey for...

Math Blaster Plus GS

Davidson

This program uses GS/OS but uses the old ProDOS 16 (but still GS/OS compatible) READ BLOCK command of 22. The GS/OS calls are all made from a little subroutine on Block \$9. It looks like this:

Byte	Memory	Code	Inst	Operand	Comment
AE	04/0269:64	B8	STZ	B8	
B0	04/026B:22	A8 00 E1	JSL	GS/OS	
B4	04/026F:13	00	0013		Crnd code
B6	04/0271:81	02 04 00	00040281		Parameter tbl
BA	04/0275:90	06	BCC	C2 (+06)	
BC	04/0277:85	B8	STA	B8	
BE	04/0279:A9	00 00	LDA	#0000	
C1	04/027C:60		RTS		
C2	04/027D:A9	FF FF	LDA	#FFFF	
C5	04/0280:60		RTS		

This subroutine is used repeatedly by loading the Accumulator with a hex value and then storing the Accumulator at memory location 04/026F. This changes the GS/OS Command Code. All the normal GS/OS calls that are part of the program will have no error so the Carry will be clear and #FFFF will be loaded in the Accumulator. When a 22 is loaded at 04/026F, the READ

of the Bad Block sets the Carry and the Accumulator returns an error code of \$27 (I/O Error). The Accumulator is loaded with \$0000 and the \$27 is stored at \$B8 on the Direct Page.

Since we want a clean copy without a Bad Block, we will modify the subroutine to handle all non-22 Command Codes normally but on a 22 don't make the GS/OS call and load the Accumulator with the expected \$27. The program left \$00's in front of the subroutine for us to add a little code of our own. The subroutine starts at 04/0269 so we must write our modifications so that our modified subroutine can be entered at that point.

Byte	Memory	Code	Inst	Operand	Comment
A0	04/025B:A9	27 00	LDA	#0027	
A3	04/025E:80	17	BRA	BC (+17)	
A5	04/0260:C9	22 00	CMP	#0022	Is it 22?
A8	04/0263:F0	F6	BEQ	A0 (-0A)	
AA	04/0265:64	B8	STZ	B8	
AC	04/0267:80	02	BRA	B0 (+02)	
AE	04/0269:80	F5	BRA	A5 (-0B)	Entry point
B0	04/026B:22	A8 00 E1	JSL	GS/OS	

Just use a sector editor on Block \$9 to add the code shown from Byte \$A0 to AE. Don't forget to write it back to disk. That's it. Enjoy!

Softkey for...

Math Blaster Mystery 5.25" Math Blaster Mystery 3.5" Alge-Blaster Plus 3.5"

Davidson

All three use the same bit of code for the protection. It is a Bad Block check using the ProDOS 8 MLI for Read Block (20 00 BF 80).

24:20	00 BF	JSR	BF00	MLI entry
27:80			READ BLOCK	Command code
28:CA	0D	ODCA		Parm table
2A:90	09	BCC	35 (+09)	
2C:C9	27	CMP	#27	I/O error?
2E:D0	D5	BNE	35 (+05)	
30:A9	FF	LDA	#FF	Run
32:85	FF	STA	FF	
34:60		RTS		
35:A9	00	LDA	#00	Don't run
37:85	FF	STA	FF	
39:60		RTS		

If we NOP out bytes \$24 through \$2F the check won't be made and the hex value FF will be loaded at FF on the Direct Page as required.

Using a sector editor change bytes \$24-\$2F to EA. On the 5.25" disk they are on Track \$16, Sector \$02.

For Math Blaster Mystery 3.5", they are bytes \$124-\$12F on Block \$3B. For Alge-Blaster Plus 3.5", they are bytes \$124-\$12F on block \$29.

Don't forget to write the changes back to disk. Enjoy!

Jim S. Hart NC

Softkey for...

Certificates and More

Pelican Software

Requirements:

COMPUTIST #61, etc.

The softkey for this is the same as the softkey for Pirates! in Computist #61.

Softkey for...

Risk v1.3

Casablanca Software

Requirements:

1 blank disk

Super IOB v1.5

Fast or standard controller

ProDOS file copying program

A disk with the files PRODOS and BASIC.SYSTEM on it (your BASIC disk)

Casablanca Software has a winner in its release of the game RISK. Very smooth scrolling highlights this excellent adaptation. The game can be played with joystick, mouse, or keyboard. If you like RISK, then be sure to pick up this one.

The protection on this disk is not too shabby. Booting the original reveals that the disk is ProDOS based; you see the ProDOS copyright message. 5.25" ProDOS based disks usually do not give me a problem when it comes to deprotecting them, and I naturally assumed that of RISK too. Turns out I was half-right: the disk has a simple format alteration and a pesky signature check.

Getting rid of the format alteration is simple. "Simple?", you say, It might be simple to normalize a DOS 3.3 based program on 5.25 disks, but ProDOS is another beast." Not really. At the level Super IOB copies 5.25" disks, there is no difference between DOS 3.3 and ProDOS. For that matter, there is no difference between DOS 3.3, ProDOS, Apple Pascal, and Apple CP/M disks when it comes to how the disk is formatted (ie. tracks and sectors). The differences are in how the information is logically, not physically, written and interpreted. With that out of the way, boot

your disk that has your Super IOB on it. POKE 47426,24 to tell DOS 3.3 to ignore errors and then use the fast or standard controllers to copy the original RISK disk (tracks \$0 through \$22) onto the blank. Make sure to format the blank disk. Once you are done, put away your original RISK disk because we're done with it for now.

Load your ProDOS file copying program and copy the PRODOS file from your BASIC disk (the one with PRODOS and BASIC.SYSTEM on it) onto the copied RISK disk. This ensures a normal PRODOS system file is on the copy. For the fun of it, boot this copied RISK disk now. What you will see is what happens when a signature check is made and not satisfied. Hmmm, where would the signature check code be? The place to look is the first SYS type file with a ".SYSTEM" at the end of it (for example, BASIC.SYSTEM). This is the file that gets run immediately after ProDOS is loaded up. In our case the file is called RISK.SYSTEM. Boot up your BASIC disk and then insert your copied RISK disk. Set the prefix to it by typing PREFIX /RISK. Load the RISK.SYSTEM file into memory so we can examine it by typing BLOAD RISK.SYSTEM,AS\$2000,TSYS. The disk will whirl for a second or two and the file will have been loaded. Get into the monitor (CALL -151) and start looking through the code (2000L). Here is a bit of the code at the beginning:

2005:AD	B3 FB	LDA	\$FBB3	
2008:C9	06	CMP	#06	
200A:D0	29	BNE	2035	taken if II+
200C:AD	C0 FB	LDA	\$FBC0	
200F:C9	E0	CMP	#E0	
2011:D0	22	BNE	2035	
2013:38		SEC		
2014:20	1F FE	JSR	\$FE1F	
2017:B0	1C	BCS	2035	
2019:20	62 F9	JSR	\$F962	gets here if GS

Although there are some comparisons here, this code is innocent. What this code does is check the ROMs to see what machine it is running on. If the machine is a IIgs, then all branches are ignored and the program makes it to \$2019. Any other machine will cause a branch to \$2035. The code from \$2019 to \$2033 is initialization code for the GS only. From \$2035 to \$2083 is general setup code, such as set the RESET vector, etc. The graphics screen is enabled from \$2084 to \$208F. At \$2090 we find our first bit of code that may be the culprit. The code here (\$2090 - \$2095) is a ProDOS MLI call, an operating system call. Looking through "Beneath Apple ProDOS" reveals that this call is a simple call to get the current time from the operating system. I'm not quite sure what the code from \$2096 to \$2103 is doing, other than some memory is being moved around.

2104:A5	D6	LDA	\$D6	
2106:D0	08	BNE	\$2110	
2108:20	F9 B4	JSR	\$B4F9	
210B:45	22	???		
210D:4C	00 80	JMP	\$8000	
2110:20	F9 B4	JSR	\$B4F9	

At \$2104 we notice that the Applesoft RUN flag is checked, and if it is not zero (set) then the program branches to \$2110. The RUN flag is usually set by protected programs so you cannot get into then to look at them. This is even done when there are only machine language (BIN, SYS) programs on the disk. I generally ignore JSRs (Jump to SubRoutines) into ProDOS itself (JSR \$B4F9), so that leaves us with a JMP \$8000 (jump to memory address \$8000) to worry about. Let's see what happens if we just NOP out (NOPs are to machine language as REMs are to BASIC) the JMP \$8000. Two things can happen: (1) the JMP is to the crash routine, or (2) the JMP is to continue on with the program. Type 210D:EA EA EA to NOP out the JMP, and then execute the program by typing 2000G. Look what you just found out! The JMP \$8000 is indeed the call to the crash routine. You now know that you have to replace the JMP \$8000 (4C 00 80) with three NOPs (EA EA EA) to finish deprotecting the program. Of course, to be sure the game is really deprotected you play the game right now and see if anything bad comes up. I did and everything's fine. Aren't you glad you found that pesky signature check and got rid of it?

Cookbook Method

1. Boot your Super IOB disk. At the prompt (J), type:
POKE 47426,24
2. Install the standard or fast controllers into Super IOB and copy the entire disk (tracks \$0 to \$22). Put away the original when done.
3. Copy the PRODOS file from your BASIC disk to the copied RISK disk using your ProDOS file copying program.
4. Boot up your BASIC disk.
5. Insert your copied RISK disk into a drive and type:
PREFIX/RISK

6. Load up the main file and remove the crash call:

CALL -151
BLOAD RISK.SYSTEM,AS\$2000,TSYS
210D:EA EA EA *was 4C 00 80*
BSAVE RISK.SYSTEM,AS\$2000,TSYS

You're done!

Softkey for...

The Three Stooges GS

Cinemaware Corporation

Requirements:

Original Three Stooges disks (2 - 3.5 disks)

2 blank 3.5 disks

A 3.5 disk copier that will ignore errors (like Copy II Plus)

A ProDOS block editor

Three Stooges for the GS is a must for anyone who enjoys the antics of that famous trio of characters. Moe, Larry, and Curly have to save the orphanage by doing various odd jobs. The odd jobs are based on scenes from their movie shorts. For example, in one odd job you (as Larry) have to get the Philco radio from a store and get it back before round six of Curly's boxing match so he can win the bout. Along the way you have to avoid various items on the street such as dogs and boxes. The digitized sounds make this game a truly enjoyable experience. I have yet to see anyone not smile when Moe slaps the other two stooges around or when Curly says "Ruff Ruff". The protection is not too shabby either. I could kill myself on this one because I committed a cardinal sin: I forgot to take notes while I was deprotecting a program! I really hate myself for this one because it was my first GS softkey. All I can tell you is that I looked at all the other GS softkeys in Computist, and I then searched the disks for code that resembled code in those softkeys. I finally came up with a crack (!) but alas I forgot why I did what I did. All I remember is that a smartport read error has a return value of \$27 and the check for it is CMP #27 (C9 27).

Cookbook Method

1. Copy both original Stooges disks onto the blank 3.5 disks using your whole disk copier. You will get some read errors on disk #1. Ignore them.

2. Boot up your block editor and make the following edit to the COPY of disk #1:

Blk	Byte	From	To
\$13	\$15D	90 05 C9 27	18 80 0C 27

3. Write that block back to disk, and you're done! Put the originals away in a safe place and enjoy your backups.

Softkey for...

Counting Critters

MECC

Requirements:

64K Apple

Blank 3.5" disk

Initialized DOS 3.3 5.25" disk

Demuffin Plus

FID (from DOS 3.3 System Master)

AmDOS or equivalent

Disk searcher/sector editor

A friend of mine gave me the 3.5" version of Counting Critters and asked me to softkey it. I usually do not have any problems with 5.25" programs when it comes to deprotection, but 3.5" programs are another story. Booting the disk up reveals that the operating system it uses is a modified DOS 3.3, not ProDOS. When the disk is booted you see an Applesoft prompt (DOS 3.3 telltale sign). There are several modified DOS 3.3 packages on the market, AmDOS for example, that allow use of DOS 3.3 on a 3.5" disk. Counting Critters must be using one of them. I am not all that experienced in DOS 3.3 on a 3.5" disk so I went to work hoping to learn something.

Attempting to copy the disk will reveal an error on block #8. Booting a copy of the disk will reveal the protection scheme. The copy freezes a second or two after you boot it. I boot code traced the disk, but everything looked like a normal DOS 3.3 boot. Well, if a boot trace doesn't turn up anything, then let's try to look at the programs on the disk. Maybe they will run fine by themselves because the protection scheme occurs so early in the boot. After the disk is booted and the Applesoft prompt appeared, I pressed ctrl C. I was rewarded with a break. I scanned through the BASIC program and then tried cataloging the disk. I had problems with neither. Hmmm. Maybe the protection is only in the boot. We are now faced with another problem: how to get the programs off of the 3.5" disk onto another.

The answer would seem to lie in the AmDOS package. After all, it can give you a catalog of a DOS 3.3 formatted 3.5" disk. Trying that out only leads to frustration because I found out most every modified DOS 3.3 package arranges the

catalog on their disk differently. None of the modified DOS 3.3 packages I could borrow from friends would work. There must be a way to do this. I finally stumbled upon the answer.

Did you notice the program Demuffin Plus in the "What's needed" above? That is the answer I came up with. Demuffin Plus uses the DOS in memory to read files off of the protected disk and uses its own DOS 3.3 RWTS to write the files out to a normal DOS 3.3 disk. The usual procedure in using Demuffin Plus is (1) load it into memory where a boot will not affect it, usually at \$6803, (2) stop the boot after the modified DOS has been loaded, (3) move Demuffin Plus down to where it's executed at, \$803, and (4) execute it to copy the files. I tried to do this but it seemed that no matter where I loaded Demuffin Plus in memory, it would get overwritten by the booting process. Where could I put Demuffin Plus and not have it get overwritten? The RAM card? Well, that worked! I followed the above procedure and copied the files from the 3.5" disk to the initialized 5.25" disk.

I booted the 5.25" disk to see if everything was OK, and it did seem to work. A bug came up, though, when I chose any of the menu items. A message would then come up asking me to "Insert your original Counting Critters disk". Hmm, missed something. I went and looked through the menu program and found the code that ran the choice the user made. It looked like this:

```
33020 & DISKV, 0, "COUNTING CRITTERS", ZE
```

If the check were successful, the variable ZE would have a value of 0 (zero). If not, it would contain a 1 (one). Changing the variable ZE to ZF would fix everything, but there might be several of these calls since there were many BASIC programs on the disk. The only way to be sure is to use a disk searcher/sector editor to change every occurrence of the byte sequence 2C 5A 45 (.ZE) to 2C 5A 46 (.ZF). I did this and viola, the disk worked like a champ.

All that was needed to do now was to copy the files back to a 3.5" disk. This is optional since the program works fine on a 5.25" disk. Follow the instructions in AmDOS (or equivalent) to format a 3.5" disk under DOS 3.3 and then copy the files from the 5.25" disk with the Counting Critters files to the 3.5" disk. That's it. You now have a softkeyed 3.5" version of Counting Critters.

COOKBOOK METHOD

1. Initialize a 5.25" disk.
2. Boot up your disk with Demuffin Plus on it. Load it into the RAM card on your 64K (or more) Apple:

```
CALL -151
C081 N C081
F800<F800.FFFF
BLOAD DEMUFFIN PLUS, ASD003
C082
```

3. Boot up the 3.5" Counting Critters original disk. When you see the Applesoft prompt, press ctrl C to break into the boot program. Get Demuffin Plus out of the RAM card and run it:

```
FP
CALL -151
C080
803<D003.EA00M
C082
803G
```

4. Copy all of the files to the 5.25" disk by answering NO to the "Do you want prompting" query.

5. Use your disk searcher/sector editor to search for 2C 5A 45 and change to 2C 5A 46. You will have to make this change to several places on the disk so do not stop until you've searched the entire disk:
6. Follow AmDOS (or equivalent) instructions for making a bootable 3.5" DOS 3.3 format disk. The instructions should also include patches to FID so that it can copy files to the 3.5" disk from the 5.25" disk; make them and copy the files.

You're done!

Modifying Programs to RUN on a Laser 128

I used to own a Laser 128. In my opinion, it was and still is the best Apple clone put out. In many respects it is better than an actual Apple. In order to be sold and avoid lawsuits by Apple, it was necessary to alter parts of the ROM code in the Laser so as not to infringe on Apple's copyrights. This altering of ROM code has made some programs run 'funny' or not at all.

I think the Print Shop Lover's Utility Set (PLUS) is a great program. Your library of PS graphics are suddenly more useful with this neat utility. Unfortunately, the program behaves 'funny' on a Laser 128. By funny I mean the graphics screens are distorted and have lines through them. The program runs, but you can't be sure of what you are doing! I bought the program

back when I owned a Laser 128 (I now own a GS), and the program acting funny annoyed me. There must be an easy way to fix the program so that it acts normally, especially since the program is partially written in Applesoft.

I started to read back issues of Computist and Nibble. Eventually I came across an article in Computist (naturally!) that dealt with moving the ROM code to the RAM card and modifying it so you could break into a program. "This is what I'm looking for" I thought to myself. "Why not just load in the ROM code from the Apple IIe (since the Laser is a 'Ile clone') into the Laser's RAM card, activate the RAM card and deactivate the Laser's ROMs, and then run the hello program on the PLUS disk?" The idea had promise.

Getting the ROM code from a IIe to try this procedure out was easy. Boot up DOS 3.3 on your IIe, and when you reach the BASIC prompt (J), save the ROM code to disk with the command:

```
BSAVE IIE.ROM, ASD000, LS3000
```

All that remains now is to install the code in your RAM card, activate it, and then run the PLUS hello program. Go into the monitor, and set up the RAM card so it will be able to have the code loaded into it:

```
CALL -151
C081 N C081
```

Load the code from disk into the RAM card:

```
BLOAD IIE.ROM, ASD000
```

Now you need to enable the RAM card so that the computer thinks the RAM card is really the ROMs:

```
C080
```

When I tried these steps above, I got garbage after the last step. The IIe's ROMs and for that matter the IIc's ROMs will not work in the Laser as 'pseudo-ROMs'. I knew there must be a way to solve this. Well, why not try the II+'s ROMs? If you have read my previous articles, you know I explain my failures first, and then my successes. Using the II+'s ROMs led to success! Follow all of the steps above, but use a II+ instead of a IIe. Then:

```
ctrl C          return to BASIC
CALL 1002       reconnect DOS
SPEED = 255    set speed to normal
```

For some reason, when you enable the II+ ROMs, the Applesoft speed gets set to a slow speed and you need to set it back to normal. Now, insert your PLUS disk and RUN the hello program. Notice that the program works great now! Below are a set of 'cookbook' steps to make your PLUS disk autoload the II+ ROMs and perform all of the above steps in loading and initializing the ROM code. This procedure is aimed at those of you who own both a II+ (many of which are not in use any more, unfortunately) and a Laser 128.

Cookbook Procedure

1. Boot up a DOS 3.3 disk on your Apple II+.
2. Take out the DOS 3.3 disk you just booted and insert your PLUS disk.
3. Save the ROM code to it:

```
BSAVE II+.ROM, ASD000, LS3000
```

4. Change the name of the original HELLO program so we can add our own customized HELLO program:

```
RENAME HELLO, PS.HELLO
```

5. Enter in the code below and save it to disk:
- ```
10 REM "CHECK TO SEE IF HOST COMPUTER
20 REM "IS A LASER 128. IF IT IS, THEN
30 REM "LOAD IN II+ ROMS FIRST BEFORE
40 REM "RUNNING MAIN PROGRAM.
50 HOME :DS = CHR$(4)
60 PRINT SPC(4);
 "PRINT$SHOP$LOVER'S$UTILITY$ SET"
70 ADDRESS = 64898
80 CHECK = PEEK (ADDRESS) + PEEK
 (ADDRESS + 1)
90 IF (CHECK < > 253) THEN 160
100 RAMCARD = 49281:ROM = 49280:DOS =
 1002
110 WRITE = PEEK (RAMCARD):WRITE = PEEK
 (RAMCARD)
120 PRINT DS; "BLOAD$II+.ROM, ASD000"
130 LOCK = PEEK (ROM)
140 CALL DOS: SPEED= 255
150 PRINT : PRINT SPC(4);
 "LASER128MODS$ ENABLED"
160 PRINT DS; "RUN$PS.HELLO"
```

#### Checksums

|           |            |            |
|-----------|------------|------------|
| 10-\$BADD | 70-\$DA85  | 130-\$13F5 |
| 20-\$9B13 | 80-\$A2BD  | 140-\$4621 |
| 30-\$4D3B | 90-\$EF09  | 150-\$1E2B |
| 40-\$AD92 | 100-\$5666 | 160-\$3835 |
| 50-\$EEAC | 110-\$BC98 |            |
| 60-\$5E9F | 120-\$FBD4 |            |

#### SAVE HELLO

That's all you have to do. The disk will now work on a Laser 128 as well as a regular Apple II.

#### Locksmith v6.0's Fast Backup commands

In Computist #68, Dan Reid shows how to write a short BASIC program that will modify your Locksmith v6.0 so that it will only copy specified tracks. I applaud his method since he had to look at the code and understand what was happening. It was a good learning experience. As with many things though, there is an easier way to do it. I guess Dan forgot to look in his Locksmith manual, because there is a section dealing with the fast backup program and its commands. Yes there are commands you can type in while in the Locksmith v6.0 fast copy program. Ever notice the cursor at the bottom of the screen? That's where you type the commands in.

Here is a partial list of the commands you can use:

AB — Copy a disk in drive A to a disk in drive B. For example, say you wanted to copy a disk that is in drive 2 to drive 1. You would then type in '21' (without the quotes). If you use a zero (0) as a drive number, the disk will either be copied to memory (if the 0 is drive B) or from memory (if the 0 is in drive A). You need enough memory to read the whole disk in at once to use 0 as a drive.

V — Toggles verify mode.

Now, there are also internal variables you can alter to change the way Locksmith v6.0 works. They are in the form XXXX:YY where XXXX is the variable location and YY is the default value. A few of the variables are:

0008:00 — Beginning track to copy

0009:22 — Ending track to copy

I too would have gone Dan's route if I did not have the manual to look at. In fact, you do learn more by hacking around in the program's code. I thought these few notes would make using the fast copier a much easier task.

*Heck, I have the manual and I didn't know that. Computists only read manuals when all else fails. If Dan Reid had understood less about machine code than he did, he probably would have been forced to read the manual. Guess I'll put the LS manual on my "read list" too. .... RDEXed*

#### Notes

First of all let me say that I would be glad to volunteer my time as a Computist Volunteer. I remember that when I started off, there was no one to ask questions when things got fuzzy. I think it will be a valuable service to the beginners. There are two ways to reach me. One is by writing a letter or note. The address is

Jim S. Hart  
311 Bordeaux St.  
Jacksonville, NC 28540

The other way to connect with me is with a modem. I frequent a local BBS quite often helping people out and answering their Apple related questions. The place to call is:

Greg's Grapevine  
300/1200/2400 bps (8N1)  
1 (919) 324-2048

If enough Computist readers call, I may be able to get the sysop to dedicate a message board for questions and answers. I am on the board 2-3 times a day so that would be the quickest way to get an answer to a question. The only problem is the cost of the long distance call. Here in town, I help people with Apple problems out for free. (I charge MS-DOS users!)

#### Omega Notes

Apple veterans, remember the old game Robot War by Muse? I bought that game and thought it was great. After some time, however, I became frustrated by the program's shortcomings: one battlefield that is fixed in size and shape, a limit of six robots on the battlefield at one time, the irritating noise made by the robots, the robots limited ability to deal with itself and its environment, and the DOS 3.2 operating environment. The game had such potential as not only a game, but a teaching tool for logic. The flaws above doomed it. Well, Origin Systems has released a fantastic new game that addresses all of these flaws and improves on the good points too. The name of this game is Omega. I bought the game a few months ago and have been thoroughly impressed. The difference between it is like the difference between an Apple II+ and an Apple IIgs. Both have the same basic idea, but Omega executes it far better than Robot War. What I suggest here is that Computist readers go out and get Omega. We can then send in our tank's source code to Computist so other readers can pit our tanks against theirs. We could even have a contest of some sorts. The benefits would include improved logical thinking and most of all fun for everyone! Source code files for the tanks could even be distributed on the library disk for each month. What do you say, readers?

A recent edition of the USA Today reported that Apple Inc's profits were not as high as expected. One of the major reasons cited was that sales of the Apple II line were not doing as well as expected. Oh big surprise! Let's face facts: the Apple II line of computers are all terribly overpriced. I know; I bought a IIGS and will be spending the next year and a half paying it off. I could have bought a Mac Plus with a built in 3.5 drive, 1 meg of memory, monitor, and an external 3.5 drive for what my GS, 3.5 drive, and monitor cost. I will not even go into what you could get for a similar price in the MS-DOS world.

The cost of an Apple II is but one reason its sales are declining. Another major reason for the decline in sales is the LACK OF EFFORT put out by Apple Inc in promoting the Apple II. Reading one of the few and far between Apple II advertisements, the reader is advised that the only thing the Apple II line is good for is children at the kindergarden level. How many of you are at that level right now? How many do you know? None? Well, that must mean Apple Inc is wrong! In fact, Apple Inc is wrong about a great many things.

Here is an idea: let's all send letters to John Sculley expressing our thoughts regarding the lack of support for the Apple II. The magazine Macworld poses a monthly topic pertaining to a problem with the Macintosh and asks their readers to respond to it by writing Mr. Sculley. I think Computist readers should do the same for the Apple II line. Other Apple magazines (with a few exceptions) are worried about "is PROGRAM A a good one for your kids?". Computist readers are worried about slightly less important matters like the survival of the Apple II line. Each month the editor or a reader would present a topic of concern for the Apple II line. Readers would then send in letters to Mr. Sculley expressing their points of view about the topic. Who knows? If enough people write, maybe Apple Inc will do something positive for the Apple II line.

These comments are not meant to say "don't buy an Apple II". Rather, they are meant to convey the message to Apple Inc to get on the ball and give the public a reason to buy an Apple II instead of another computer. More Apples on the market mean more software, innovations, and support for the present and future Apple owners.

*Jim Hart suggested that we start with the Apple 90 day warranty but Apple Computer Inc has finally moved up to a 1 yr warranty. I would like to propose another topic for discussion. Why doesn't Apple Computer put a 65C802 processor into their Apple II line. It would allow software to take advantage of the new and more powerful command set while remaining compatible with the 65C02 processor used now. It would only involve a minor change to the monitor ROM as the 65C802 is pin-for-pin compatible with the 65C02. .... RDEXed*

Address to write to:

John Sculley  
Chairman and CEO  
Apple Computer, Inc. M/S 38-A  
20525 Mariani Avenue  
Cupertino, CA 95014

#### Notes on Eamon Adventures

I enjoyed the Eamon adventure information that was printed in Computist #69. I received an issue of the Eamon newsletter some time back and every now and then I reread it. The Eamon adventuring system is the only system of its kind for any micro as far as I know. Would be Dungeon Masters can create their own worlds for others to explore. If you have never tried out an Eamon adventure, and you like D&D, go out and get one to play. It will be time well worth it.

*There are now 201 different Eamon Adventures plus the 5 utility volumes for a total of 218 disks (some are multi-disk). If you are interested, we carry the entire line of adventures from The Eamon Adventurer's Guild for \$1 each or even less for quantity orders. If you like Eamon then you should subscribe to The Eamon Adventurer's Guild newsletter. It will keep you up to date on new adventures and any bug fixes on older titles. It's only \$7 for 4 quarterly issues (US & Canada) or \$12 for foreign. I highly recommend it.*

#### Bug in COMPUTIST #67

The disassembly at the bottom of the first column on page 33 in Computist #67 was done on an Apple IIgs. The disassembly seen on an 8 bit Apple would look like this:

```
B800:00 BRK
B801:00 BRK
B802:00 BRK
B803:00 BRK
B804:00 BRK
B805:00 BRK
(and so on)
```

## Free Software

Here is an idea to entice more people into being Computist subscribers. Computist could start making a collection of as much public domain, freeware, and shareware programs as possible. Benefits of this for the magazine are (1) readers could buy the disks for a nominal fee (just enough would be charged to cover costs and make a modest profit), and (2) new subscribers could be given their choice of say 2 or 3 disks for free with their paid subscription. Both regular Apple and IIgs programs would be collected. I'm sure something could be worked out with this idea. What say you, Mr. Haight?

*Sure. Would you like to be in charge? Someone has to sort thru what is available to see if it is any good and to make sure that no copyrighted material is included. It will take a lot of time to do it right and, in case anyone hasn't noticed, I'm already short of time. .... RDEXed*

## Super IOB update?

I have been dabbling in assembly language for a little while now (as evidenced by RWTS WORM), and I am looking for a project to work on so I can learn more. A possible idea is an update to Super IOB. Super IOB's last update (to v1.5) was way back in Computist #22. That's a long time for a program to go without an update. Of course, if a program is flexible and simple to use, then it may not ever need an upgrade (I suspect this is Super IOB's reason). One thing about the program that could be improved is use of the extra 64K in 128K Apples. Currently it takes 7 passes to read a 5.25" disk when using Super IOB. If the extra 64K is used, then it would probably only take 2 passes. The result is less disk swapping for those of us with one disk drive. I do not know if I will be able to modify Super IOB to allow it to do this, but it is a project that I am thinking of working on right now.

## RWTS Worm v2.0

I'm so glad to see that readers have found my RWTS WORM program (Computist #61) to be a useful addition to their deprotection library. I have used it quite a bit in my deprotection effort. I used to have a Laser 128 and I made sure every crack/tip/APT worked on it before I sent the info into Computist. I sold the Laser last Christmas and bought a GS, which is what I use now. For compatibility assurance, I also bought a Disk II controller card and an old Apple Disk II drive. Everything runs perfectly with my setup. I didn't think about incompatibilities until I read Steven Kalyniuk's letter in Computist #68.

When I wrote the original RWTS WORM program (v1.0), I never thought about would it run on a Laser or even a IIc. Sorry, Steven. I should have been thinking about the Laser owners (we're a hardy group). After reading the letter, I thought about redoing RWTS WORM. I could go one of two ways: rewrite the entire program, or patch the existing code. I originally tried to just patch the existing code so as to make the update easier. As it turned out, patching the code was too complicated and the result would have looked like spaghetti. No, a rewrite of the entire program was in order.

Three problems immediately came to mind when I went to redo RWTS WORM. The first is it will not run properly on a Laser 128. Since I used to own a Laser, I had to patch code at times to make sure it would work properly. The problem in regards to RWTS WORM is that the Laser uses a non-standard boot ROM to boot disks. From the point of the boot stages, everything was identical. The difference was that the Laser's ROMs called to all sorts of different places. This is out of necessity to avoid a suit by Apple. I finally decided the solution to the problem would be to just capture the normal Apple boot ROM and use it to boot the protected disks on the Laser. The second problem was that RWTS WORM v1.0 can only be used once and then to use it again you had to BLOAD it again. The address to call was a pain to remember too. Well, how about fixing the code so that it can be run over and over, and then route it through the ampersand vector so that it can be easily invoked? An ampersand is easy to remember and simple to use. Finally, the third problem is that RWTS WORM could not be in memory concurrently with Super IOB because RWTS WORM v1.0 resided in Super IOB's track buffer. As soon as Super IOB read in seven tracks, RWTS WORM was overwritten. Solution? Move RWTS WORM to a 'safe' area in memory. You could then add RWTS WORM to Super IOB as a specialized controller.

Remember though that the limitations, disk-wise, that RWTS WORM v1.0 had, also apply to v2.0 (controller must be in slot #6, protected disk's boot stage 0 and boot stage 1 must be fairly normal, etc.). I hope this version is more useful. If you have any suggestions on features to add to

RWTS WORM, please send them in to Computist and I'll see what I can do. One note on the code I used: assembly language gurus will, I'm sure, look at the code and say "he could've done that with a lot less code". I agree. The code is meant to be like it is so that beginners could follow the flow.

## Entering RWTS Worm v2.0

1. If you are not using an Apple Disk II Controller card, go out and buy one. Alternatively, though I do not condone it, you could find a friend who has an Apple IIe or II+. Boot your Super IOB disk on the computer and save the boot ROM to disk with:

(For Laser 128 owners with a Disk II Controller card in the external slot)

**BSAVE BOOT.ROM,ASC700,LS100**

(for Apple IIe and II+ owners)

**BSAVE BOOT.ROM,ASC600,LS100**

2. Boot your Super IOB disk and get into BASIC.

3. Go into the monitor and enter the hex code for WORM2.

**CALL -151**

```
25DB: A9 00 85 06 85 $95EF
25E0: 08 2C 81 C0 2C 81 C0 A9 $81BA
25E8: 27 85 07 A9 D0 85 09 20 $6425
25F0: CB 26 2C 82 C0 A9 00 8D $4DFE
25F8: F6 03 A9 26 8D F7 03 60 $FB2C
2600: 20 E0 9E 20 47 26 20 59 $C27C
2608: 26 20 65 26 20 71 26 A9 $145A
2610: 1C 8D F9 96 A9 26 8D FA $714E
2618: 96 4C 00 96 A9 90 8D 0E $B278
2620: 08 A9 4C 8D 4A 08 A9 35 $6AFB
```

```
2628: 8D 4B 08 A9 26 8D 4C 08 $A885
2630: A2 60 4C 01 08 2C E8 C0 $FA47
2638: 20 82 26 20 93 26 20 A4 $9090
2640: 26 20 B0 26 4C 51 A8 2C $5EDB
2648: 80 C0 A9 D0 85 07 A9 96 $F744
2650: 85 09 20 CB 26 2C 82 C0 $410E
2658: 60 A9 08 85 07 A9 27 85 $AF4C
2660: 09 20 CB 26 60 A9 03 85 $9D9A
2668: 07 A9 28 85 09 20 CB 26 $A3BA
2670: 60 A9 9D 85 07 A9 6D 85 $1433
```

```
2678: 09 A9 C0 8D D5 26 20 BC $6626
2680: 26 60 A9 B8 85 07 A9 19 $0B1A
2688: 85 09 A9 C0 8D D5 26 20 $A293
2690: BC 26 60 A9 6D 85 07 A9 $0602
2698: 9D 85 09 A9 90 8D D5 26 $7938
26A0: 20 BC 26 60 A9 28 85 07 $99D7
26A8: A9 03 85 09 20 CB 26 60 $932D
26B0: A9 27 85 07 A9 08 85 09 $387B
26B8: 20 CB 26 60 20 CB 26 E6 $BECC
26C0: 07 E6 09 A5 07 CD D5 26 $5ED6
```

```
26C8: D0 F2 60 A0 00 B1 06 91 $9D9B
26D0: 08 C8 D0 F9 60 00 $8ACF
```

4. After you have finished entering in the hex dump, append the boot ROM code you saved in step #1 to the end of the hex dump.

**BLOAD BOOT.ROM,AS2700**

5. Save the file back to your Super IOB disk

**BSAVE WORM2,AS25DB,LS225**

If you are going to use WORM2 and Super IOB at the same time, you need to modify the HIMEM statement in Super IOB so that WORM2 is not written over by strings and variables. This modification reduces your available variable storage space by 256 bytes:

**LOAD SUPER IOB V1.5**  
**60 LOMEM:8448 : HIMEM:9727 : GOTO 10010**  
**SAVE SUPER IOB V1.5**

You could also incorporate WORM2 into a custom controller for Super IOB. If you do this, be sure that the statement to run WORM2 is the FIRST line of the entire Super IOB program. As an example:

```
0 PRINT : PRINT CHR$(4); "BRUN WORM2"
(rest of Super IOB program including controller)
```

If you do not do this, some of your variables will be overwritten.

## Using WORM2

To use WORM2, here is all you do:

**BRUN WORM2**  
(insert protected disk)

**&**  
(insert Super IOB disk)

**LOAD SUPER IOB V1.5**  
**EXEC NEW SWAP.CON**  
**RUN**

An alternative to this is:

(insert Super IOB disk)

**BLOAD IOB.OBJ0**  
**LOAD SUPER IOB V1.5**  
**EXEC NEW SWAP.CON**  
**BRUN WORM2**  
(insert protected disk)

**&**

**RUN**

From there on, to keep using WORM2 and Super IOB over and over at one sitting, you just need to:

(insert protected disk)

**&**  
**RUN**

## Notes

- WORM2 should be the last ampersand routine you install.

- Contrary to popular opinion, once you use WORM2 to get the protected disk's RWTS into memory at \$1900, you do not need to save the RWTS to disk. Immediately load Super IOB and install your favorite controller. The RWTS will not be touched by this activity. I used to save all my foreign RWTSes, but got tired of using up disk space for something (the RWTSes) that I was only going to use once.

- If you are going to be using Super IOB to any extent, it would be a good idea to set up some EXEC files to save you some time. Below is a text file that I have on my Super IOB disk. You would just use a word processor that can save files in ASCII format to type it in and save it with the name FAST. What the text file does is load Super IOB, load the machine language IOB.OBJ0 file, insert the fast controller's lines into Super IOB, and then run the result. No more typing more than one command to get the fast controller up and running!

```
HOME
LOAD SUPER IOB V1.5
BLOAD IOB.OBJ0
1000 REM FAST CONTROLLER
1010 TK=0 : LT=35 : ST=15 : LS=15 : CD=WR :
FAST=1
1020 GOSUB 490 : GOSUB 610
1030 GOSUB 490 : GOSUB 610 : IF PEEK(TRK) =
LT THEN 1050
1040 TK = PEEK(TRK) : ST = PEEK(SCT) : GOTO
1020
1050 HOME PRINT "COPYDONE." : END
RUN
```

I have called this text file FAST. When I want to run it, I just type the command EXEC FAST and everything gets loaded up quickly.

Here is the source code for RWTS WORM v2.0 (in Merlin format).

```
; RWTS WORM v2.0
; Written by Jim S. Hart
; (c) Computist

ORG $25D6

; Equates
;
;
REHOOK EQU $A851
UNHOOK EQU $9EE0
BOOT EQU $9600
BOOT0 EQU $801
RAMON EQU $C080
RAMWRT EQU $C081
ROMON EQU $C082
DRVOFF EQU $C0E8
FROM EQU $6
MOVFROM EQU $7
TO EQU $8
MOVTO EQU $9
```

; Setup:  
1. Move boot ROM from \$2700 to RAM card.  
2. Point ampersand vector to WORM2 main code.

```
SETUP LDA #$00
STA FROM
STA TO
BIT RAMWRT ;enable RAM card for
writing to
BIT RAMWRT
LDA #$27 ;move boot ROM to
RAM card
STA MOVFROM
LDA #$D0
STA MOVTO
JSR PGMOVE
BIT ROMON ;enable motherboard
ROMs
LDA #$00 ;set up ampersand
vector
STA $3F6
LDA #$26
STA $3F7
RTS

; Main: WORM2 main code must start at $2600.
MAIN JSR UNHOOK ;disconnect DOS
JSR MOVBOOT ;move boot ROM
from RAM card to $9600
JSR MOVEPG8 ;move page $8
temporarily
JSR MOVEPG3 ;move page $3
temporarily
JSR MOVEDOS ;move DOS down
temporarily
LDA #<PART2 ;reroute boot ROM to
jump to PART2
STA $96F9
LDA #>PART2
STA $96FA
JMP BOOT ;start the boot
LDA $990 ;altered boot ROM code
is at $9600

PART2 STA $80E
LDA $4C ;reroute BOOT0 code to
jump to PART3

STA $84A
LDA #<PART3
STA $84B
LDA #>PART3
STA $84C
LDX #$60 ;slot 6
JMP BOOT0 ;execute BOOT0 code
PART3 BIT DRVOFF ;turn drive off
JSR MOVWRTS ;move RWTS to
$1900
JSR DOSBACK ;put DOS back in
normal place
```

```
JSR PG3BACK ;restore page $03
JSR PG8BACK ;restore page $08
JMP REHOOK ;reconnect DOS
```

; SUBROUTINES: Listed in the order that they are called in the WORM2 main code.

; Subroutine: moves BOOT ROM from RAM card to \$9600

```
MOVBOOT BIT RAMON ;read RAM card
LDA #$D0 ;start at $D000
STA MOVFROM
LDA $96 ;goes to $9600
STA MOVTO
JSR PGMOVE
BIT ROMON ;read ROMs
RTS
```

; Move page \$8 to page \$27

```
MOVEPG8 LDA $808
STA MOVFROM
LDA $27
STA MOVTO
JSR PGMOVE
RTS
```

; Move page \$03 to page \$28

```
MOVEPG3 LDA $803
STA MOVFROM
LDA $28
STA MOVTO
JSR PGMOVE
RTS
```

; Move DOS down from \$9D00-\$BFFF to \$6D00-\$8FFF

```
MOVEDOS LDA $9D ;DOS starts at $9D00
STA MOVFROM
LDA $6D ;move it to $6D00
STA MOVTO
LDA $C0 ;it ends at page right
before this one
STA MOVEND
JSR MOVRNGE ;move DOS out of
the way
RTS
```

; Move protected RWTS down from \$B800-\$BFFF to \$1900-\$20FF

```
MOVWRTS LDA $B8 ;RWTS starts at $B800
STA MOVFROM
LDA $19 ;we want to move it to
$1900
STA MOVTO
LDA $C0 ;it ends at page right
before this one
STA MOVEND
JSR MOVRNGE
RTS
```

; Move DOS back from \$6D00-\$8FFF to normal place in memory (\$9D00-\$BFFF)

```
DOSBACK LDA $6D
STA MOVFROM
LDA $9D
STA MOVTO
LDA $90
STA MOVEND
JSR MOVRNGE
RTS
```

; Move page \$03 from \$2800 back to \$300

```
PG3BACK LDA $28
STA MOVFROM
LDA $03
STA MOVTO
JSR PGMOVE
RTS
```

; Move page \$08 from \$2700 back to \$800

```
PG8BACK LDA $27
STA MOVFROM
LDA $08
STA MOVTO
JSR PGMOVE
RTS
```

; Subroutine to move a range of memory

```
; 1. Put starting page # of source range in MOVFROM
; 2. Put starting page # of target range in MOVTO
; 3. Put ending page # of source range + 1 in MOVEND
MOVRNGE JSR PGMOVE ;move single page
INC MOVFROM ;add 1 to source
page
INC MOVTO ;add 1 to target page
LDA MOVFROM ;limit for source page
CMP MOVEND ;done?
BNE MOVRNGE ;no
RTS ;yes
```

; General purpose single page memory move subroutine

```
; 1. Put source page # in FROM
; 2. Put target page # in TO
PGMOVE LDY $00
MM1 LDA (FROM),Y
STA (TO),Y
INY
BNE MM1
RTS
```

; Storage  
MOVEND DS 1

## PRE, the Applesoft Pre-processor

PRE allows you to type up your Applesoft BASIC programs with a word processor, and never have to worry about line numbers. Line numbers are only needed when branching is needed (like GOTO and GOSUB), and instead of line numbers PRE uses named labels. Labels are user defined which means the programmer can use whatever label name would be appropriate for the routine that lies after it. For example, if

you had a routine to sort an array, you might want the label for it to be called &SORT.

As for syntax, the Applesoft BASIC programs themselves are unchanged except for the exclusion of line numbers and the inclusion of labels in their place. An asterisk in column one of a line tells the PRE processor that this line is a comment and it will ignore it while processing. The same holds true for a blank line. You can indent statements to your heart's content since the PRE processor throws away all leading spaces in a line. DO NOT use line numbers in a program that is going to be processed by PRE or the results you get will not be the ones you want.

PRE processes only ASCII text files. AppleWriter and FrEDwriter produce ASCII files normally, while with AppleWorks you have to print to an ASCII file to get an ASCII text file.

Here is a list of compiler rules:

1. Labels must begin with an ampersand (&) and must end with a space. The space denotes the end of the label. This means that your label name can consist of any alphanumeric character except a space.

2. Do not use line numbers anywhere in your program!

3. Labels may be on a line by themselves or may have program code after them (remember that a space follows a label name).

4. Do not use the branching sequence 'THEN GOSUB' or 'THEN GOTO'. The processor is not set up to handle it. Remove the THEN.

For example, don't use this statement:  
IF X = 3 THEN GOSUB &START

Instead, use the following equivalent:  
IF X = 3 GOSUB &START

5. A branching must be the last program code on a program line. Here are two examples:

#### (1) Wrong way

```
IF X = 10 GOSUB &SHUFFLE : GOTO &RE-DEAL
GOTO &CONT
```

#### (2) Right way

```
IF X <> 10 GOTO &CONT
GOSUB &SHUFFLE
GOTO &RE-DEAL
```

In the first example, the processor will tell you that you have a bad label called '&SHUFFLE : GOTO &RE-DEAL'. This is just the way that the processor works: it assumes everything after a GOTO/GOSUB/THEN is one label. Example #2 is the equivalent of #1 and will process correctly.

6. Go ahead and liberally comment your program. Comment lines, ones that begin with an asterisk or are blank, are ignored by the processor and therefore not put into the final processed file.

7. Version 1.1 of the processor supports 1000 lines (comments don't count) and 250 labels.

8. Although PRE operates under DOS 3.3, it is recommended that you use it under ProDOS because of ProDOS' superior garbage collecting capability.

9. Several internal variables can be modified by the user to fit their operating system or personal tastes. These include the start-of-label character (LCS), the catalog command (CAT\$), and others. The ability to change CAT\$ was put into PRE because of the two different operating systems (DOS 3.3 and ProDOS) it can run under.

10. In version 1.1, 'ON GOTO' and 'ON GOSUB' are not supported.

Compiling the PRE program with a BASIC compiler such as the Beagle compiler is recommended! Compiling the program reduces the execution time by as much as 50%.

The file "SAMPLE" is a sample program that can be compiled with PRE. Try it out.

#### Improvements

A number of things could be done to improve this pre-processor. The main one would be to replace the subroutine that reads in a line of text. Currently this is done via a GET statement and takes quite a bit of time. If the enterprising Computist reader has a short machine language 'INPUT anything' routine, he/she could replace the subroutine with the GET statement with a call to the 'INPUT anything' routine. This would speed up the program by about 200% for the shorter files and more for the longer files.

Another improvement would be able to load in library routines. Say for example that you have written your ultimate input routine. It screens out illegal characters and works like a champ. Wouldn't it be a good idea to use it in all of your programs? The only problem with this is that you have to retype the whole thing in for each program. A solution would be to modify PRE so that it could read in library files, such as your input routine, and insert them into your main program. Here's an example:

```
START GOSUB &SHUFFLE
 X = 0
 INCLUDE "INPUT.ROUTINE"
```

When you run PRE, it would load in the contents of the file "INPUT.ROUTINE" into your main program where the INCLUDE statement is. Modular programming!

If you have any suggestions or bugs found, send them into Computist.

```
* Sample program to compile under PRE *
* By : Jim S. Hart *
```

#### &START

```
TEXT : HOME
PRINT "SAMPLE SOURCE FILE FOR USE
WITH"
PRINT "THE APPLESOFT PRE-PROCESSOR."
GOSUB &PRESS_RETURN_PROMPT
HOME
PRINT "RANDOM NUMBER GENERATOR"
VTAB 7
FOR I = 1 TO 10
 GOSUB &GET_RANDOM_NUMBER
 GOSUB &PRINT_RANDOM_NUMBER
NEXT I
VTAB 20
PRINT "THAT'S ALL, FOLKS!"
END
```

\* <-subroutines>

#### &PRESS\_RETURN\_PROMPT

```
POKE -16368,0
VTAB 22
PRINT "PRESS "; INVERSE: PRINT " RETURN
"; NORMAL
PRINT " TO CONTINUE...";
GET KEY$
PRINT KEY$
RETURN
```

\* There can either be no text after a label,

#### &GET\_RANDOM\_NUMBER

```
RNUM = INT (RND(1) * 9) + 1
RETURN
```

\* Or there can be text after a label

```
&PRINT_RANDOM_NUMBER PRINT RNUM :
RETURN
```

#### PRE.1.1

```
30 REM * APPLESOFT PRE-PROCESSOR
50 REM * AUTHOR: JIM S. HART
80 REM * 311 BORDEAUX ST.
90 REM * JACKSONVILLE, NC 28540
100 REM * 1-919-455-0530
120 REM * COPYRIGHT (C) 1989
160 REM *
170 REM * Set variables *
180 REM *
200 TEXT : PRINT CHR$(21): REM turn off 80
columns
210 D$ = CHR$(4)
220 CT$ = "CATALOG": REM use CAT if under
ProDOS
230 EXT$ = "PRE.": REM extension for
preprocessed file
240 LC$ = "&": REM start-of-label character
250 :
260 REM *
270 REM * Read number of branching commands *
280 REM * and DIMension arrays *
290 REM *
300 :
310 READ ITEMS
320 DIM LINE$(1000), LABEL$(250), LABEL(250)
330 DIM CMD$(ITEMS), LN(ITEMS)
340 :
350 REM *
360 REM * Read in branching commands *
370 REM *
380 :
390 FOR I = 1 TO ITEMS
400 READ CMD$(I), LN(I)
410 NEXT I
420 :
430 REM *
440 REM * Get current prefix *
450 REM *
460 :
470 PRINT D$; "PREFIX"
480 INPUT PR$
490 :
500 REM *
510 REM * Display title screen and *
520 REM * get source filename *
530 REM *
540 :
550 HOME
560 VTAB 2: HTAB 9
570 INVERSE
```

```
580 PRINT "APPLESOFT PRE-PROCESSOR"
590 NORMAL
600 PRINT : HTAB 13
610 PRINT "BY: JIM S. HART"
620 VTAB 8: PRINT "CURRENT PATH = "; PR$
630 VTAB 12
640 PRINT "PLEASE ENTER NAME OF FILE"
650 PRINT
660 PRINT "(? = ; CT$; ; / = SET PATH)"
670 PRINT : INPUT "->" ; NAME$
680 :
690 IF NAME$ <> "?" THEN 790
700 :
710 REM *
720 REM * User wants a CATALOG (or CAT) *
730 REM *
740 :
750 PRINT D$; CT$
760 GET A$: PRINT A$
770 GOTO 550
780 :
790 IF NAME$ <> "?" THEN 980
800 :
810 REM *
820 REM * User wants to change current path *
830 REM *
840 :
850 VTAB 19
860 INPUT "PATH WANTED: "; PTH$
870 IF LEFT$(PTH$, 1) <> "/" THEN PR$ = PR$ +
PTH$: GOTO 890
880 PR$ = PTH$
890 PRINT D$; "PREFIX "; PR$
900 GOTO 550
910 :
920 REM *
930 REM * Check to see if file exists. *
940 REM * If it doesn't then get user *
950 REM * to re-enter the filename *
960 REM *
970 :
980 ONERR GOTO 1010
990 PRINT D$; "VERIFY "; NAME$
1000 GOTO 1130
1010 POKE 216,0
1020 PRINT : PRINT "THERE IS NO FILE
CALLED"
1030 INVERSE : PRINT NAME$; NORMAL :
PRINT "ON THIS DISK."
1040 PRINT : PRINT "PRESS "; INVERSE :
PRINT " RETURN "; NORMAL
1050 PRINT "TO TRY AGAIN";
1060 GET A$: PRINT A$
1070 GOTO 550
1080 :
1090 REM *
1100 REM * Filename found, go and process it *
1110 REM *
1120 :
1130 POKE 216,0
1140 HOME : PRINT
1150 INVERSE : PRINT "PROCESSING"
NAME$; " "; NORMAL
1160 PRINT
1170 :
1180 REM *
1190 REM * Read file into LINE$() array *
1200 REM *
1210 :
1220 GOSUB 3100
1230 :
1240 REM *
1250 REM * Check for any labels *
1260 REM *
1270 :
1280 PRINT "CHECKING FOR LABELS";
1290 :
1300 FOR I = 1 TO LINES
1310 PRINT " ";
1320 IF LEFT$(LINE$(I), 1) <> LC$ THEN 1690
1330 :
1340 REM *
1350 REM * Label found at beginning of line. *
1360 REM * Go through line character by *
1370 REM * character until a space is found. *
1380 REM * If a space is not found, then *
1390 REM * there is no program code after *
1400 REM * label. *
1410 REM *
1420 :
1430 FD = 0
1440 NUM = NUM + 1
1450 :
1460 FOR K = 2 TO LEN (LINE$(I))
1470 X$ = MID$(LINE$(I), K, 1)
1480 IF X$ <> " " THEN 1580
1490 :
1500 REM *
1510 REM * Code found after label *
1520 REM *
1530 :
1540 LABEL$(NUM) = LEFT$(LINE$(I), K - 1)
1550 LABEL(NUM) = I * 10
1560 LINE$(I) = MID$(LINE$(I), K + 1)
1570 FD = 1: K = LEN (LINE$(I))
1580 NEXT K
```

```
1590 :
1600 IF FD <> 0 THEN 1690
1610 :
1620 REM *
1630 REM * No code found after label *
1640 REM *
1650 :
1660 LABEL$(NUM) = LINE$(I)
1670 LABEL(NUM) = I * 10
1680 LINE$(I) = " "
1690 NEXT I
1700 :
1710 PRINT " ": PRINT
1720 :
1730 REM *
1740 REM * Add line numbers to beginning of each
line *
1750 REM *
1760 :
1770 PRINT "ADDING LINE NUMBERS";
1780 FOR I = 1 TO LINES
1790 PRINT " ";
1800 LINE$(I) = STR$(I * 10) + " " + LINE$(I)
1810 NEXT I
1820 :
1830 PRINT " ": PRINT
1840 :
1850 REM *
1860 REM * Search each line for a GOTO or
GOSUB *
1870 REM * and check to see if label exists. If *
1880 REM * label exists, then replace it with line *
1890 REM * number from table. If it does not exist, *
1900 REM * then stop processing and display line
with *
1910 REM * bad label. *
1920 REM *
1930 :
1940 PRINT
"REPLACING LABELS WITH LINE NUM
BERS";
1950 FOR I = 1 TO LINES
1960 PRINT " ";
1970 :
1980 FOR H = 1 TO ITEMS: REM items like GOTO
and GOSUB
1990 :
2000 REM *
2010 REM * Scan each line for GOTO or GOSUB *
2020 REM *
2030 :
2040 FOR J = 1 TO LEN (LINE$(I)) - LN(H)
2050 IF MID$(LINE$(I), J, LN(H)) <> CMD$(H)
THEN 2260
2060 :
2070 REM *
2080 REM * GOTO or GOSUB found in line. *
2090 REM * Check to see if label after *
2100 REM * GOTO or GOSUB is in the label *
2110 REM * array we extracted earlier *
2120 REM * from program. *
2130 REM *
2140 :
2150 A$ = MID$(LINE$(I), J + LN(H) + 1): REM get
label
2160 :
2170 FOR K = 1 TO NUM: REM check to see if in
label array
2180 IF A$ = LABEL$(K) THEN 2200: REM was it
found?
2190 GOOD = 0: GOTO 2220: REM nope, try again
2200 LINE$(I) = LEFT$(LINE$(I), J + LN(H)) +
STR$(LABEL(K))
2210 GOOD = 1: K = NUM
2220 NEXT K
2230 :
2240 IF GOOD <> 1 THEN 2380: REM GOOD <> 1
means bad label
2250 J = LEN (LINE$(I)) - LN(H)
2260 NEXT J
2270 :
2280 NEXT H
2290 :
2300 NEXT I: PRINT " "
2310 :
2320 GOTO 2530
2330 :
2340 REM *
2350 REM * Bad label found *
2360 REM *
2370 :
2380 PRINT : PRINT CHR$(7)
2390 INVERSE : PRINT "BAD LABEL
FOUND": NORMAL : PRINT
2400 PRINT "LABEL = "; INVERSE : PRINT A$:
NORMAL
2410 PRINT "AND WAS FOUND IN THIS
LINE": PRINT
2420 INVERSE
2430 PRINT LINE$(I)
2440 NORMAL : PRINT : PRINT
2450 PRINT "PLEASE CORRECT AND THEN
RE-RUN": PRINT "THIS PROGRAM."
2460 GOTO 2950
2470 :
2480 REM *
```

```

2490 REM * Processing complete. Write *
2500 REM * file back to disk w/prefix *
2510 REM *-----*
2520 :
2530 HOME
2540 PRINT "PROGRAM SUCCESSFULLY
PROCESSED"
2550 VTAB 5
2560 PRINT "SAVE AS" ; EXT$; NAME$; "?" :
PRINT
2570 PRINT "Y=YES,RET=CATALOG,D=DIFF
NAME,Q=QUIT" : PRINT
2580 PRINT "O->O"
2590 POKE - 16368,0
2600 GET A$: ON (A$ <> "Y" AND A$ <> "Q" AND
A$ <> "D" AND A$ <> CHR$(13)) GOTO
2600: PRINT A$
2610 :
2620 IF A$ = "Q" THEN 2950
2630 :
2640 IF A$ <> CHR$(13) THEN 2690
2650 PRINT D$;CT$
2660 GET A$: PRINT A$
2670 GOTO 2530
2680 :
2690 IF A$ <> "D" THEN N$ = EXT$ + NAME$:
GOTO 2910
2700 VTAB 7
2710 INPUT "SAVE AS" ; N$
2720 ONERR GOTO 2830
2730 PRINT D$; "VERIFY" ; N$
2740 POKE 216,0
2750 PRINT
2760 PRINT N$; "ALREADY EXISTS!"
2770 PRINT
2780 PRINT "PRESS" ; INVERSE : PRINT
"RETURN" ; NORMAL
2790 PRINT "TO CONTINUE" ;
2800 GET A$: PRINT A$
2810 GOTO 2530
2820 :
2830 POKE 216,0
2840 NAME$ = N$
2850 GOTO 2530
2860 :
2870 REM *-----*
2880 REM * Save new file as text file *
2890 REM *-----*
2900 :
2910 HOME : PRINT "SAVING PROCESSED
FILE..."
2920 GOSUB 3520
2930 PRINT : PRINT "TYPE EXEC" ; N$; ""
2940 PRINT "TO LOAD PROCESSED BASIC
PROGRAM."
2950 NEW
2960 :
2970 :
2980 REM *****
2990 REM **
3000 REM * SUBROUTINES *
3010 REM **
3020 REM *****
3030 :
3040 :
3050 REM *-----*
3060 REM * Read file into LINE$() array and *
3070 REM * count number of lines read in. *
3080 REM *-----*
3090 :
3100 LINES = 0
3110 PRINT D$; "OPEN" ; NAME$
3120 ONERR GOTO 3210
3130 :
3140 GOSUB 3330
3150 IF LEFT$(A$,1) = "" THEN 3190
3160 IF A$ = "" THEN 3190
3170 LINES = LINES + 1
3180 LINE$(LINES) = A$
3190 GOTO 3140
3200 :
3210 POKE 216,0
3220 PRINT : PRINT D$; "CLOSE"
3230 GOTO 1280
3240 :
3250 :
3260 REM *-----*
3270 REM * Subroutine to read a line *
3280 REM * character by character. *
3290 REM * ignore leading spaces and *
3300 REM * accept all characters. *
3310 REM *-----*
3320 :
3330 PRINT D$; "READ" ; NAME$
3340 A$ = ""
3350 Y = 0
3360 GET B$
3370 :
3380 IF B$ = CHR$(13) THEN 3450
3390 IF B$ <> "O" THEN Y = 1
3400 IF B$ = "O" AND Y <> 1 THEN 3420
3410 A$ = A$ + B$
3420 GET B$
3430 GOTO 3380
3440 :
3450 RETURN

```

```

3460 :
3470 :
3480 REM *-----*
3490 REM * Write new file to disk *
3500 REM *-----*
3510 :
3520 IF LEN(N$) > 15 THEN N$ = LEFT$(N$,15)
3530 PRINT D$; "OPEN" ; N$
3540 PRINT D$; "CLOSE"
3550 PRINT D$; "DELETE" ; N$
3560 PRINT D$; "OPEN" ; N$
3570 PRINT D$; "WRITE" ; N$
3580 FOR I = 1 TO LINES
3590 PRINT LINE$(I)
3600 NEXT
3610 PRINT D$; "CLOSE"
3620 :
3630 RETURN
3640 :
3650 :
3660 REM *-----*
3670 REM * DATA statements *
3680 REM *-----*
3690 :
3700 DATA 2
3710 DATA "GOTO" , 4, "GOSUB" , 5

```

| Checksums  |            |             |  |
|------------|------------|-------------|--|
| 30-\$EAF7  | 460-\$D5F0 | 810-\$6D07  |  |
| 50-\$2918  | 470-\$FE70 | 820-\$167F  |  |
| 80-\$C2EC  | 480-\$98BC | 830-\$7E09  |  |
| 90-\$9652  | 490-\$1C3D | 840-\$C03E  |  |
| 100-\$8849 | 500-\$495C | 850-\$0218  |  |
| 120-\$7F2F | 510-\$2C8E | 860-\$C178  |  |
| 160-\$5914 | 520-\$414F | 870-\$1F57  |  |
| 170-\$96CD | 530-\$842D | 880-\$7455  |  |
| 180-\$2BBF | 540-\$F6E7 | 890-\$0B47  |  |
| 200-\$739B | 550-\$C1F6 | 900-\$0C74  |  |
| 210-\$016D | 560-\$1E29 | 910-\$C191  |  |
| 220-\$1832 | 570-\$0E10 | 920-\$0841  |  |
| 230-\$D435 | 580-\$BB8C | 930-\$3865  |  |
| 240-\$FA08 | 590-\$C4B8 | 940-\$34C6  |  |
| 250-\$2A96 | 600-\$DBE4 | 950-\$1385  |  |
| 260-\$3E7C | 610-\$6247 | 960-\$BC6F  |  |
| 270-\$F4FD | 620-\$6CA1 | 970-\$267D  |  |
| 280-\$793A | 630-\$AE46 | 980-\$68A2  |  |
| 290-\$2264 | 640-\$682B | 990-\$C652  |  |
| 300-\$6C30 | 650-\$5010 | 1000-\$E40C |  |
| 310-\$0201 | 660-\$3613 | 1010-\$A679 |  |
| 320-\$C7CB | 670-\$0EED | 1020-\$200E |  |
| 330-\$E825 | 680-\$B6F7 | 1030-\$9C1E |  |
| 340-\$999C | 690-\$9206 | 1040-\$5A6E |  |
| 350-\$EC8E | 700-\$41EF | 1050-\$9A74 |  |
| 360-\$C67C | 710-\$F4AF | 1060-\$B7DA |  |
| 370-\$C423 | 720-\$4469 | 1070-\$DC88 |  |
| 380-\$4748 | 730-\$3284 | 1080-\$98C9 |  |
| 390-\$44D0 | 740-\$AB57 | 1090-\$9D12 |  |
| 400-\$4457 | 750-\$F223 | 1100-\$3AAE |  |
| 410-\$0CE7 | 760-\$6F3C | 1110-\$26D4 |  |
| 420-\$B3F4 | 770-\$0DFD | 1120-\$04FF |  |
| 430-\$B444 | 780-\$6CC3 | 1130-\$9BAB |  |
| 440-\$A418 | 790-\$0485 | 1140-\$71FF |  |
| 450-\$E039 | 800-\$0C50 | 1150-\$F5EB |  |

**Everett B. Young CA**

Softkey for...  
**Pow! Zap! Ker-Plunk! The Comic Book Maker, School Edition**  
*Pelican Software*

**Requirements:**  
Copy II Plus (ProDOS)  
2 Blank 5.25" disks, notched so both sides can be used

The challenge is to copy Disk 1 Side 1. Probably the protection scheme is similar to that used on Mini-Converter, which Dick Lavallee deprotected in Computist #67. Thanks to him for showing the way.

Rather than use the /RAM disk, as he recommends, you can boot Pow! Zap!, quit to ProDOS, boot Copy II Plus using ProDOS' BYE, then use the Copy Files function.

- Step-by-step**
1. Boot Copy II Plus and Catalog it to find out the volume name of your disk (C2P, C2PLUS, COPYIIPLUS, or whatever, depending on the version you have).
  2. Format side 1 of a 5.25" disk for ProDOS. Choose any name; the volume name does not matter.
  3. Use Copy Files to copy ProDOS from Copy II Plus to the formatted disk.
  4. Use Copy Disk to copy all but Disk 1 Side 1 of Pow! Zap! to your blank disks.
  5. Boot Pow! Zap! (Quitting from Copy II Plus will not work; you must use openapple ctrl reset.) Press return on the "It Speaks for Itself" screen to go to the Main Menu.
  6. Choose Quit from the Main Menu. When prompted, press "y"; you do want to quit.

7. You see:  
ENTER PREFIX (PRESS "RETURN" TO ACCEPT)  
/POW.ZAP.SPROG/
  8. Put Copy II Plus in a drive. Type the volume name of your Copy II Plus disk, which you discovered in step 1:  
/COPYIIPLUS/ (if you have Version 9)
  9. Type the application:  
**UTILSYSTEM** *Press return to boot*
  10. Use Copy Files to copy all files except ProDOS from Disk 1 Side 1 of Pow! Zap! to the disk you formatted in step 2. That's it. You can now keep your originals in a safe place and use your backup copy.
- Ⓢ Now, a question. How can "Where in Time is Carmen Sandiego" be put on a 3.5" disk? A utility in the program copies all four sides to a hard disk. Copy II Plus Copy Disk copies the program onto 5.25" disks. But neither will make a usable 3.5" disk.
- Copy Files produces an error message on side C: "I/O error block \$8000," while copying file DB0. The ProSel Copy Files utility copies all files, but after the program loads and runs through the preliminaries, the message "Insert side D" shows up.

**Tex Window TX**

This is my first letter to Computist. After eight issues, I can finally make a small contribution.

Softkey for...  
**Plato Courseware: Basic Number Facts**  
*Control Data*

1. Use RWTS Worm (Computist #61) to capture the RWTS of the original disk. Boot a DOS 3.3 disk and load RWTS Worm.  
**BLOAD RWTS.WORM, A\$9500**
2. Insert the Plato disk.
3. Execute the RWTS Worm program.  
**CALL 38144**
4. Insert Super IOB disk and save the RWTS to disk.  
**BSAVE PLATO.RWTS, A\$1900, L\$800**
5. Load Super IOB and exec in the New Swap controller.
6. Run Super IOB.
7. Copy a normal DOS 3.3 to the copied disk.
8. (optional) Load the HELLO program and change or delete line 3. Removing the POKE in line 3 disables reboot on reset.

Softkey for...  
**I Can Carry and Borrow**  
*Troll*

Use the Troll Micro Courseware softkey in Computist #53 page 22.

Softkey for...  
**Mathosaurus Grade 2**  
*Micrograms*

Use the partial softkey from Gerald E. Myers in issue 59, page 28. Use Copy II Plus Copy Disk to make a whole disk copy. It will give a read error on track 01. Then use Copy II Plus Manual Bit Copy to copy track 01 only.

Ⓢ I have been unable to completely deprotect Mathosaurus using Mr. Myers' directions in issue 59. I have not been able to capture the RWTS successfully. As I am very much a beginner, perhaps he could give a more specific procedure.

Ⓢ The softkey for Type to Learn (Sunburst) in issue 68, page 21 does not work for my version. When I try to copy the disk using ProDOS Super IOB, Super IOB bombs into the monitor after I insert the disks to begin the copy. The display looks like this:

```

00:D000:00 00 BRK 00
A=0000 X=000C Y=0004 S=01E7
D=0000 P=B4
B=00 K=00 M=00 Q=80 L=0 M=1
X=1 C=1

```

I don't know enough about the monitor to interpret this, but I'll bet there is someone out there who does. I suspect this means that I have not captured the RWTS correctly. Or is there a bug in the procedure? I have tried capturing the RWTS on a //e equipped with a Wild Card and using the IIGs Visit Monitor CDA with no success.

**Kathi Quan CA**

Ⓢ I need help. I have the program PIRATES by Microprose and I have tried to produce a backup using both the parameters in Computist #61, p. 8 and those in Computist #65, p. 34 to no avail. Although I am a novice, I have been suc-

cessful with several softkeys in the past, and can vaguely understand both procedures (they are basically the same). Since I encounter the same problem with both, perhaps I am not performing some step properly. Basically, the idea is to capture the PIRATES ProDOS and use it to copy the files to a preformatted disk, then change the system to allow an update to the resident ProDOS.

My problem occurs when I start to copy the files. Firstly, when the files begin copying, they copy entirely too quickly. When I check the catalog, it lists all files as being 1 block in length. Secondly, early in the file copying (on the 2nd or 3rd file), I encounter an error message reading, "I/O Error Block \$0F29." I am certain that I have captured the foreign ProDOS, because when I catalog the original disk from BASIC, as suggested in Mr. Halfwit's article (Comp.#61), I get a long list of files. Also, there is no chance that I am accidentally booting a different ProDOS, because I access UTIL.SYSTEM from a DOS-less disk using the wildcard command from BASIC. Whatever my error, I do it consistently using both methods, as the error message and results are the same.

Could Mr. Halfwit or Mr. Troha (Comp.#65) figure out what I am doing wrong so that I may back this disk up? Alternatively, does someone have another method of doing so? I would appreciate the help.

Ⓢ I also need help with Didatech's Crosscountry USA, Fay: Word Hunter and Crosscountry California. I tried the method outlined in Computist #69, but it doesn't give the original bytes. I checked Computist #55, from which the softkey was taken, and it also didn't list the original bytes. When searching my programs with a sector editor, I find the exact same bytes in those locations in all three programs (TS00, SS04, B\$89-91): A2 1C 98 9D E0 BC CA D0 FA. Changing them to A9 D0 8D 6E 85 EA EA EA EA does not work. Could Mr. Cadillac or R.D. West publish the original bytes changed so that I could search for them?

Ⓢ Does anyone know where to locate the crowbar on Level 3 in Alien Mind?? I located it once, but can't remember where and now my husband is stuck on Level 3.

**Notes on Milliken Software**

I was unable to back up my copies of Milliken Skillbuilder software (Lantern of D'gamma, Islands of Beta, A-Maze-ing Mouse) using the softkey in Computist #68, p.9, but was successful using Larry Rando's procedure in Issue #39, p.7 for Discovery! by Milliken.

Softkey for...  
**Number Munchers**  
**Jenny's Journeys**  
**Sound Tracks**  
*MECC*

I was able to make a back up using a combination of techniques from past issues. First, I checked the address and data headers to see what changes were made using the Nibble editor from Copy II+. I found that the program had altered address headers of AA D5 AD and data headers of D5 96 AA. This fit the category of programs covered in Jack Moravetz' article in Computist #50, p. 23. However, suspecting that the bytes to be changed were in a different location, I modified the controller by deleting lines 5010-5110 and changing line 1020 to read GOSUB 430: GOSUB 490: GOSUB 610. The controller was then exec'd into Super IOB and it backed up my disk. At this point, I had to borrow from Jim Hart's article in Computist #49, p.26. He described searching for the bytes 8C C0 (common memory reference for disk reading routine) to locate the bytes to normalize the disk. I located what I thought might be the bytes, notated them, changed them and booted the disk. It has worked perfectly for me since, so I am fairly certain that the technique was successful. The bytes to change are:

| Trk  | Scr  | Byte | From | To |
|------|------|------|------|----|
| \$00 | \$0B | \$08 | AA   | D5 |
|      |      | \$12 | D5   | AA |
|      |      | \$1D | AD   | 96 |
|      |      | \$99 | 96   | AA |
|      |      | \$A3 | AA   | AD |
| \$00 | \$0C | \$82 | 96   | AA |
|      |      | \$87 | AA   | AD |

Ⓢ No one in any of their articles has explained how they found these bytes. I assume they are translate table bytes, but can anyone elaborate? I located them by looking for a pattern, but I am sure there is a more logical (and less time-consuming) way to do this. Could someone suggest a book and where it might be purchased?

In addition, I have succeeded in backing up several other MECC titles and have decided that the title is useless when looking for a method, as MECC apparently changes their protection on all

titles every year or so. My copies of Jenny's Journeys and Sound Tracks could not be backed up using methods suggested for those titles, but I was able to back them up using the method above for Number Munchers. Both sector edits were the same as those in Computist #53, p. 24 by B. Dudley Brett for Grade Manager v2.3. By the way, the COPYA method in that same article didn't seem to work for me. The program couldn't read the disks. I am still looking for a method of de-protecting Addition Logician. Also, I have found that I am unable to use a data disk with these titles after deprotection. Specifically, when using the Matter Maker in Mystery Matter, the program hangs when saving the matter, and keeps asking for the original disk (doesn't recognize the copy.) Can anybody help?

This periodical is the most useful one to which I subscribe. The amount of information is staggering and irreplaceable elsewhere. Although I don't understand everything, I usually learn something more each issue that eventually helps me with my problems. I've recommended it to everyone I know, but find that many feel it is too technical for them to understand. Since many of them are female (like myself), I am very much aware that a lot of it is gender-related. Even dealing with other parents and teachers, I find many more women uneasy when using computers and many are downright unwilling to learn about them. It saddens me that so many people choose to ignore a potentially powerful and important tool in their lives and the lives of their children. If the moms don't use it, the daughters usually don't. Anyway, thank you all for a wonderful magazine and keep up the information flow!

*Keep trying with your female friends to convince them of the usefulness of learning about computers. Soon, every electronic device will come with its own micro-controller chip. It's the wave of the future and you can ride the crest or be drowned in the flow. .... RDEXed*

## Jeff Strunk PA

This is my first attempt at sending you a letter in the form of a text file. I hope it is successful. Perhaps I should have written a shorter letter for my first attempt, but when I finally sat down and began to type, everything I ever wanted to ask of you or say to you came pouring out.

### Tabloid format comment

Since everyone else is taking pot-shots at your "tabloid" format, I figure'd I'd contribute my two cents worth. I don't like it, either; BUT... I'd rather have this format than none at all. To anyone who is even thinking about cancelling their subscription, remember that COMPUTIST is the only publication of its type, i.e., telling you how to remove troublesome copy-protection schemes from your software so that you are free to make as many backup copies as you may ever need. The software publishers would like nothing better than to see COMPUTIST go out of business! In my opinion, COMPUTIST is one of the reasons that copy-protection schemes are being dropped. They figure that there is no reason to go to the added expense of implementing a protection scheme if it is going to be cracked as soon as the program hits the streets. Another heated issue is the price. I don't feel we're getting such a raw deal. Look at an issue of Incider A+, for instance. Take away the pages with advertising and editorials and what do you have left? NOT MUCH! Speaking of advertising, look at all the advertising in COMPUTIST # 70. Why, they must have received at least \$30 for all that. And since the advertising income is almost non-existent, there is nothing to defray the cost of your subscription. Each of us pays the whole enchilada. The last point I want to make is that the COMPUTIST staff are all unpaid volunteers. Unless you have ever been a member of a volunteer organization, you have no idea how difficult it is to retain people (good or otherwise). As a supervisor on the staff of an annual festival, I can say that it is difficult enough to get volunteers to participate in something that occurs once a year, let alone all year long.

### Source for Print Shop envelopes

I sent this tip to Nibble, A+, and inCider (before they merged) and it was published in 2 of the magazines. In case you didn't see it in either of those magazines, here it is again. For those readers who can not find replacement envelopes for "The Print Shop" I found a solution. Call a small printing shop or an office supplies store and ask for what is known in the trade as a number 5-1/2 or a number 6 Baronial envelope. It is most commonly used to send wedding invitations or commencement announcements. I found an office supplies store that did their own printing and

they sold me some envelopes from an opened box that they were using. I acquainted the manager of the store with the potential market for these envelopes and they now keep an open box on the shelf for anyone who comes in. I just purchased my second batch of 100 envelopes and they only cost me 10 cents each.

### Cheap word processor

Back when you had your save-on-software ads, you used to recommend Magic Window by Artsci at a price of \$106.00 instead of \$149.95. I used the Franklin version of this program (AceWriter II) on my ][+, revision 7, I now use it on my //e, and I have a friend who uses it on a /c. All of us are quite pleased with it and it can be purchased at flea markets for under \$25.00. (At one time, the flea market price was down to \$2!) I have bought multiple copies of it from a friend of mine who is a Franklin dealer and servicemen.

### Tape Labels

If anyone wants small (or large) quantities of VHS, BETA, or Audio Cassette, tractor feed labels, contact:

Daniel P. Olson  
dba Virginia Specialty Products  
PO Box 985  
Vienna, VA, 22180  
(203) 280-1742

For \$1.00, he'll send you a sample pack of these items. The video-tape labels are the EX-ACT size of the originals and I'm using my word processor and these labels to re-label all of my VHS tapes.

### Printer Modification

As a sidelight to the above, I had a problem using the VHS labels on my wide carriage C. Itoh ProWriter. On both the wide carriage and narrow carriage models, the tractors could only be closed so far (4-1/2" carrier sheet) and some of the labels come on a 4" sheet. I was able to modify the tractors and I now can go down to about a 3" carrier sheet. If anyone wants or needs to do this to their printer, I will try to talk you through it by remote control if you call me at my home number (215) 262-2457 from 10:00 AM to 4:00 PM, Monday through Friday or weekends or at my work number, (215) 861-8516, in the evenings. If you want to send me a SASE, I'll try to document the procedure in a set of cookbook instructions.

### Hang in there, Bobby

I would like to encourage the hardware guru to hang in there and not give up the ship. I liked the construction article. I liked it when it appeared as the Bus Monitor. (I have it recorded as being from issue 36, October '86, page 14.) However, it is, as Bobby pointed out, a gimmick. I think he would get a bigger response if future projects were along the lines of the primary purpose of the magazine, deprotecting programs. I have a couple of suggestions.

### Hardware suggestion #1

Have you any plans for a construction project similar to Trak-Star which would display (and store for later retrieval) the numbers of the tracks (and half and quarter) being accessed? I use Franklin Ace 10 drives on my //e and they do not have the plastic spiral-tracked cam that the Apple drives have so I am unable to mark it to assist me in cracking protected programs.

*It depends on how many people are interested. There's an economy of scale that determines whether a project is possible. If only a few are interested, it would be cheaper for them to buy the Trak-Star. .... RDEXed*

### Hardware suggestion #2

How about your own version of an NMI card or something like the Senior Prom. (By the way, are they still in business?)

*The previous answer applies to this question also. The simplest and least expensive NMI/RESET device is a modified ROM. There's not much call for that anymore. The Senior PROM is no longer being sold. .... RDEXed*

### Hardware suggestion #3

I sent this same idea to Applied Engineering but since bureaucracy always takes 10 times longer than necessary to accomplish anything, I thought I'd mention the same idea to you. AE's PC Transporter card, in addition to allowing you to run IBM software, allows you to use an IBM-style keyboard with your Apple. (This keyboard is required if you own a ][+.) How about a circuit card to interface an IBM-style keyboard to an Apple? This might be a problem because of the lack of open-Apple and closed-Apple keys. Therefore, I think that such a card should allow you to have both keyboards operational at the same time. This would allow you to use some of

the specialized multiple-key functions necessary on an Apple. I have been considering purchasing a surplus //e keyboard from Jameco and mounting in in a salvaged keyboard housing to give me a detachable keyboard but I may delay doing this depending on (1) what the hardware guru thinks of the practicality of the idea and (2) what I found out about what I mention in my next paragraph.

*There are two reasons why a remote keyboard may not be as good an idea as it first seems. 1. Different Apple IIs. 2. Apple II hardware.*

*From the viewpoint of existing software, the best way to connect the new keyboard is to intercept the normal keyboard data and replace it with your own. This requires a different card for each of the different Apple II models. And since the II hardware only passes the lower 7 bits of data, there's no way to distinguish the function keys from the normal keys. The net gain is zero.*

*The problem is how to read the keyboard from software. From the viewpoint of a new keyboard and new software, the best way is to use the 16 byte I/O area set aside for each card slot. That way, you can send more data about the keypresses and the additional keys (keypad & function keys, etc...). But if you do, pre-existing software won't use your new keyboard. Without new software that knows about your new keyboard (nonexistent at this time), the net gain is zero. .... RDEXed*

### Detachable keyboard source

If you get Nibble, check the middle ad on the top of page 10 of the April, 1990 issue. If not, here's the story. Roman Marshak, dba Martek Electronics, Post Office Box 24, Novi, MI, 48050 is marketing a detachable keyboard which can be used with the ][+ or the //e. He says his keyboard has several enhancements over the //e keyboard. It uses a 4-foot retractile telephone style cord to connect the keyboard to a circuit card which mounts inside your Apple. (It doesn't use a slot) It has open and closed Apple keys, 12 user programmable function keys, a logical cursor pad layout, caps lock indicator light, tactile feedback, and matching color. It comes assembled or in kit form but he cautions that the kit is not for beginners. According to the ad, you need to spend about three hours modifying the keyboard. The ][+ kit costs \$59, the //e kit costs \$69. Assembled versions are an additional \$20. Shipping and handling is an additional \$7. Write to him for further information or call (313) 348-3812. It is probably better to call in the evenings since he works this business from his home.

### Help

Can anyone tell me how to softkey Data Perfect, the Franklin database program written by LJK Enterprises in St. Louis, MO. Perhaps softkey is not the right word since the disk is not protected and can be copied with COPYA. However, I can not find any catalog track and, therefore, no file names which would enable me to transfer it to a hard disk or to a disk with my word processing program.

### More Help

Now that the BBS is on-line, I may give serious consideration to purchasing a really good modem to replace the one that I have. I will also want a really good software package. For example, one that will allow me to (either) view and print simultaneously or to capture the information in a memory buffer and print it later. How about some suggestions for modems and software?

## William Rice NY

Softkey for...

### Batman

### Data East

### Requirements:

COPYA  
Blank disk  
Sector editor

What started me deprotecting my protected disk is a virus that has probably hit everyone's computer system at one time or another. The virus usually shows up in homes where small children have access to disks. My virus seems to hang out with my son, I call it THE MR NOBODY VIRUS. Not only does it destroy originals, it even managed to destroy my write protected copy of Dazzle Draw several times. If you ask my son about it, you will hear "I don't know how it happened, I didn't do anything to it". That's the MR NOBODY'S famous response.

Batman has several different types of protection. On my copy I found the following schemes:  
Altered epilogs, both address & data

Loading into the RAM card

A timing loop with code comparisons

Encrypted code on the disk

These pesky schemes are all easy to find and defeat. I will show you how to boot trace the program loader and find each of them.

First, we need to know how they changed the epilogs so we can work around them. This is done with our nibble editor. What we find when we look at a track dump is that the epilogs have been changed from:

| From  | To    | Where         |
|-------|-------|---------------|
| DE AA | FF FF | Address field |
| DE AA | FF FF | Data field    |

This prevents us from just running COPYA and getting a working copy of the disk. What we need to do now is fix up COPYA to read these strange epilogs. The following table comes from COMPUTIST #68, page 28.

| Ignore what                 | Address | Change to |
|-----------------------------|---------|-----------|
| Address field: Both epilogs | \$B988  | 18 60     |
| Data field: Both            | \$B925  | 18 60     |

We must now copy the original disk to our blank disk. Run COPYA and press ctrl C when it asks which drive the original disk is in. Then modify DOS so it can read the strange epilogs and copy the disk.

```

RUN COPYA
ctrl C
CALL -151
B988:18 60
B925:18 60
3D0G
70
RUN

```

*to enter the monitor  
ignore addr epilogs  
ignore data epilogs  
return to BASIC*

When you have finished with this you have defeated one level of protection. Now we must boot trace the code to find the other protection schemes. Re-enter the monitor and move boot 0 from ROM to RAM where we can modify it.

```

CALL -151
9600:C600.C6F8M
96F8:4C 59 FF
9600G

```

*Move code from \$C600 to \$9600  
put in jump to monitor  
start our new code*

After a very short whirl you should hear a beep and see the monitor cursor (\*).

```

C0E8
0801L

```

*stop the drive  
List some code*

The code should look like this:

|               |          |                         |
|---------------|----------|-------------------------|
| 0801:A5 27    | LDA 27   |                         |
| 0802:C9 09    | CMP #09  |                         |
| 0803:D0 27    | BNE 082E |                         |
| 0807:78       | SEI      | no interrupts           |
| 0808:AD 83 C0 | LDA C083 | set up the ram card     |
| 080E:AD 83 C0 | LDA C083 | for read and write      |
| 080E:A5 2B    | LDA 2B   | get drive slot          |
| 0810:4A       | LSR      |                         |
| 0811:4A       | LSR      |                         |
| 0812:4A       | LSR      |                         |
| 0813:4A       | LSR      |                         |
| 0814:09 C0    | ORA #C0  | C6 if drive = 6         |
| 0816:85 3F    | STA 3F   |                         |
| 0818:8D FD FF | STA FFFD | set up new reset vector |
| 081B:A9 5C    | LDA #5C  |                         |
| 081D:85 3E    | STA 3E   |                         |
| 081F:A9 00    | LDA #00  |                         |
| 081B:A9 5C    | LDA #5C  |                         |
| 081D:85 3E    | STA 3E   |                         |
| 081F:A9 00    | LDA #00  |                         |
| 0821:8D FC FF | STA FFFC | second half of reset    |
| 0824:18       | CLC      |                         |
| 0825:AD BF 08 | LDA 08BF |                         |

From here on I will give partial listings and key points about the data to point out important things to look for on other programs.

0825-0843 sets up a read buffer at D300-D900 for sectors 1,2,3,4,5,6,7. Yet another another scheme to block our boot trace. We will modify this too.

```

0845:6C 3E 00 JMP ($003E)

```

This bit of clever code just uses \$003E as a pointer to use the code at \$C65C to read more code off track 0.

0848-0854 This sets soft switches in the computer for the next phase of the load.

```

0857:20 00 D3 JSR D300

```

*Jump to code just loaded at \$D300*

Now we need to modify boot 0 to allow us to look at the next phase of the loader program.

```

96F8:A9 81 8D 09 08 8D 0C 08 A9 22 8D BF 08
A9 4C 8D 57 08 A9 59 8D 58 08 A9 FF 8D 59
08 4C 01 08

```

What this code does is:

1. Reset the ram card to off.
2. Set the input buffer to \$2300.
3. Set up a jump to the monitor.
4. Jump to boot 1.

Now we must insert our COPYA copy and start boot 0.

```

9600G
C0E8

```

*to stop the drive*

If all went well you should be back in the monitor. Lets look at our new code at \$2300. Note: This code that would normally be at \$D300-\$D700.

```

2300L
2300:A0 00 LDY $00
2302:B9 0E D3 LDA $D30E,Y

```

*list a page of code*

2305:99 00 60 STA \$6000,Y  
 2308:C8 INY  
 2309:D0 F7 BNE \$2302  
 230B:4C 00 60 JMP \$6000

What happens here is the code from \$D30E-D40D is moved to \$6000 and is executed. Lets move that code and see where it leads us.  
**6000<230E.240DM** *move captured code*

The code at \$6000-\$6009 sets up a new reset pointer and at \$600C is a jump to the routine at \$6052.

Now we hit the nuts and bolts of this protection scheme. What happens is it checks for \$E7 at several places (just like PROLOC then attempts to read 8 bytes at a timed interval away from the last \$E7. If any of these routines fail it drops into a cold start at \$6048 with the twist it hangs the computer, or simply reboots depending when it fails.

```

$6030:A2 07 LDX #07
$6032:8A TXA
$6033:95 F0 STA $F0,X
$6035:CA DEX
$6036:10 FA BPL $6032
$6038:A6 2B LDX $2B
$603A:BD 89 C0 LDA $C089,X
$603D:BD 8E C0 LDA $C08E,X
$6040:A9 0B LDA #0B
$6042:85 F0 STA $F0
$6044:C6 F0 DEC $F0
$6046:D0 0B BNE $6053
$6048:EE F4 03 INC $03F4 trash powerup flag
$604B:6C C6 FF JMP $(C6FC)
$604E:A6 2B LDX $2B
$6050:4C 5C FF JMP $FF5C
$6053:A9 80 LDA #80
$6055:85 F1 STA $F1
$6057:C6 F1 DEC $F1
$6059:F0 E9 BEQ $6044
$605B:20 80 D8 JSR $D800
$605E:B0 E4 BCS $6044
$6060:A5 2D LDA $2D
$6062:C9 0A CMP #0A
$6064:D0 F1 BNE $6057
$6066:A0 00 LDY #00
$6068:BD 8C C0 LDA $C08C,X
$606B:10 FB BPL $6068
$606D:88 DEY
$606E:F0 D4 BEQ $6044
$6070:C9 D5 CMP $D5
$6072:D0 F4 BNE $6068
$6074:A0 00 LDY #00
$6076:BD 8C C0 LDA $C08C,X
$6079:10 FB BPL $6076
$607B:88 DEY
$607C:F0 C6 BEQ $6044
$607E:C9 E7 BNE #E7
$6080:D0 F4 BNE $6076

```

\$6082-\$6092 Read, compare, go on if \$C9  
 \$6094-\$609F Read, check for sign flag  
 ON  
 \$60A0-\$60B6 Read, store 8 numbers at \$F0-F7  
 \$60B7-\$60C3 Set up \$F8-FA with \$04 00 D9  
 \$60C4-\$60D9 Decode \$D9FF-\$D400

From this code we have two things to do. 1. To defeat the timed routine. 2. Find the values expected at \$F0-\$F7.

What happens is the code from \$D900-\$D400 (in a backward direction) is decoded like this:

The value stored in \$Fx is EOR'ed with \$D9xx then stored back to \$D9xx-\$D400. We know from the code at \$873-\$881 we will be loading something to the text screen. If you boot the original disk the first screen you see is the QUICKSILVER copyright notice. This just happens to be the translated code starting at \$D641. Now we need to look at an ASCII code chart to get the values that would have to be at \$D641 for Quick-Dos Apple Program Loader. These are the values: D1 F5 E9 E3 EB AD C4 EF etc.

From this and the code we moved to \$2641-\$2649 we can find the unknown \$Fx values. This is done by EOR'ing the wanted value with the known value.

| Hex | Binary    | comments    |
|-----|-----------|-------------|
| D1  | 1101 0001 |             |
| 3F  | 0011 1111 | from \$2641 |
|     | 1110 1110 | \$F1 = EE   |
| F5  | 1111 0101 |             |
| 1B  | 0001 1011 | from \$2642 |
|     | 1110 1110 | \$F2 = EE   |
| E9  | 1110 1001 |             |
| 15  | 0001 0101 | from \$2643 |
|     | 1111 1100 | \$F3 = FC   |
| E3  | 1110 0011 |             |
| 04  | 0000 0100 | from \$2644 |
|     | 1110 0111 | \$F4 = E7   |
| EB  | 1110 1011 |             |
| 05  | 0000 0101 | from \$2645 |
|     | 1110 1110 | \$F5 = EE   |
| AD  | 1010 1101 |             |
| 51  | 0101 0001 | from \$2646 |
|     | 1111 1100 | \$F6 = FC   |
| C4  | 1100 0100 |             |
| 23  | 0010 0011 | from \$2627 |
|     | 1110 0111 | \$F7 = E7   |

EF 1110 1111  
 23 0011 0011 from \$2648  
 1111 1100 \$F0 = FC

Now all we have to do is change the code on track 0 sector 1 to load our \$F0-F7 values and jump to the decoder routine.

Load your favorite sector editor and change the following:

Reading from byte \$74 should look like this:  
 A0 00 BD 8C C0 10 FB 88 F0 C6 C9 E7 D0  
 F4 BD 8C C0 10 FB C9 E7 D0 B9 BD 8C C0 10  
 FB C9 E7 D0 B0 BD 8D C0

Starting at byte \$74 enter:  
 A9 FC 85 F0 A9 EE 85 F1 A9 EE 85 F2 A9  
 FC 85 F3 A9 E7 85 F4 A9 EE 85 F5 A9 FC 85 F6  
 A9 E7 85 F7 4C B5 60

Write the sector back to the copy of Batman. This ends the protection schemes used on side A of Batman.

To copy side B just set up COPYA as described before and copy the original disk.

If you followed all the sets correctly you should have a completely deprotected copy of Batman. Enjoy!

Softkey for...  
**Bad Dudes**  
 Data East

Requirements:  
 COPYA  
 Sector Editor

Bad Dudes is a fast paced Kung Fu game with numerous levels of play. It also comes on a protected disk. The protection scheme on side A is real easy to defeat, as you will see in this softkey. Now if someone would find a way to slow the action down it might be as good as the arcade version.

**CALL -151** *Enter the monitor.*  
**9600<C600.C6F8M** *Move boot 0 down to \$9600*  
**96F8:4C 59 FF** *Enter code to exit to monitor*  
**C0E8** *Stop the drive*  
**0801L** *List a page of code*

```

801:4C 00 0A JMP $0A00
804:EA NOP
805:D0 27 BNE $082E
...
0825:AD BF 08 LDA $08BF

```

From this code we see the first thing we do is jump to \$A00. Listing the code at \$A00 looks like this:

```

A00:EA NOP
A01:EA NOP
A02:A2 60 LDX #60
A04:A9 56 LDA #56
A06:85 FD STA $FD
A08:A9 08 LDA #08
A0A:C6 FC DEC $FC
A0C:D0 04 BNE $0A12
A0E:C6 FD DEC $FD
A10:F0 38 BEQ $0A4A
A12:BC 8C C0 LDY $C08C,X
A15:10 FB BPL $0A12
...
A39:C9 0A CMP #0A
A3B:D0 CB BNE $0A08
A3D:BD 8C C0 LDA $C08C,X
A40:10 FB BPL $0A3D
A42:38 SEC
A43:2A ROL
A44:25 FC AND $FC
A46:49 FF EOR #$FF
A48:F0 03 BEQ $0A4D
A4A:4C 00 C6 JMP $C600
A4D:A9 60 LDA #60
A4F:85 2B STA $2B
A51:A9 09 LDA #09
A53:85 27 STA $27
A55:A9 01 LDA #01
A57:8D 00 08 STA $0800
A5A:A9 A5 LDA #A5
A5C:8D 01 08 STA $0801
A5F:A9 27 LDA #27
A61:8D 02 08 STA $0802
A64:A9 C9 LDA #C9
A66:8D 03 08 STA $0803
A69:A9 09 LDA #09
A6B:8D 04 08 STA $0804
A6E:4C 01 08 JMP $0801

```

From \$0A00-\$0A41, a test is made for an original disk. At \$0A42-\$0A48, a check of this test is done. If the check fails the computer jumps to \$C600, and if it passed, it goes to \$0A48. The code from \$0A4D-\$0A6B sets up \$0800-\$0804 and jumps to \$0801. We can easily defeat this routine in two ways:

1. Modify track 0.
2. Make the test results pass.

If you choose option 1, then sector edit track 0 sector 0.

| Trk  | Sct  | Byte | From | To             |
|------|------|------|------|----------------|
| \$00 | \$00 | \$00 | ?    | 01 A5 27 C9 09 |

If you choose option 2, then sector edit track 0 sector 0E

| Trk  | Sct  | Byte | From | To       |
|------|------|------|------|----------|
| \$00 | \$0E | \$4A | ?    | EA EA EA |

When you are done write the track back to your copy of Bad Dudes.

Side B of the disk can be copied with COPYA. Now the game is deprotected. Enjoy the game!

Softkey for...  
**Platoon**  
 Data East

Requirements:  
 COPYA  
 Blank disk  
 Sector editor

Platoon is a shoot-em up arcade adventure game. The object is to complete five levels of play without losing your squad of men. It sounds easier than it is because you need certain items you find as you travel along.

When I got this disk I copied the original with COPYA and tried to run it. What I got was the familiar recalibrate sound and nothing more. The next thing was to move the boot ROM code down to RAM so I could modify it.

**9600<C600.C6F8M**  
**96F8:4C 59 FF** *Jump to the monitor*  
**9600G** *boot the copy*

You should be in the monitor now with the drive running. We need to stop the drive and look at the code at \$0800-\$0AFF. I know this because \$800 contained #03. This would have caused three sectors to be loaded.

**0801L**  
 You should see this:  
 0801:4C 00 0A JMP \$0A00  
 0804:EA NOP  
 0805:D0 27 BNE \$082E

The very first thing is a jump to \$0A00, so lets go there.

**0A00L**  
 0A00:EA NOP  
 0A01:EA NOP  
 0A02:A2 60 LDX #60  
 ...  
 0A42:38 SEC  
 0A43:2A ROL  
 0A44:25 FC AND \$FC  
 0A46:49 FF EOR #\$FF  
 0A48:F0 03 BEQ \$0A4D  
 0A4A:4C 00 C6 JMP \$C600

```

0A4D:A9 60 LDA #60
0A4F:85 2B STA $2B
0A51:A9 09 LDA #09
0A53:85 27 STA $27
0A55:A9 01 LDA #01
0A57:8D 00 08 STA $0800
0A5A:A9 A5 LDA #A5
0A5C:8D 01 08 STA $0801
0A5F:A9 27 LDA #27
0A61:8D 02 08 STA $0802
0A64:A9 C9 LDA #C9
0A66:8D 03 08 STA $0803
0A69:A9 09 LDA #09
0A6B:8D 04 08 STA $0804
0A6E:4C 01 08 JMP $0801

```

From \$0A00-\$0A41, a test is made for an original disk. At \$0A42-\$0A48, a check of this test is done. If the check fails the computer jumps to \$C600, and if it passed, it goes to \$0A48. The code from \$0A4D-\$0A6B sets up \$0800-\$0804 and jumps to \$0801. We can easily defeat this routine in two ways:

1. Modify track 0.
2. Make the test results pass.

If you choose option 1, then sector edit track 0 sector 0.

| Trk  | Sct  | Byte | From | To             |
|------|------|------|------|----------------|
| \$00 | \$00 | \$00 | ?    | 01 A5 27 C9 09 |

If you choose option 2, then sector edit track 0 sector 0E

| Trk  | Sct  | Byte | From | To       |
|------|------|------|------|----------|
| \$00 | \$0E | \$4A | ?    | EA EA EA |

When you are done write the track back to your copy of Platoon. Now file the original in a safe place and enjoy the game.

**Vincent C. Andrews WA**

**Ultima CDA v1.0**

**A Ultima V Character Editor**

This Character Editor was designed to increase your chance to win the game. It is a CDA which means you can use it any time during the game, including while you are having a fight with one of your enemies. The best thing about this editor is that you can choose the areas you want to maximize. For example, if you want to maximize your spell ingredients or restore health and hit points, just choose those areas and leave the others alone.

To install this CDA, you must copy the file over to your ProDOS 16 System Disk. The CDA goes into the SYSTEM/DESK.ACDS directory. Boot your System disk and execute Basic.system. The CDA is in memory and you can select it from the Control Panel. But before you do that, insert your Ultima V disk into your floppy drive and type PR#6 <return>. It will boot the disk without wiping out the CDA you have installed into memory. The rest is self explanatory.

*We have a problem. I don't have a IIgs so I don't know how to enter binary data directly into memory and save it as a CDA. If anyone knows the proper procedure please let me know right away. For now, I am printing the source code in the original Merlin format. If you want the CDA, you will either have to enter the source into your copy of Merlin and assemble the proper file format or you will have to order the library disk. (Or call the BBS.) ..... RDEXed*

**ULTIMA.CMD.S**

\* LINKER.GS command file for Linking ULTIMA  
 \* Batch asm part:  
 ASM ULTIMA ;Only one module  
 \* Linker part:  
 VER \$1 ;Link to OMF version 1  
 KND \$20 ;No spec mem  
 ;(Use KND \$1000 for ver=2)  
 TYP \$B9 ;Make CDA type file  
 LINK ULTIMA.L ;Only one link file  
 SAVE ULTIMA.CDA  
 END ;Optional

**ULTIMA.S**

\* Ultima V Character Editor  
 \* A classic desk accessory  
 \* Vinca C. Andrews 18 MAR 90  
 \* Merlin-16+ Assembler  
 LST OFF ;Turn the listing off here  
 DATE  
 REL  
 N EQU 0  
 Y EQU 1  
 n EQU 0  
 y EQU 1  
 SAVOBJ KBD "Save object code? (Y/N)"  
 DO SAVOBJ  
 DSK ULTIMA.L  
 FIN  
 XC ;65C02 mode  
 XC ;65816 mode

\* Zero page loc saved and used as well as other locations:

```

PTR EQU $06
TEMP EQU $08
PNT = $E0 ;Also E1,2,3
KYBD = $E0C000 ;Get key
STROBE = $E0C010 ;Clear Keyboard Strobe
AHLTH = $001083 ;Loc of 1st char health
AHPTS = $001088 ;Loc of 1st char hit points
ABASE = $001200 ;Loc of 1st item
AMISC = $001180 ;Loc of 1st Misc Items
ASPECIAL = $001100 ;Loc of Base Addressing

```

\* Required stuff of all CDA's:  
 \* The string is what goes on the  
 \* Control panel listing.

```

BEGIN STR 'Ultima V Editor'
ADRL START ;Entry point address
ADRL EXIT ;Exit "routine" address
;(just an RTL).
MX %00 ;Enters in full 16-bit mode
;so better tell asm.

```

\* Entry point when selected from Control panel:

```

START PHB ;Save current data bank
PHK ;Get our bank
PLB ;and set data bank to it
PEI PNT ;Save the 4 zp locs we use
PEI PNT+2 ; and zero the bank byte for
STZ PNT+2 ; long addressing
SEP %00110000 ;8-bit mode
JMP HELLO

```

\* The Draw LINE Macro

```

LINE MAC
LDY #80
JLUP LDA # ;Routine used to print
JSR COUT ; a straight line across
DEY BNE JLUP ; the screen.
<<<

```

\* The PRINT Macro

```

PRINT MAC
JSR SENDMSG
ASC]1
BRK
<<<

```

\* The COUT Macro

```

Tool MAC
LDX #]1
JSL $E10000
<<<
WriteChr MAC
Tool $180C
<<<
COUT PHA
PHY
PHX
PHP
REP %00110000
PHA
WriteChr
PLP
PLX
PLY
PLA

```

```

RTS
* The SENDMSG Macro
SENDMSG PHP
JLUP REP %00100001
LDA 2,S ;Get return address
INC
STA 2,S ;Point to next byte
SEP %00110000
LDY #0
LDA (2,S),Y ;Get next byte
BEQ :BACK ;Exit if 0
JSR COUT ;Process it (OUTPUT)
BRA JLUP ;Loop always
:BACK PLP
RTS ;Return to caller

```

```

* Continue with the program
HELLO JSR TITLE
PRINT 8D* Ultima V MUST be present in
memory, if it is not, I am NOT*8D
PRINT * responsible for the results to your
system!*8D8D
PRINT * This CDA will restore HP to its
maximum, and bring the Dead*8D
PRINT * back to Life. It will also Max your
Gold, Food, Equipment*8D
PRINT * Spells, and give you Items You
currently do not have!*8D
LINE
PRINT 8D8D
PRINT * Do you want to continue? (Y/
N)*8D8D
JSR JGETKEY
JSR JCOMP
BEQ QUIT ;Branch if result was 0 (NO)
JMP EDITOR

```

```

* This is the QUIT ROUTINE
QUIT REP %00110000;16-bit mode
PLB ;Restore data bank to
original
PLA
STA PNT+2
PLA
STA PNT
EXIT RTL

```

```

* The GET KEY ROUTINE
JGETKEY SEP $30
JAGAIN LDAL KYBD
BPL JAGAIN
STAL STROBE
RTS

```

```

* Compare for Y or N
JCMP SEP $30
CMP #Y*
BEQ JYES
CMP #y*
BEQ JYES
LDA #0 ;FLAG is set to No
RTS
JYES LDA #1 ;FLAG is set to YES
RTS

```

```

* This is the PRINT TITLE SCREEN
TITLE PRINT 8C8D
LINE
PRINT 8D* ULTIMA V Character
Editor v1.0*8D
PRINT * by Vincent C. Andrews 18
MAR 90*8D
LINE
PRINT 8D
RTS

```

```

* This is the PRINT MENU SECTION
MENU JSR TITLE
PRINT 8D* (1) Restore All Characters
Hit Points and Health*8D
PRINT * (2) Max Weapons & Armor*8D
PRINT * (3) Max Spells*8D
PRINT * (4) Max Potions & Scrolls*8D
PRINT * (5) Max Reagents (Spell
Ingredients)*8D
PRINT * (6) Edit Food, Gold, and Misc
Items*8D
PRINT * (7) Edit Special Items*8D8D
PRINT * (8) Quit*8D8D
LINE
RTS

```

```

* This is the PRINT EDIT GOLD/FOOD SECTION
MISC JSR TITLE
PRINT 8D* Do you want to...*8D8D
PRINT * Max Gold, Food, Keys, Gems,
Torches, Flying Carpets.*8D
PRINT * And own a Grappling Hook? (Y/
N)*8D8D
RTS

```

```

* This is the PRINT SPECIAL ITEMS MENU
SPECIAL JSR TITLE
PRINT 8D* Do you want to...*8D8D
PRINT * Max Skull Keys.*8D
PRINT * Own a Spy Glass, HMS Cape
Plans, Sextant,*8D
PRINT * Pocket Watch, Black Badge,
Wooden Box.*8D
PRINT * And own all Shards, King's
Jewels, and Moon Stones? (Y/
N)*8D
RTS

```

```

* This is your EDITOR PROGRAM
EDITOR JSR MENU ;Print the MENU
JSR JGETKEY ;Get keypress
JSR COUT
CMP #1*
BEQ JMP1
CMP #2*
BEQ JMP2
CMP #3*
BEQ JMP3
CMP #4*
BEQ JMP4
CMP #5*
BEQ JMP5
CMP #6*
BEQ JMP6
CMP #7*
BEQ JMP7
CMP #8*
BEQ JMP8
LDA #0
JMP EDITOR
JMP1 JMP RESTORE ;Restore Character's HP
JMP2 JMP WEAPONS ;Max Weapons and
Armor
JMP3 JMP SPELLS ;Max Spells
JMP4 JMP POTIONS ;Max Potions and
Scrolls
JMP5 JMP REAGENTS ;Max Spell
Ingredients
JMP6 JMP MISCEL ;Jump to Misc. Items Menu
JMP7 JMP JSPECIAL ;Jump to Special Items
Menu
JMP8 JMP QUIT ;Jump to the QUIT Routine

```

```

* Restore Character Routine
RESTORE JSR TITLE
PRINT 8D8D8D* Restoring Health to all
Characters...*8D8D
LDY #0
LDX #0
JLUP TYA ;Trans. Y to Acc.
ASL ;X2
ASL ;X4 This will increment
X in
ASL ;X8 Groups of 16
ASL ;X16
TAX ;Trans. Acc. to X
LDA #C7 ;Load Acc. with C7 (good
= C7)
STA AHLTH,X ;Stay Long Acc. to
AHEALTH + X
INY ;Y=Y+1
CPY #10 ;Comp. Y to 17
BCC JLUP ;Branch if < than 1
HP PRINT * Restoring Hit Points back to
normal...*8D8D
LDY #0
LDX #0
JLUP TYA
ASL
ASL
ASL
ASL
REP $30 ;16-bit Regis.
LDAL AHPTS+2,X;Load Max HP
STAL AHPTS,X ;Sta Max HP to Curr. HP
SEP $30 ;8-bit Regis.
INY ;Y=Y+1
CPY #10 ;Comp. Y to 17
BCC JLUP ;Branch if < than 17
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Max Weapons & Armor Routine
WEAPONS JSR TITLE
PRINT 8D8D* Maxing all Weapons...*8D8D
PRINT * Maxing all Armor...*8D8D
PRINT * Maxing all Magical Items...*8D8D
LDX #0 ;There are 47 total Items to
max
LDA #99 ;Load Acc. with 99
JLUP STAL ABASE,X ;Stay Acc. at Loc + X
INX ;X=X+1
CPX #30 ;Comp. X to $30 (47 Items)
BCC JLUP ;Branch if X < $30
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Max Spells
SPELLS JSR TITLE
PRINT 8D8D* Maxing all Spells...*8D8D
LDX #4C ;There are 48 total Items to
max
LDA #99 ;Load Acc. with 99
JLUP STAL ABASE,X ;Stay Acc. at Loc + X
INX ;X=X+1
CPX #70 ;Comp. X to $70 (48 Items)
BCC JLUP ;Branch if X < $70
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Max Scrolls & Potions
POTIONS JSR TITLE
PRINT 8D8D* Maxing all Potions...*8D8D
PRINT * Maxing all Scrolls...*8D8D
LDX #70 ;There are 16 total Items to
max
LDA #99 ;Load Acc. with 99
JLUP STAL ABASE,X ;Stay Acc. at Loc + X
INX ;X=X+1
CPX #80 ;Comp. X to $80 (16 Items)
BCC JLUP ;Branch if X < $80

```

```

PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Max Spells Ingredients
REAGENTS JSR TITLE
PRINT 8D8D* Maxing all Spell
Ingredients...*8D8D
LDX #A0 ;There are 8 total Items to
max
LDA #99 ;Load Acc. with 99
JLUP STAL ABASE,X ;Stay Acc. at Loc + X
INX ;X=X+1
CPX #A8 ;Comp. X to (8 Items)
BCC JLUP ;Branch if X < $A8
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Miscellaneous Items Menu
MISCEL JSR MISCE ;Print Misc. Menu
JSR JGETKEY
JSR JCOMP
BEQ JDONE2 ;Branch if result was 0 (NO)
JMP JSPECIAL ;Jump if YES
JDONE2 JMP EDITOR ;Jump if NO
JSR TITLE
PRINT 8D* Maxing Gold, Food, Keys,
Gems, Torches, and Flying
Carpets...*8D8D
PRINT * You now own a Grappling
Hook...*8D8D
LDX #4 ;Max items from $4 to $8
LDA #99 ;Load Acc. with 99
JLUP STAL AMISC,X;Stay Acc. at Loc + X
INX ;X=X+1
CPX #9 ;Comp. X to $7 (3 Items)
BCC JLUP ;Branch if X < $9
DEY ;Skip current Loc.
DEY ;Skip Carpets
LDA #01 ;Load Acc. with 01
STAL AMISC,X;Stay at Grappling hook
REP $30 ;16-bit Regis.
LDA #9999 ;Load Acc. with 9999
STAL AMISC ;Stay at Food
STAL AMISC+2 ;Stay at Gold
SEP $30 ;8-bit Regis.
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR

```

```

* Special Items Menu
JSPECIAL JSR TITLE
PRINT 8D8D* You now own a Spy Glass,
HMS Cape Plans, Sextant, Pocket
Watch,*8D8D
PRINT * Black Badge, Wooden
Box...*8D8D
PRINT * And all Shards, King's Jewels, and
Moon Stones...*8D8D
PRINT * Maxed Skull Keys...*8D8D
LDX #90 ;Loc of 1st item to max
LDA #99 ;Load Acc. with 99
JLUP STAL ABASE,X ;Stay Acc. at Loc + X
INX ;X=X+1
CPX #98 ;Comp. X to $98 (8 Items)
BCC JLUP ;Branch if X < $A8
LDX #F0 ;Loc of 1st item
LDA #FF ;Load Acc. with $FF
JLUP STAL ASPECIAL,X ;Stay Acc. at Loc +
X
INX ;X=X+1
CPX #FD ;Comp. X to $FD (13 Items)
BCC JLUP ;Branch if X < $FD
LDX #F7 ;Load X with $F7 (Loc of
Skull Keys)
LDA #99 ;Load Acc. with 99
STAL ASPECIAL,X ;Stay Acc. at Loc +
X (Skull Keys)
PRINT *Press any KEY to continue...*8D
JSR JGETKEY
JMP EDITOR
LST ON ;Turn the listing on here

```

**Wizfix 2.1**

**An editor for Wizardry I-III (A.P.T.)**

This program will edit up to 20 characters from these Wizardry games:  
 Wizardry I ver 2.1  
 Wizardry II  
 Wizardry III  
 Note: You must run this from DOS 3.3 only!

**WIZFIX.II**

```

2 REM WIZFIX 2.1
4 REM REVISED BY VINCENT ANDREWS
6 REM MUST BE RAN FROM DOS 3.3!
10 HIMEM: 38000: DIM
N$(20),B(20),A(20),T$(140): GOSUB 1440
70 GOSUB 1320: GOTO 510
80 P$ = "": FOR E = D + 17 TO D + 31:P$ = P$ +
CHR$(PEEK (E)): NEXT :L$ = STR$(PEEK (D
+ 200)) + "-EASTO" + STR$(PEEK (D +
202)) + "-NORTH0LEVEL-" + STR$(PEEK (D
+ 204)):R = PEEK (D + 34):C = PEEK (D +
36):S = PEEK (D + 40):O = PEEK (D + 42):Y1 =
PEEK (D + 38):Y2 = PEEK (D + 39):OL = INT
((Y1 + Y2 * 256) / 52):N = PEEK (D + 44):I =
PEEK (D + 45):M = PEEK (D + 46):H = PEEK
(D + 47):W = N - INT (N / 32) * 2
81 V = INT (N / 32) + (I - INT (I / 4) * 4) * 8:U = INT
(I / 4) - 32 * INT (I / 128):T = M - INT (M / 32) *
32:Q = INT (M / 32) + (H - INT (H / 4) * 4) * 8:P =
INT (H / 4) - 32 * INT (H / 128):G1 = PEEK (D +

```

```

52):G2 = PEEK (D + 53):G3 = PEEK (D +
54):G4 = PEEK (D + 55):CA = G1 + (G2 * 256) +
((G3 + (G4 * 256)) * 10000):E1 = PEEK (D +
124):E2 = PEEK (D + 125):E3 = PEEK (D +
126):E4 = PEEK (D + 127)
82 Z = E1 + (E2 * 256) + ((E3 + (E4 * 256)) *
10000):Y = PEEK (D + 132) + (PEEK (D + 133)
* 256):X = PEEK (D + 134):G = PEEK (D +
136):J = PEEK (D + 176): IF PEEK (D + 177) >
0 THEN J = (J - 256)
250 FOR K = 1 TO 7:E = D + 144 + (2 * K):M(K) =
PEEK (E): NEXT : FOR K = 1 TO 7:E = D + 158
+ (2 * K):P(K) = PEEK (E): NEXT : RETURN
280 HOME : PRINT N$(A),O$(O); "00";R$(R); "00"
;C$(C): PRINT "PASSWORD==>";P$: PRINT :
PRINT "0STRENGTH0"; SPC(W < 10);W;
SPC(5); "GOLD0";CA: PRINT "0000010Q00";
SPC(V < 10);V; SPC(6); "EXP0";Z: PRINT
"0000PIETY0"; SPC(U < 10);U: PRINT
"0VITALITY0"; SPC(T < 10);T; SPC(4);
"LEVEL0";Y; SPC(6); "AGE0";OL
281 PRINT "00AGILITY0"; SPC(Q < 10);Q; SPC(
5); "HITS0";X; "0";G; SPC(2); "AC0";J: PRINT
"00000LUCK0"; SPC(P < 10);P; SPC(3);
"STATUS0";S$(S): PRINT : PRINT
"00000MAGE0";M(1); "0";M(2); "0";M(3); "0";
M(4); "0";M(5); "0";M(6); "0";M(7): PRINT
"000PRIEST0";P(1); "0";P(2); "0";P(3); "0";P(4);
"0";P(5); "0";P(6); "0";P(7): PRINT
282 PRINT "LOCATION:0";L$
400 FOR K = 1 TO 39: PRINT "00"; NEXT :
RETURN
410 PRINT : PRINT "A-LIFE0000000E-LEVEL+10
000I-EXPERIENCE": PRINT "B-CASTLE0000
0F-HIT0POINTS0J-GOLD": PRINT "C-IDENTIF
Y000G-M0SPELLS000K-YOUTH": PRINT "D-
UNCURSE0000H-P0SPELLS000L-QUALITIE
S": PRINT "0<2>0P.2.REMAKE00<3>0P.3,0
TRADING0POST": PRINT "0<ESC>00ROS
TER,0CHANGES0CANCELLED"
411 PRINT "0<RET>00ROSTER,0CHANGES0
PERMANENT": PRINT "0CTRL-P0PRINT-
OUT0OF0CHARATER": RETURN
510 :
520 GOSUB 80: GOSUB 280: GOSUB 410: POKE
35,15
530 VTAB 15: HTAB 19: POKE - 16368,0: GET
B$:B = ASC (B$): IF B = 27 THEN GOTO 70
550 IF B = 50 THEN 820
560 IF B = 51 THEN 1000
570 IF B < > 16 THEN 610
580 VTAB 14: HTAB 1: PRINT "0->START0PRINT
EROAND0PRESS0ANY0KEY<-0" : GET A$:
PR# 1: PRINT : FOR K = 1 TO 40: PRINT "00" :
NEXT : PRINT : GOSUB 280: PRINT : GOSUB
1300: GOSUB 400: PRINT : PR# 0: GOSUB
280: GOTO 530
610 IF B = 13 THEN POKE 47092,2: CALL 768:
POKE 47092,1: GOTO 70
620 IF B < 65 OR B > 76 THEN GOTO 530
630 B = B - 64: ON B GOSUB 650,660,670,690,
700,720,740,750,760,780,800,810: GOSUB 80:
GOSUB 280: GOTO 530
650 POKE D + 40,0: POKE D + 41,0: RETURN
660 POKE D + 32,0: FOR K = 200 TO 205: POKE D
+ K,0: NEXT : RETURN
670 FOR E = D + 64 TO D + 120 STEP 8: POKE
E,1: NEXT : FOR K = 8 TO 1 STEP - 1: IF PEEK
(D + 58 + (8 * K)) = 0 THEN NEXT :K = 0
680 POKE D + 58,K: RETURN
690 FOR E = D + 62 TO D + 118 STEP 8: POKE
E,0: POKE E - 2,0: NEXT : RETURN
700 K = PEEK (D + 132): IF K < 254 THEN POKE D
+ 130,K + 1: POKE D + 132,K + 1: RETURN
710 RETURN
720 K = PEEK (D + 136): IF K < 555 THEN POKE D
+ 134,K + 10: POKE D + 136,K + 10
730 RETURN
740 POKE D + 138,255: POKE D + 139,255: POKE
D + 140,255: FOR K = 1 TO 7:E = D + 144 + (K
* 2): POKE E,9: NEXT : RETURN
750 POKE D + 140,255: POKE D + 141,255: POKE
D + 142,255: POKE D + 143,255: POKE D +
144,7: FOR K = 1 TO 7:E = D + 158 + (K * 2):
POKE E,9: NEXT : RETURN
760 IF PEEK (D + 126) < 254 THEN POKE D +
126, PEEK (D + 126) + 1
770 RETURN
780 IF PEEK (D + 54) < 254 THEN POKE D + 54,
PEEK (D + 54) + 1
790 RETURN
800 POKE D + 38,170: POKE D + 39,3: RETURN
810 POKE D + 44,82: POKE D + 45,74: POKE D +
46,82: POKE D + 47,74: RETURN
820 :
830 TEXT : HOME : PRINT N$(A),O$(O); "0";R$(R
); "0";C$(C): PRINT : FOR K = 1 TO 40: PRINT
"00" : NEXT : PRINT "A-GOOD000000000D-HU
MAN0000000I-FIGHTER": PRINT "B-NEUTR
AL0000000E-ELF000000000J-MAGE": PRINT
"C-EVIL000000000F-DWAFT0000000K-PRIE
ST": PRINT TAB(16) "G-GNOME0000000L-
THIEF": PRINT TAB(16) "H-HOBBIT000000M-
BISHOP"
831 PRINT TAB(30) "N-SAMURAI": PRINT TAB(
30) "O-LORD": PRINT TAB(30) "P-NINJA":

```

```

PRINT : PRINT "0<RET>00RETURN0TO0P.1"
920 VTAB 16: HTAB 19: POKE - 16368,0: GET
B$:B = ASC (B$): IF B = 13 THEN 520
930 B = B - 64: IF B < 0 OR B > 16 THEN 920
940 IF B < 4 THEN 970
950 IF B < 9 THEN 980
960 GOTO 990
970 O = B: POKE (D + 42),O: GOTO 830
980 R = B - 3: POKE (D + 34),R: GOTO 830
990 C = B - 9: POKE (D + 36),C: GOTO 830
1000 GOSUB 670: GOSUB 690: TEXT
1020 HOME :T(0) = PEEK (D + 58): GOSUB 1290:
FOR K = 1 TO 40: PRINT " " : NEXT : PRINT :
PRINT "YOU MAY CHOOSE:" : PRINT
"0A.0BASICS": PRINT "0B.0BETTER0STUFF"
: PRINT "0C.0REALLY0GOOD0STUFF" :
PRINT "0D.0PROVING0GROUNDS0ONLY" :
PRINT "0E.0KOD0ONLY,0PART01" : PRINT
"0F.0KOD0ONLY,0PART02" : PRINT
"0G.0DROP0SOMETHING" : PRINT : PRINT
"<RET>0RETURN0TO0P.1"
1070 VTAB 22: HTAB 19: POKE - 16368,0: GET
B$:B = ASC (B$): IF B = 13 THEN 520
1080 IF B < 65 OR B > 71 THEN 1070
1090 B = B - 64: ON B GOTO
1130,1140,1150,1160,1170,1180,1190
1100 VTAB 22: HTAB 1: PRINT "TYPE0NUMBER0
OF0OBJECT0TO0DROP:0" : POKE - 16368,0:
GET B$:B = ASC (B$): IF B < 49 OR B > 56
THEN 1100
1110 B = B - 48: FOR K = B TO 8: POKE D + 58 + 8
* K, PEEK (D + 66 + 8 * K): NEXT : POKE D +
122,0: POKE D + 58, PEEK (D + 58) - 1: GOTO
1020
1130 C$ = "BASIC00ITEMS" :F = 1:G = 15: GOTO
1190
1140 C$ = "BETTER0ITEMS" :F = 33:G = 15:
GOTO 1190
1150 C$ = "REALY00GOOD0ITEMS" :F = 64:G =
14: GOTO 1190
1160 C$ = "PROVING0GROUNDS0ONLY" :F =
130:G = 3: GOTO 1190
1170 C$ = "KNIGHT0OF0DIAMONDS00ONLY" :F =
94:G = 14: GOTO 1190
1180 C$ = "KNIGHT0OF0DIAMONDS00ONLY" :F =
124:G = 2: GOTO 1190
1190 HOME : HTAB 20 - LEN (C$) * 5: PRINT C$:
PRINT : FOR K = F TO F + G: PRINT K: "-"
:T$(K): NEXT : VTAB 3: FOR K = F + G + 1 TO
F + 1 + (G * 2): HTAB 20: PRINT K: "-" :T$(K):
NEXT : VTAB 19: FOR K = 1 TO 40: PRINT " "
: NEXT :T(0) = PEEK (D + 58): PRINT "YOU0
HAVE0":T(0): "0OBJECTS." : IF T(0) > 7 THEN
PRINT "YOUR0HAVE0NO0MORE0ROOM." :
FOR K = 1 TO 1500: NEXT : GOTO 1020
1240 PRINT "YOU0MAY0CHOOSE0AN0OBJECT
0BY0NUMBER,0OR0PRESS0<RETURN>0
TO0GO0TO0TRADING0POST."
1250 VTAB 23: HTAB 19: INPUT "":B$: IF B$ = ""
THEN 1020
1260 B = VAL (B$): IF B < F OR B > F + 1 + (G * 2)
THEN 1250
1270 IF B > 129 THEN B = B - 36
1280 POKE D + 58,T(0) + 1: POKE D + 58 + (8 *
(T(0) + 1)),B: GOTO 1190
1290 PRINT TAB (14) "TRADING0POST" : PRINT :
PRINT C$(C): "0":N$(A): "0":T(0): "0OBJECT
S"
1300 FOR K = 1 TO 8:T(K) = PEEK (D + 58 + 8 *
K): NEXT : PRINT : FOR K = 1 TO 8 STEP 2:
PRINT K: "-" :T$(T(K)): SPC (17 - LEN (T$(T(K)
))):K + 1: "-" :T$(T(K + 1)): NEXT : PRINT :
RETURN
1320 :
1330 TEXT : HOME : GOSUB 1420: PRINT :
PRINT : PRINT "THESE0ARE0THE0CHAR
ACTERS0ON0YOUR0BACK-UP0WIZARDRY0
DISK.00YOUR0OPTIONS0NOW0ARE:" :
PRINT : PRINT "A0TO0T0CHOOSE0A0
CHARACTER0BY0LETTER0<ESCAPE>0
0ENDS0THE0PROGRAM0000000000000000
0CTRL-P00PRINTS0OUT0THE0ROSTER" :
PRINT
1350 VTAB 22: HTAB 19: GET A$:A = ASC (A$): IF
A = 27 THEN 1520
1360 IF A < > 16 THEN GOTO 1400
1370 PRINT : PRINT TAB (4) "START0PRINTER
0AND0PRESS0ANY0KEY.0" : GET A$: PR# 1:
PRINT : GOSUB 1420: PRINT : PR# 0: GOTO
1330
1400 IF A < 65 OR A > 84 THEN GOTO 1350
1410 A = A - 64: POKE 47084,B(A): POKE
47085,A(A): CALL 768: RETURN
1420 PRINT SPC (8) "WIZARDRY00ROSTER" :
FOR K = 1 TO 32: PRINT " " : NEXT : PRINT :
FOR K = 1 TO 20 STEP 2: PRINT CHR$ (K +
64): "0" : LEFT$ (N$(K),12): CHR$ (K + 65):
"0" : LEFT$ (N$(K + 1),12): NEXT : RETURN
1440 TEXT : HOME : VTAB 5: HTAB 14: INVERSE
: PRINT "+0000000000+": VTAB 6: HTAB 14:
PRINT "0WIZFIX02.10" : VTAB 7: HTAB 14:
PRINT "+0000000000+": NORMAL : PRINT :
PRINT : SPEED= 100: SPEED= 250: PRINT "-
WIZARDRY0KILLED0OF0YOUR0BEST0
FRIENDS?" : FOR K = 1 TO 1200: NEXT :
PRINT "YOU0SAY0YOUR0BROTHER0IS0

```

```

LOST0FOREVER?" : FOR K = 1 TO 1200:
NEXT : PRINT "YOU0D0GIVE0ANYTHING
0FOR010MORE0LEVEL?"
1441 FOR K = 1 TO 1200: NEXT : PRINT : PRINT :
PRINT TAB (10) "WIZFIX0IS0THE0ANSWER" :
PRINT TAB (10) "-----": PRINT : FOR K = 1 TO
1500: NEXT : PRINT "0MAKE0A0BACK-UP0
DISK0OF0YOUR0CHARACTERSUSING0
THE0WIZARDRY00UTILITIES,000WIZFIX
WILL0HELP0YOU0DO0ALL0MANNER0OF
0MAGICS.00000000USE0ONLY0THE0
BACK-UP!!!!!"
1442 PRINT TAB (10) "INSERT0BACK-UP0DISK.
0" : SPEED= 255: GOSUB 1540: PRINT TAB(
8) "PRESS0<RETURN>0TO0BEGIN0" : POKE
- 16368,0: GET A$: IF A$ = CHR$ (13) THEN
GOTO 1530
1520 HOME : VTAB 11: HTAB (16): PRINT "FARE
WELL" : PRINT : PRINT : PRINT : PRINT : END
1530 FOR K = 1 TO 20: POKE 47084,B(K): POKE
47085,A(K): CALL 768:N$(K) = " " : FOR L = 1
TO 15:N$(K) = N$(K) + CHR$ (PEEK (D + L)):
NEXT : NEXT : RETURN
1540 POKE 768,32: POKE 769,227: POKE 770,3:
POKE 771,76: POKE 772,217: POKE 773,3:
POKE 47083,0: POKE 47091,0: POKE
47092,1:D = 38000: POKE 47088,D - INT (D /
256) * 256: POKE 47089, INT (D / 256): FOR K
= 1 TO 5: READ R$(K): NEXT : FOR K = 0 TO
7: READ C$(K): NEXT : FOR K = 0 TO 7: READ
S$(K): NEXT : FOR K = 1 TO 3: READ O$(K):
NEXT : FOR K = 1 TO 20: READ B(K),A(K):
NEXT :T$(0) = "0" : FOR K = 1 TO 136: READ
T$(K): NEXT : FOR K = 94 TO 100
1541 T$(K) = T$(K + 36): NEXT : RETURN : DATA
HUMAN,ELF,DWARF,GNOME,HOBBIT,FIGH
TER,MAGE,PRIEST,THIEF,BISHOP,SAM
URAI,LORD,NINJA,OK,AFRAID,ASLEEP,
PARALYZED,STONED,DEAD,ASHES,LOST0
FOREVER,GOOD,NEUTRAL,EVIL
1542 DATA 0,0,0,13,0,11,0,9,0,7,0,5,0,3,0,1,1,0,1,
13,1,11,1,9,1, 7,1,5,1,3,1,1,2,0,2,13,2,11,2,90
,LONG0SWORD,SHORT0SWORD,ANOINTED
0MAGE,ANOINTED0FLAIL,STAFF,DAGGER,
SMALL0SHIELD,L.0SHIELD,ROBES,LEATER0
ARMOR
1543 DATA CHAIN0MAIL,BREAST0PLATE,
PLATE0MAIL,HELM,DIOS0POTION,LATUM
OFIS0POTION,LONG0SWORD0+1,SHORT0
SWORD0+1,MACE0+1,STAFF0OF0MOGREF
1544 DATA KANTINO0SCROLL,LEATHER0+1,
CHAIN0MAIL0+1,PLATE0MAIL0+1,SHIELD0
+1,BREAST0PLATE0+1,BADIOS0SCROLL,
HALITO0SCROLL,LONG0SWORD0-1,SHORT
0SWORD0-1
1545 DATA MACE0-1,STAFF0+2,DRAGON0
SLAYER,HELM0+1,LEATHER0-1,CHAIN0-1,
BREAST0PLATE0-1,SHIELD0-1,JEWELDO
AMULET,BADIOS0SCROLL,SO PIC0POTION,
L.0SWORD0+2,S.0SWORD0+2,MACE0+2,
LOMILWA0SCROLL,DILTO0SCROLL,COP
PER0GLOVES,LEATHER0+2,CHAIN0+2,
PLATE0MAIL0+2
1546 DATA SHIELD0+2,HELM0+2(EVIL),DIAL0
POTION,PORFIC0RING,WERE0SLAYER,
MAGE0MASHER,MACE0PRO0POISON,
MONTINO0STAFF,BLADE0CUSINART, MAN
IFO0AMULET
1547 DATA ROD0OF0FLAME,EVIL0CHAIN0+2,
NEUT0P-MAIL0+2,EVIL0SHIELD0+3,MAK
ANITO0AMULET,MALOR0DIADEM,BADIAL0
SCROLL,SHORT0SWORD01,DAGGER0+2,
MACE0-2
1548 DATA STAFF0-2,DAGGER0OF0SPEED,
CURSED0ROBE,LEATHER0-2,CHAIN0-2,
BREAST0PLATE0-2,SHIELD0-2,CURSED0
HELMET,BREAST0PLATE0+2,SILVER0
GLOVES0
1549 DATA EVIL0SWORD0+3,EVIL0SSWORD0
+3,THIEVES0DAGGER,BREAST0PLATE0+3,
LORDS0GARB,MURASAMA0BLADE,SHU
RIKEN,CHAIN0PRO0FIRE,EVIL0PLATE0+3,
SHIELD0+3
1550 DATA RING0OF0HEALING,RING0PRO0UN
DEAD,DEADLY0RING,ROD0OF0RISING,
AMULET0OF0COVER,ROBE0+3,WINTER0
MITTENS,NCKLCE0PRO0MAGIC,STAFF0
OF0LIGHT,LONG0SWORD0+5
1551 DATA SWINGING0SWORD,PRIEST0PUN
CHER,PRIEST'S0MACE,SWINGING 0SSWO
RD,RING0PRO0FIRE,CURSED0PLATE0+1,
PLATE0MAIL0+5,STAFF0OF0CURING,RING0
OF0REGEN,METAMORPH0RING
1552 DATA STONE0STONE,DREAMER'S0
STONE,DAMIEN0STONE,GREAT0MAGE0
WAND,COIN0OF0POWER,STONE0OF0
YOUTH,MIND0STONE,STONE0OF0PIETY,
BLARNEY0 STONE,AMULET0OF0SKILL
1553 DATA AMULET0OF0SKILL,GREAT0MAGE
0WAND,COIN0OF0POWER,STAFF0OF0GNIL
DA,HRATHNIR,KOD0HELMET,KOD0SHIELD,
KOD0GAUNLETS,KOD0ARMOR,WERDNA'S
0AMULET,BEAR0STATUE,FROG,STATUE,
BRONZ0KEY,SILVER0KEY,GOLD0KEY,
BLUE0RIBBON0

```

| Checksums  |             |             |      |
|------------|-------------|-------------|------|
| 2-\$9AC9   | 740-\$FD19  | 1250-\$CFE1 |      |
| 4-\$9FB3   | 750-\$46CD  | 1260-\$9BF4 |      |
| 6-\$2D53   | 760-\$D4CB  | 1270-\$3B6C |      |
| 10-\$101A  | 770-\$F94C  | 1280-\$0978 |      |
| 70-\$FB87  | 780-\$3CB0  | 1290-\$A8C5 |      |
| 80-\$8299  | 790-\$7ED0  | 1300-\$770F | JLUP |
| 81-\$8FD5  | 800-\$BC6D  | 1320-\$19E9 |      |
| 82-\$EA21  | 810-\$9ADB  | 1330-\$0931 |      |
| 250-\$05A2 | 820-\$8A28  | 1350-\$ACCE |      |
| 280-\$8947 | 830-\$8C51  | 1360-\$32F5 |      |
| 281-\$4CB0 | 831-\$19E6  | 1370-\$4811 |      |
| 282-\$9F82 | 920-\$E935  | 1400-\$4B02 |      |
| 400-\$0E07 | 930-\$7BDA  | 1410-\$5234 |      |
| 410-\$3F2D | 940-\$ACB7  | 1420-\$8620 |      |
| 411-\$B5C2 | 950-\$04C7  | 1440-\$E4A3 |      |
| 510-\$A27A | 960-\$9F1C  | 1441-\$BFDE |      |
| 520-\$A0BA | 970-\$A62E  | 1442-\$33F0 |      |
| 530-\$FD2E | 980-\$09EB  | 1520-\$6968 |      |
| 550-\$9019 | 990-\$846F  | 1530-\$937C | JLUP |
| 560-\$3916 | 1000-\$2C49 | 1540-\$B69B |      |
| 570-\$2FDF | 1020-\$22F6 | 1541-\$DDF8 |      |
| 580-\$0DFE | 1070-\$7D99 | 1542-\$0F48 |      |
| 610-\$20C8 | 1080-\$3A25 | 1543-\$7544 |      |
| 620-\$E145 | 1090-\$C39B | 1544-\$1CB4 |      |
| 630-\$C6E6 | 1100-\$9C2F | 1545-\$CDAB |      |
| 650-\$27F1 | 1110-\$D606 | 1546-\$0AAE |      |
| 660-\$2271 | 1130-\$D9EC | 1547-\$8B14 |      |
| 670-\$685E | 1140-\$FAA1 | 1548-\$5071 |      |
| 680-\$A3C6 | 1150-\$9084 | 1549-\$89FF |      |
| 690-\$A993 | 1160-\$1FE2 | 1550-\$46BD |      |
| 700-\$43F3 | 1170-\$8DA5 | 1551-\$BBD6 |      |
| 710-\$8B1C | 1180-\$A6AD | 1552-\$34BA |      |
| 720-\$633D | 1190-\$A8FE | 1553-\$32FD |      |
| 730-\$0D16 | 1240-\$DE8E |             |      |

### ALOY CDA

**The Ancient Land of Y's Character Revival v1.0**

This character reviver will restore your current Hit Points to normal and if you have less than 3,000 Gold pieces then it will change your Gold to 3,000 pcs. I find this very useful when I reach higher levels with lots of Hit Points! To use this CDA, you must create a directory in the system directory of your Backed-up version of the Program Disk. The directory name is "DESK.ACCS". Copy the CDA file named ALOY.CDA to this new directory and every time you play the game, just enter the Control-Desk-Accessory and choose ALOY and answer Y or N to continue or not. The rest is self explanatory. If your Hit Points or Gold does not show up on the screen, be patient. The moment you are attacked or buy something, the screen will reset to the new default settings which we have changed for our gaming purposes.

### ALOY.S

\* Ancient Land Of Y's Editor  
 \* A classic desk accessory  
 \* Vince Andrews 13 MAR 90  
 \* Commercial rights reserved  
 \* Merlin-16 assembler

| SAVOBJ | KBD    | REL                 | DATE |
|--------|--------|---------------------|------|
|        | DO     | SAVOBJ              |      |
|        | DSK    | ALOY.L              |      |
|        | XC     | :65C02 mode         |      |
|        | XC     | :65816 mode         |      |
|        | EXT    | COUT,SENDMSG        |      |
|        | ENT    | OUTPUT              |      |
|        | PNT    | = \$E0 ;Also E1,2,3 |      |
|        | KYBD   | = \$E0C000          |      |
|        | STROBE | = \$E0C010          |      |
|        | HP     | = \$0171E4          |      |
|        | HPP    | = \$0171E6          |      |
|        | GOLD   | = \$0171EE          |      |
|        | PRINT  | MAC                 |      |
|        |        | JSR SENDMSG         |      |
|        |        | ASC J1              |      |
|        |        | BRK                 |      |
|        |        | <<<                 |      |

\* Zero page loc saved and used as well as other locations:  
 \* Required stuff of all CDA's:  
 \* The string is what goes on the  
 \* Control panel listing.

```

BEGIN STR 'ALOY Editor'
ADRL START ;Entry point address
ADRL EXIT ;Exit 'routine' address
;(just an RTL).
MX %00 ;Enters in full 16-bit mode
;so better tell asm that.
* Entry point when selected from Control panel:
START PHB ;Save current data bank
PHK ;Get our bank
PLB ;afd set data bank to it
PEI PNT ;Save the 4 zp locs we use
PEI PNT+2 ;and zero the bank byte for
STZ PNT+2 ;long addressing
* Continue with the program
SEP %00110000;8-bit mode
TITLE PRINT 8C8D

```

```

PRINT * The Ancient Land of
Y's*8D8D
PRINT * Character Revival
v1.0*8D8D
PRINT * by Vincent Andrews 9
MAR 90*8D8D8D
LDY #80
LDA #. ;Routine used to print
JSR COUT ;a straight line across
DEY ;the screen
BNE JLUP
PRINT 8D* Ancient Land of Y's MUST be
present in"
PRINT * memory, if it is not, I am NOT* 8D
8D
PRINT * responsible for the results to your"
PRINT * system!"8D8D
PRINT * This CDA will restore HP to its
maximum"
PRINT * and change your GOLD to 3,000
pcs or more."8D
LDY #80
LDA #. ;Routine used to print
JSR COUT ;a straight line across
DEY ;the screen.
BNE JLUP
PRINT 8D8D
PRINT * Do you want to continue? (Y or
N)*8D8D
JGETKEY LDAL KYBD
BPL JGETKEY
STAL STROBE
CMP #Y"
BEQ CONTINUE
CMP #y"
BEQ CONTINUE
* This is the QUIT ROUTINE
QUIT REP %00110000;16-bit mode
PLB ;Restore data bank to
original
PLA
STA PNT+2
PLA
STA PNT
EXIT RTL
OUTPUT JMP COUT
CONTINUE PRINT 8C8D8D* Restoring Hit Points to
normal....*8D8D
LDAL HP
STAL HPP
LDAL HPP+1
STAL HPP+1
PRINT * Comparing GOLD to 3,000 pcs or
greater....*8D8D
SEP $30 ;8-bit mode
LDAL GOLD+1
CMP #0B ;Compare to Hi-value
BCC JLESS
BEQ CHK2 ;if equals to then CHK2
BCS JGREATER
CHK2 LDAL GOLD
CMP #0B8 ;Compare to Lo-value
BCC JLESS
BEQ JGREATER ;if equals to or
BCS JGREATER ;Greater then, goto
GREATER
JGREATER PRINT 8D*You already have 3,000 GOLD
pcs or more.*8D8D
JMP DONE
JLESS PRINT * Changing GOLD to 3,000
pcs....*8D8D8D
LDA #0B8 ;Load Lo-value
STAL GOLD ;save it.
LDA #0B ;Load Hi-value
STAL GOLD+1 save it.
REP $30 ;16-bit mode
DONE PRINT * Character is healed to normal Hit
Points and "
PRINT *now have 3,000 GOLD pcs or
more.*8D
PRINT 8D* Press any key to continue.*8D
JGETKEY LDAL KYBD ;This routine is to:
BPL JGETKEY
STAL STROBE;<Press any key to
continue>
JMP QUIT
CHKSUM CHK

```

### Gary Wills Canada

Softkey for...  
**Omega**  
 Origin

**Requirements:**  
 Any Apple (64K or greater)  
 COPYA

Omega is a simulation in which you create a tank. Using an "almost Basic" type language, you program your machine with its own AI. Similarly, you must build the body using a basic number of Hardware Credits. Each time that you earn a promotion by defeating a tank selected by the program, your Credits increase. Naturally you are able to improve the Hardware Design of your vehicle.

Up to 15 tanks may compete in any given simulation. The battlegrounds may be created, also. Tanks may be sent via modem to another computer to compete. Intelligence Capsules are included to aid beginners in designing the "brain" of the machine.

Omega comes on 2 5 1/4" disks (a 3rd is required as the data disk). The System side is protected but the other 3 sides are not. It requires only 64K!



It costs \$1 (for 1st Class postage and envelope) plus 10 cents per copied page. Karen will use an index to find all the references to your problem title and copy just those pages. It's a good way to get the data you want, especially if you don't need the entire issue.

**James J. Harvey MI**

Softkey for...  
**The Pace Writing Program "Success With Writing"**  
*Scholastic Software*

**Requirements:**  
Apple IIe, IIc, IIGS (128K required)

This program helps young people with all phrases of writing - from generating ideas and outlines to writing and editing final drafts. The program is composed of four integrated modules. They are Prewrite, Arrange, Compose, and Evaluate/Edit.

The "Main Program Startup" on side 1 is copy protected, and so is side 1 of the "Evaluate/Edit" disk. Side 2 of both of these disks as well as both sides of the "Teacher Utility" disk may be straight copied since they are not copy protected.

The copy protection consists of altered address trailers and address prologs of D5 AA 96 on the even tracks and D4 AA 96 on the odd tracks.

1. Boot DOS 3.3 System Master and use COPYA to copy side one of the "Main Program Startup" disk and side one of the "Evaluate/Edit" disk.
- CALL -151  
B954:29 00  
B989:18 60  
3D0G  
RUN COPYA

That's it. Sector editing is not necessary. You now have a deprotected copy of "Success With Writing."

Softkey for...  
**Greek Mythology**  
*Teach Yourself by Computer Software*

**Requirements:**  
Apple IIe, IIc, IIGS  
Copy II Plus

Disk 1 & 2 introduces the Olympian Gods of Greek History. It is a full-color tutorial with graphics and animation. Deprotecting this program was not too difficult. Just do the following:

1. Boot a DOS 3.3 System Master disk and use COPYA to copy both of the original programs.
- POKE 47426,24 *Ignore checksum & epilog errors*  
RUN COPYA
2. Boot Copy II Plus (Any Version) or your favorite sector editor and sector edit as follows:

| Trk  | Scr  | Byte | From | To |
|------|------|------|------|----|
| \$00 | \$03 | \$42 | 38   | 18 |

That's it. You now have a deprotected copy.

Softkey for...  
**Talking Text Library**  
*Scholastic*

**Requirements:**  
Apple IIe, IIc, IIGS

An ECHO or Cricket Speech Synthesizer is required by the program. Plug the ECHO+ card in any slot but 6 for an Apple IIe. If you are using an Apple IIc, plug the Cricket into the modem port.

The Talking Text Library package includes a Library Read disk and a Story disk. The program features a number of classic folk tales, fables, and fairy tales.

The Library Read disk is copy protected but not the Story disk. The copy protection is the same as an unnamed subscriber stated in issue #56 for the "Talking Text Writer" program. The only difference is that the codes are in a different location on the disk.

1. Use any fast copier like Locksmith 6.0 and copy the Library Read disk.
2. Boot Copy II Plus (any version) or your favorite sector editor and scan for 00 B0 00 BD 89 C0 A9 56. On my copy these bytes were found on track \$20, sector \$03. Change the BD to 60.

| Trk  | Scr  | Byte | From | To |
|------|------|------|------|----|
| \$20 | \$03 | \$9B | BD   | 60 |

The story disk is not protected and may be straight copied.

Softkey for...  
**Math Blaster Plus**  
*Davidson & Associates, Inc*

**Requirements:**  
For the IIe, IIc, IIGS

This program is much better than the original Math Blaster program. It uses a mouse and/or the keyboard. Activities range from addition through

fractions, and there are six stages of difficulty for each activity. Records may be kept and printed.

I tried to use the crack for this program from issue #68 but my version of Math Blaster is entirely different than the one mentioned. So here is my solution to the problem.

Only side one of the Math Blaster Plus disk is copy protected.

For side one of the original program; use any copy program that will allow you to copy only tracks \$00 through \$21. Straight copy the whole disk on side two.

Or you can use Locksmith Fast Copy, or any copy program that will ignore the error on track \$22 on side one, and copy both sides of the disk. Use any method available and delete track \$22 from side one.

That's all there is to it. You now have a deprotected copy of Math Blaster Plus.

Softkey for...  
**European Nations and Locations**  
**States and Traits**  
**The Grammar Examiner**  
**Mission Algebra**  
**Spellagraph**  
**Math Maze**  
**The Body Transparent**  
*Designware*

All of the above programs may be cracked using the softkey printed in Computist #52, pg 16.

1. Use Locksmith Fast Copy and copy the disk.
2. Use Copy II Plus to scan for A9 38 8D 9E B9 and change to EA EA EA EA EA. I found these bytes on track \$00, sector \$03.

| Trk  | Scr  | Byte    | From           | To             |
|------|------|---------|----------------|----------------|
| \$00 | \$03 | \$9C-A0 | A9 38 8D 9E B9 | EA EA EA EA EA |

3. Write the changes back to your copy.

Softkey for...  
**Individualized Study Master**  
*Random House*

This program consists of a Master Program Disk and a Master Data Disk. These components are used to create 'study masters' listing specific information. The program then uses each 'study master' to create four different types of study guides and seven different types of worksheets. Only the Master Program Disk is copy protected.

1. Boot a DOS 3.3 System Master disk and use COPYA to copy the program master disk.
- POKE 47426,24  
RUN COPYA

2. Sector edit the following:

| Trk  | Scr  | Byte | From | To |
|------|------|------|------|----|
| \$00 | \$03 | \$42 | 38   | 18 |

3. Write the change back to your copy.

Softkey for...  
**Find the Pattern**  
**Choose the Operation**  
**Problem Solving Inc. or PC INC.**  
*Contemporary Perspectives, Inc.*

Programs by this company deal with critical thinking skills, mathematical reasoning abilities, and creative strategies for solving problems. The program also has a teacher manager section which allows record keeping of student files.

1. Boot a DOS 3.3 System Master disk and use COPYA to copy the disk.

CALL-151 *enter monitor*  
B954:29 00 *ignore first prolog byte*  
B989:18 60 *ignore epilog errors*  
3D0G *return to BASIC*  
RUN COPYA

That's it. Nothing else is required. You now have a deprotected copy.

Softkey for...  
**The Writer's Assistant - Interactive Writing Tools**  
*Encyclopaedia Britannica Educational Corp.*

This system helps to organize, enter, refine, and print outlines, reports, stories, notes, and letters. The total system consists of The Writer's Assistant System Disk, a Text File Disk, and Writing Tool Disks which are listed as follows: Narrative Writing, Expository Writing, Poetry, News Computer Chronicles, Business Letter, and Friendly Letter. All of the disks except the Text File Disk are protected in the same manner.

1. Boot a DOS 3.3 System Master disk and use COPYA to copy both sides of all of the original disks (There are a total of 8 disks).
- POKE 47426,24 *ignore checksum & epilog errors*
2. Boot copy II Plus or your favorite sector editor and sector edit the following.

| Trk  | Scr  | Byte | From | To |
|------|------|------|------|----|
| \$00 | \$0E | \$F8 | 38   | 18 |

If this byte (\$38) is not found at \$F8 on Trk \$00, Sct \$0E on your copies, then scan for F0 5C

38 60 A0 and make the change wherever this code is found. It will only appear once. That's it. Your programs are now deprotected.

**Edison NE**

One day I took my computer to a friend's house snickering about his Apple II+ with 64k, no Double-HIRES, and no chance of borrowing a third of my software. WHAM!! He hit me with not one but two pieces of software that claim 128k but use only 64k!! One was Top Fuel Eliminator by Activision, the other is:

Softkey for...  
**Gamma Force**  
*Infocom*

**Requirements:**  
Disk Copy Program  
Sector copier

I saw this program on the most wanted list, so here's what I found. First and most importantly it only needs 64K to run. Since this disk copied with COPYA then hung, I decided to trace the BOOT with my Laser 128's 'absolute reset'. I trace by executing each branch, subroutine, or jump until I locate a reboot routine or endless loop. Unfortunately it doesn't always work, however in this case it worked like a charm. I found a JSR at \$96C to \$4100, the disk check routine. So, in a nutshell, scan for 20 00 41 and change it to EA EA EA. There were two of these JSRs on this infocomic.

| Trk  | Scr  | Byte | From     | To       |
|------|------|------|----------|----------|
| \$00 | \$09 | \$6C | 20 00 41 | EA EA EA |
| \$03 | \$0E | \$6C | 20 00 41 | EA EA EA |

Here's a few bytes of the protection.

|          |     |          |
|----------|-----|----------|
| BD 89 C0 | LDA | \$C089,X |
| A9 56    | LDA | #56      |
| 85 F1    | STA | \$F1     |

Softkey for...  
**Arkanoid**  
*Taito*

**Requirements:**  
Disk Copier  
Sector Editor

Copy this disk with any copier. Now search for any disk access other than the load routine in track zero. (hint: search for \$8C C0) I found that very thing around track \$20. From here on out only YOUR knowledge of assembly language will help.

Edit track \$20, sector \$00 from D0 03 to EA EA. That's it.

Playing Tip for...  
**Arkanoid**  
*Taito*

I was wandering through the code for this game looking for a way to increase lives when I happened across a 'get key' routine looking for a ctrl ^ (Ctrl-Shift N on the II+) After a few experiments I discovered if you hit this sequence after the main menu when the story is being printed, the printing stops and expects two numeric keypresses between 01 and 32, this selects what level to start on.

Advanced Playing Technique for...  
**Arkanoid**  
*Taito*

If you think you still need more lives the edit below will help some.

| Trk  | Scr  | Byte | From              | To                |
|------|------|------|-------------------|-------------------|
| \$01 | \$01 | \$7C | 85 84 85 85 A9 03 | 85 85 A9 03 85 D8 |
|      |      |      | 85 D8 85 D9 A9 10 | 85 D9 A9 10 85 D4 |

Softkey for...  
**Force 7**  
*Datasoft*

**Requirements:**  
128K To play the game  
Disk Copy Program  
Sector Editor

The first thing I always do is try to copy a disk, in this case it was quite cooperative. Now to BOOT the disk and see if it goes. The disk hung with the message "PLEASE USE ORIGINAL". Aha! I fired up COPY II+ and scanned for "PL". While looking at the sector that contained the message, I found an endless loop causing it to hang. I put a RTS over it and rebooted. It printed the message and continued loading! GREAT! But I don't like that message printing every time the disk BOOTS. Deciding the print routine resided at \$1E00 I scanned for 00 1E (address in lo-hi order). It was on track \$01, sector \$0F, byte \$6D-6E in the form of a JUMP (\$4C).

1. Copy the disk your favorite way.

| Trk  | Scr  | Byte    | From     | To       |
|------|------|---------|----------|----------|
| \$01 | \$0F | \$6C-6E | 4C 00 1E | 60 EA EA |

**Esc Key Patch for \$100,000 Pyramid**

That friend I mentioned earlier purchased the \$100,000 Pyramid by Box Office only to discover the Delete key is required by the game to pass your turn. His Apple II+ has no delete key, so he asked me to modify it. All you have to do is scan for C9 FF and change it to C9 9B so you use the esc key instead. These bytes were found exactly in the same spots on BOTH sides.

| Trk  | Scr  | Byte | From  | To    |
|------|------|------|-------|-------|
| \$04 | \$03 | \$35 | C9 FF | C9 9B |
|      | \$08 | \$9E | C9 FF | C9 9B |
| \$05 | \$01 | \$89 | C9 FF | C9 9B |
| \$06 | \$09 | \$A4 | C9 FF | C9 9B |
| \$09 | \$0E | \$56 | C9 FF | C9 9B |
| \$20 | \$07 | \$E1 | C9 FF | C9 9B |

Remember, never modify an original!

Softkey for...  
**Galaxian**  
*Thunder Mountain*

**Requirements:**  
Apple II  
48K slave disk

1. Boot a DOS 3.3 disk (a fast DOS is preferable) and initialize a slave disk.

INIT HELLO  
DELETE HELLO

2. To capture the second half of Galaxian. Boot the Galaxian original and press ctrl C at the "]" prompt.

LIST  
9 *don't show pic*  
11CALL-151 *enter monitor after loading first half*  
RUN

3. Place the slave disk in the drive.
- 6 ctrl P  
BSAVE GAL2, A\$4800, L\$4800  
BSAVE TM, A\$2000, L\$2000

4. To get the first half, boot Galaxian and press ctrl C at the "]" Prompt.

9 *same as before*  
20?CHR\$(4)"BLOADGALAXIAN1,A\$2000"  
30CALL-151  
RUN

5. Insert the slave disk.
- 6 ctrl P *to boot*

6. Now move it where it belongs, load the second half and the picture to save it all as one file.

CALL-151  
800<2000.6000M  
BLOAD GAL2  
BLOAD TM  
850: 20 0C FD  
A964:FF  
BSAVE GALAXIAN,A\$800,L\$8800

Galaxian is now BRUN-able and the only noticeable change is you must press a key before the copyright screen clears.

Softkey for...  
**Ultima Trilogy**  
*Origin*

**Requirements:**  
COPYA

This is for Ultima I & II.

1. Boot DOS 3.3 then type:  
CALL -151  
B954:29 00  
B942:18  
RUN COPYA

That's it for those two.

Ultima III requires the softkey from issue #11 pg27 by Tim Schaap. I would have retyped it, but I think Computist deserves \$5 for allowing you to back it up.

**Note on Boot Tracing on a Laser 128**

I remember someone quite a while back complaining that it's not possible to boot trace on his Laser 128. I'm here to tell ya there's always a way. I 'borrowed' the original boot code from an Apple II Disk Controller card. I then load it into \$9600 of my laser, modify it like many boot traces require, and always come out the winner. Anyone with questions feel free to contact me through Computist. I'll help if I can. I'd also be interested in hearing from other Computists in the Sioux City Iowa or Omaha Nebraska area.

**Joe Oliver AZ**

**Comments on Copy II Plus v9.0**

I finally received my copy of Copy II Plus v9.0. Here are my comments in a nutshell:

**New Options:**

- Create/Edit a list of applications that can be launched from C2+, which will return you to C2+ when you finish
- Compare files (- this was an option on the older DOS 3.3 versions)
- Use a mouse to choose options
- Set mouse scale and printer slot (permanent)

### Pluses/Improvements:

- Better memory utilization - less disk swapping
- Sort catalog (in your own order)
- Mouse or Single-Key press option selection
- When viewing files you can switch between subdirectories without going to the main menu each time
- High speed interleave (2:1) format for the /gs 3.5" drive
- When printing a DOS 3.3 catalog, hidden characters show up as lower case
- You can install your own ProDOS quit code!

### Problems:

- The catalog sort option has given some people problems. According to some on the National Apple Echo, the sort has corrupted file pointers in their catalogs, causing them to lose the files on their hard disks. (gasp!)
- Some applications will not run after C2+ v9.0. ProTERM is one of them. It has been reported that the system can lock up, and the modem can lock up so you have to reboot. I've noticed that I have to power down my modem after using C2+ v9.0 before booting ProTERM, or it won't initialize the modem.
- Some disks formatted ProDOS will not boot ProDOS even when the file has been copied onto the disk. Even so, ProDOS boots fine when run from a launcher.

### Dislikes:

- C2+ kept the same basic menu in V9.0, only adding the new options an the single keystroke character to choose the menu options. To me, this makes the menu look crowded and less friendly.
- When you copy a file it changes the CREATED date of the file to the current date on the system. (It doesn't change the MODIFIED date.)
- C2+ still uses only 40 columns for viewing files.
- It can still take more than 1 pass to copy a single file. (It can copy an entire 5.25" disk in one pass.)
- When formatting disks - it should have the option to format more than one without having to go back to the main menu every time.
- So far I haven't found any routine that uses the auto-eject for my 3.5" drive.

### Comments:

Copy II Plus v9.0 looks like an excellent utility. I've used C2+ for years as my main disk/file utility program. I like the new options available and am glad for the improvements. (But, until I can quit worrying about the catalog corruption, I won't be using the sort option!)

I've always found the manual to be very comprehensive. It is organized in a very straightforward, logical manor - providing easy access of information to the more advanced user, and step by step instruction for the beginner. Not only does it provide instruction for the program itself, but also offers suggestions for when you are having problems, explanations as to why things do and don't work, parameter summaries, number conversion tables, ProDOS error codes and more. I even like the cover layout and colors!

To sum up, I like the new version of Copy II Plus. But, with its problems I won't be so free to use it as I have before. I've still my v8.3 handy to use on the fly when I'm flipping back and forth between programs. Once the bugs are fixed, v9.0 will take its place as one of my main utilities.

### Thomas Crean NE

Ⓢ Does anyone know how to put either Zany Golf (gs) or BattleChess (gs) onto a hard drive?

End

## A Public Service Message for Apple II Users

### Apple Infinitum

"Editor's note: II Infinitum is a campaign coordinated by Jerry Fellows to focus attention on the Apple II and to give Apple unmistakable proof that there is still much interest in the Apple II. Your letters to Apple and to the Wall Street Journal can make a difference in the future of the Apple II. The 8/16 editors fully support this campaign, just because it makes a lot of sense." Jerry Kindall (8/16 Magazine)

February 1, 1990

To the members of the Apple II community:

This year could mark a historic turning point for the Apple II, if you help. We are asking you

to voice your support for the Apple II, to convince Apple Computer that the Apple II is worth further investment.

Despite all the rumors regarding its imminent death, the Apple II remains with us, alive and improving. The Apple II community has, in many respects, been thrust backward into the days of semi-obscurity and grass-roots survival. However, Apple Computer is currently revitalizing its Apple II marketing and development strategies. With the effort comes the hope of a grand rebirth for the Apple II platform.

II Infinitum is a letter-writing campaign encouraging members of the Apple II community to speak out now! We want you to write not only John Scully at Apple Computer, Inc., but also to the Wall Street Journal. We hope that if the Journal receives enough letters, they will be motivated to publish an article on our efforts. This will allow us to reach the Apple stockholders, who have the clout that we need to support our efforts.

In addition, we urge you to distribute this letter to other members of the Apple II community, so that even more voices will be added to this cause. Listed on the following page are some guidelines that we recommend using when writing your letter. The addresses of John Scully and the Wall Street Journal, as well as others we encourage you to contact, are listed after that.

Please take this opportunity to support the Apple II...only by combining our efforts can we achieve success.

### Apple II Forever!

#### Recommended Guidelines:

- Keep your letter businesslike and to the point - no more than one neatly typed or laser-printed page if possible.
- Avoid form letters or petitions; individual, personal letters have a much greater impact. Of course, you can write a single letter, then personalize it for each person you write to.
- Include relevant personal information: perhaps discuss how long you have used the Apple II, the types of applications you use now or would like to use in the future, the direction you would like to see Apple take in developing, marketing and supporting the line, etc.
- Avoid negative or derogatory remarks. Focus on the positive and look toward the future.
- Be sure to close your letters by thanking the reader for his time.
- Mail your letters in a standard legal-size envelope which looks businesslike.
- Mail your letters with a return receipt request if you can afford it.

#### Names and Addresses:

**Apple Computer Inc**  
John Scully  
President and CEO  
Mariani Avenue  
Cupertino, CA 95014  
**The Wall Street Journal**  
Robert L Bartley Editor  
200 Liberty Street 20525  
New York, NY 10281  
**InCider Magazine**  
80 Elm Street  
Peterborough, NH 03458  
**Nibble Magazine**  
52 Domino Drive  
Concord MA 01742

The following are individuals at Apple Computer, Inc. to whom you may consider writing for greater effect (Write to them at the same address as John Scully.)

Michael H. Spindler  
Senior VP and president  
Apple USA  
Bernard Gifford  
Vice President  
Education  
Apple USA  
Randall S. Battat  
Vice President  
Product Marketing: Apple Products  
David Hancock Senior Vice President  
Marketing  
Apple USA  
Morris Taradalsky Vice President  
Customer Service and Information Technology  
Apple USA  
Ian Diery Senior  
Vice President and President  
Apple Pacific

### IBM RDEX IBM RDEX IBM RDEX

### Marc Batchelor

IBM Softkey for...

#### Motocross

Gamestar

#### Requirements:

MS-DOS 2.1 or later  
Copy of Motocross Disk  
DEBUG

Motocross by Gamestar is a BMX simulation/game. It is well laid out and offers a plethora of options for customization. The protection use is similar to many being found in both the Apple and IBM world. I refer to it as a "manual" protection however, Brian Troha has coined a much better word. Pirate protection. The documentation states:

After you load Motocross and press Enter to begin playing, a picture of a Motocross track appears on the screen along with a question about that track... If you answer incorrectly, you get to try again on a second question. If you miss this one, you'll be allowed to race one practice lap, then the game shuts down, bringing you back to DOS.

This is truly a pain in the tush. Especially if you are already familiar with the game controls and have no other need to have the documentation handy but to answer a stupid question. I personally don't like my desk top cluttered with manuals and users guides. Further, it is kind of insulting to be told that I don't qualify if I happen to blow both questions (not difficult to do!).

#### How I found It

I started out by searching all of bank one for Interrupt 21's. INT 21's are calls to MS-DOS. These calls perform functions such as opening and closing files, memory management, obtaining keyboard input, and other I/O. Most pirate protections utilize INTerrupt 21 function 7 for character input. Searching and documenting all 64 INT 21's in bank one was a hideous ordeal. But, there was only one INT 21 function 7. This turned out to be at \$A218. \$A218 is part of a subroutine that begins at \$A204. Armed with this information, I disassembled all of bank one to a file, and searched it for CALL A204. I found occurrences at \$9DD3 and \$9EEB. I found that if I played around with the routine at \$9DD3, the program would no longer obtain input, but would cycle twice through the answer phase as if I had typed in a wrong answer. This routine actually begins at \$9DAA, so I searched the file I created for CALL 9DAA. I found occurrences at \$62C2, \$632F, \$6413, \$A3DF and \$CC0F. By trial and error, the last one (of course) turned out to be the one we want. Phew!

#### Disabling the routine

Once I found the general area that things were happening, I decided to observe the effects of NOPping some of the CALLs in the vicinity. As it turns out, a total of three (3) CALLs need to be disabled. Call #1 grabs and displays the track and question, Call #2 obtains user input (via \$9DAA) and Call #3 evaluates user input, displays the Correct/Incorrect message and if Incorrect, loops back one more time. The simple solution in this case was to NOP all three Calls.

#### Step By Step

**COPY MOTO.EXE MOTOOLD.EXE** *only do this on a copy!*

**REN MOTO.EXE MOTO.TMP**

**DEBUG MOTO.TMP**

**S100 FFFF E8 09 43 C6 46 D6 00** *Response should be: XXXX:AAA, write the AAAA down for future use.*

**S100 FFFF E8 98 D1 83 C4 08** *Response should be: XXXX:BBBB, write the BBBB down for future use.*

**S100 FFFF E8 D2 00 83 C4 06** *Response should be: XXXX:CCCC, write the CCCC down for future use.*

Type the following substituting the addresses obtained before for AAAA, BBBB and CCCC respectively.

**E AAAA 90 90 90**

**E BBBB 90 90 90**

**E CCCC 90 90 90**

**W**

*Response should be: Writing zzzzzz Bytes.*

**Q**

That's all there is to it! The addresses I obtained for AAAA, BBBB and CCCC were \$CBF8, \$CC0F, and \$CC1F.

#### Disclaimer

I was only able to test this crack on an EGA machine. I used the EGA switch and CGA switch successfully. I could not however verify the Hercules or Tandy switches.

By the way, I recommend the following reference books to aid in tracking down INTerrupt functions:

MS-DOS FUNCTION and IBM ROM BIOS by Microsoft Press and are among the Programmers Quick Reference Series. They are excellent sources of information and without them, I would not have been able to crack this (or any other) IBM program. I got mine at Waldenbooks for \$5.95 each.

### Mike Basford Canada

IBM Softkey for...

#### Populous

?

I hate looking up codes, pictures, etc in instruction books! If you have Populous and feel the same way, here's how to fix the game.

*Note:* Don't do this to your original, use a copy.

Using Norton Utilities, search POPULOUS.EXE for 3B 46 0C 75 09 8B 46 0C A3 82 2A and replace the 75 09 with EB 03 then write the data and you're done. Now at the verification screen, just type enter. (You still have to put in your name though.)

IBM Softkey for...

#### Welltris

*Spectrum Holobyte*

Here's how to get rid of those annoying questions at the start of the game. This works for the WELLTRIS.EXE file dated 10-03-89 6:03pm.

**REN WELLTRIS.EXE WELTRIS**  
**DEBUG WELTRIS**  
**EAA84 00.31 00.32 00.33 00.34 FF.31 FF.32**  
**FF.33 FF.34**  
**EAF73 00.31 00.32 00.33 00.34 FF.31 FF.32**  
**FF.33 FF.34**  
**E2034 E8.90 69.90 42.90**

**W**

**Q**

**REN WELLTRIS. WELTRIS.EXE**

IBM Softkey for...

#### SimCity

Use Norton or PC Tools to search for 0C 87 00 75 3C and change the 75 to EB. Write the bytes.

IBM Softkey for...

#### Batman

*Data East*

Batman comes with two different adventures, Penguin and Joker. The two files, PENGUIN.EXE and JOKER.EXE are identical as far as the protection is concerned. Search and replace the following groups of hex bytes using PC Tools or similar. (Remember: always start each search at the beginning of the file.

| search for                          | replace this | with this |
|-------------------------------------|--------------|-----------|
| B0 13 A2 35 00                      | B0 13        | EB 0C     |
| B4 08 CD 21 72 32                   | CD 21        | 90 90     |
| BB 34 02 B2 80 CD 21 73 03          | CD 21        | 90 90     |
| 72 13 33 C0 CD 21 B9 01 14          | CD 21        | 90 90     |
| BE 06 00 A1 00 00 CD 21 73 09       | CD 21        | 90 90     |
| F3 A7 75 18 8D 36 34 02             | 75 18        | 90 90     |
| 8D 3E 23 02 B9 04 00 F3 A7 75 09 C3 | 75 09        | 90 90     |

Softkey for...

#### Their Finest Hour the Battle of Britain

?

Here's how to get rid of that silly code wheel. After this you don't have to tune the radio anymore.

You will need Norton Utilities or Debug, Norton is easier. When using Norton Utilities, Select BOB.EXE and search for 36 24 75 08 B8 01 (using the hex field) and change the 75 08 to 90 90. Write the data and you're done.

If you are using Debug:

**REN BOB.EXE BOB.XXX**

**DEBUG BOB.XXX**

**R**

*use the value of CS for the next step*

**S CS:0000 FFFF 39 87 36 24 75 08 B8 01 00 8B**

**E5**

*replace CS with the value*

Debug should respond with something like this:

CS:xxxx xxxx *is used next*

**U xxxx** *use the value from above in place of xxxx*

You should see:

CS:xxxx CMP [BX+2436], AX

CS:yyyy JNZ 7762

**E yyyy**

*use value from above*

**75.90 08.90**

**W**

**Q**

**REN BOB.XXX BOB.EXE**

Now run it and have fun.

# unClassifieds

## How to place an UnClassified Ad

If possible, send text on a 5 1/4 inch Apple formatted disk, include a typed sample copy with appropriate instructions. Use up to 40 characters per line, we will adjust word wrap. The Computist club member charge is \$4 (for processing) plus 50 cents per line. For non-members, the charge is \$4 plus \$1 per line. Multiple insertions of the same ad are charged only for the line rate, unless changes are made to the copy.

**Special Graphics Instructions:** The first three words of the first line are printed in bold for free. If you want other words bolded, use 5 characters less per line. Use 10 characters less per line if you have a lot of uppercase bold letters. Bold letters are wider than normal. Circle the words you want bolded. If you want a line centered, write CENTER next to that line. There is no charge for centering any line.

You must check your ad for errors, the first time it runs. Errors on our part will be corrected, then, for free. Errors or changes on your part will be charged the \$4 processing fee.

Our liability for errors or omissions is limited to the cost of the ad.

We reserve the right to refuse any ad.

Washington state residents add 7.8% sales tax.

Send a check or money order (funds drawn on US bank only) for the entire amount to:

COMPUTIST unCLASSIFIEDS  
33821 East Orville Road  
Eatonville, WA 98328

## RENT or BUY IIgs SOFTWARE

- Money Back Guarantee
- Catalog contains over 200 titles
- Rent for 15% - 20% of list price
- Prices comparable with mail order
- Rental fee discounted from purchase price
- \$15 Lifetime Membership Fee

GSoft  
7350 Ulmerton Road #924  
Largo, Florida 34641  
(813) 536-4352

## DID YOU KNOW?

The COMPUTIST SUPER INDEX has over 1000 softkeys and tips not printed in the contents or back-issue listings of Computist. With issue #71, the CSI data base has over 5,000 records and 26,000 entries! Includes Apple, IBM, & Mac. **Order today!** See back cover of issue #66 or 72, or write to:

David R. Hopkins  
3495 W. Hoye Place  
Denver, CO 80219.

## TRADE YOUR APPLE SOFTWARE

Send your list of programs to trade. I have over 120 originals to trade.

Byron Blystone  
PO Box 1313  
Snohomish, WA 98290

## Software — Books — Magazines

We buy & sell out-of-print & hard-to-find Apple II originals, old and new. Send \$1 for catalog.

Frank Polosky  
PO Box 9542  
Pgh PA 15223

## Educational Software

### Preschool through High School

Software designed to teach and hold the student interest. Covers most subjects taught from Pre-school through High School.

For a 200 page catalog that contains over 700 educational programs and over 400 computer games, send \$2 to:

DAVMAR  
17939 Chatsworth #418S  
Granada Hills CA 91344

## SCSI MASS STORAGE FOR LESS

40Meg — \$450

60Meg — \$520

80Meg — \$570

44Meg removable

\*/cartridge — \$650

extra cartridge — \$95

All Seagate hh drives, case, power supply, fan and SCSI cable included.

Just plug and go!!!!

GSoft

7350 Ulmerton Road - Suite 924

Largo, Florida 34641

(813) 536-4352

## RDEX Contributors:

|                        |        |
|------------------------|--------|
| Vince Andrews          | 10, 17 |
| Mike Basford           | 22     |
| Mark Batchelor         | 22     |
| David Caddell          | 20     |
| Thomas Crean           | 22     |
| Edison                 | 21     |
| David L. Goforth       | 5      |
| Groucho                | 20     |
| Jim S. Hart            | 11     |
| James J. Harvey        | 21     |
| Jay C Hubschman        | 20     |
| Jeff Hurlburt          | 4      |
| Bruce Menard           | 20     |
| Jack Moravetz          | 7, 9   |
| Joe Oliver             | 21     |
| Phantom                | 7      |
| Kathi Quan             | 15     |
| William Rice           | 16     |
| Steven T. Romanoski    | 20     |
| Jim Ross               | 11     |
| Jeff Strunk            | 16     |
| Groucho Tarz           | 10     |
| Edward Teach           | 10     |
| Brian A. Troha         | 9, 10  |
| Leo & Eric Van Der Loo | 20     |
| Marc Venneman          | 20     |
| Terry Waskowich        | 9      |
| Gary Wills             | 19     |
| Tex Window             | 15     |
| Everett B. Young       | 15     |

## Apple II Most Wanted

|    |                                  |                         |
|----|----------------------------------|-------------------------|
| 72 | 50 Mission Crush                 | SSI                     |
| 65 | Airheart                         | Broderbund              |
| 63 | Alcon                            | Taito                   |
| 69 | Alien Mind                       | PBI Software            |
| 73 | American History Explorer Series | Mindscape               |
| 72 | Ankh                             | Datamost                |
| 73 | Ant Farm                         | Sunburst                |
| 67 | Apple Panic                      | Broderbund              |
| 67 | Aquatron                         | Sierra                  |
| 69 | Axis Assassin                    | ?                       |
| 63 | Bad Street Brawler               | Mindscape               |
| 68 | Bank Street Writer Plus          | Broderbund              |
| 73 | Bank Street Beginner's Filer     | Sunburst                |
| 73 | Bank Street School Filer         | Sunburst                |
| 63 | Beyond Zork                      | Infocom                 |
| 65 | Bilestoad                        | Datamost                |
| 69 | Blue Powder - Grey Smoke         | Grade                   |
| 63 | Border Zone                      | Infocom                 |
| 65 | Borg                             | Sirius                  |
| 67 | Bouncing Kamungas                | Penguin                 |
| 66 | Boxing                           | ?                       |
| 65 | Bureaucracy                      | Infocom                 |
| 69 | Caverns of Callisto              | Origin                  |
| 68 | Centauri Alliance                | Broderbund              |
| 69 | Checker                          | Odesta                  |
| 69 | Chess 7.0                        | Odesta                  |
| 69 | Chuck Yeager's Adv Flt Trainer   | Electronic Arts         |
| 67 | C'est La Vie                     | Adventure International |
| 68 | Comics                           | Accolade                |
| 63 | Cosmic Relief                    | Datasoft                |
| 65 | Crime & Punishment               | Imagic                  |
| 69 | Crossword Magic v4.0             | ?                       |
| 69 | Cybernation                      | Nexa Corp.              |
| 72 | Cytron Masters                   | SSI                     |
| 66 | Deathlord                        | Electronic Arts         |
| 69 | Delta Squadron                   | Nexa Corp.              |
| 67 | Desecration                      | Mind Games              |
| 73 | Designer Prints                  | MECC                    |
| 66 | Disk Optimizer System            | Nibble Notch            |
| 65 | Dondra                           | Spectrum Holobyte       |
| 69 | Dragon Eye                       | Epyx                    |
| 69 | Dueling Digits                   | Broderbund              |
| 68 | D & D-Master Assistant vol2      | SSI                     |
| 66 | Dungeon Master (llgs)            | FTL                     |
| 62 | DROL                             | Broderbund              |
| 72 | Epidemic                         | SSI                     |
| 67 | Epoch                            | Sirius                  |

|    |                                    |                          |
|----|------------------------------------|--------------------------|
| 63 | Explore-Australia                  | Dataflow Comp Service    |
| 67 | Evolution                          | Sydney                   |
| 67 | Falcons                            | Piccadilly               |
| 68 | Factastics Trivia                  | Daystar                  |
| 73 | Fisher's Cove                      | Tom Snyder Productions   |
| 69 | Fit Wars                           | Sirius                   |
| 69 | Gemstone Healer                    | SSI                      |
| 73 | Geometric Supposer (the)           | Sunburst                 |
| 66 | GEOS                               | Berkley Softworks        |
| 71 | Gertrudes Puzzles                  | ?                        |
| 72 | Galactic Gladiators                | SSI                      |
| 63 | Gladiator                          | Taito                    |
| 66 | Goldrush                           | Sierra On Line           |
| 73 | Goodell Diamond Caper              | Tom Snyder Productions   |
| 67 | Gorgon                             | Sirius                   |
| 66 | GradeBuster 1 2 3                  | Grade Buster             |
| 61 | Gutenberg Sr                       | Micromation LTD.         |
| 65 | Halls of Montezuma                 | Electronic Arts          |
| 69 | Hard Hat Mack                      | ?                        |
| 67 | High Orbit                         | Softsmith                |
| 67 | Horizon V                          | Softsmith                |
| 69 | Impossible Mission                 | Epyx                     |
| 62 | Indoor Sports                      | Mindscape                |
| 68 | Infocomics                         | Infocom                  |
| 66 | Jane                               | ?                        |
| 63 | Joker Poker                        | Mindscape                |
| 72 | Kabul Spy                          | Sirius                   |
| 71 | Keyboarding Klass                  | Mastery Development      |
| 68 | Kingdom of Facts                   | Thunder Mountain         |
| 72 | Lane Mastodon                      | Infocom                  |
| 67 | Lancaster                          | SVS                      |
| 72 | Laser Force (llgs)                 | Britannica               |
| 66 | Legacy of the Ancients             | ?                        |
| 65 | Lost Tomb                          | Datasoft                 |
| 65 | Manhunter New York llgs            | Sierra On Line           |
| 65 | Mavis Beacon Teaches Typing (gs)   | Software Toolworks       |
| 73 | McGraw-Hill Prob-Solving Lvl 5 & 6 | Tom Snyder               |
| 67 | Microwave                          | Cavalier                 |
| 66 | Might and Magic II                 | Activision               |
| 73 | Mind Castle I                      | MCE Inc.                 |
| 69 | Minotaur                           | Sirius                   |
| 63 | Modem MGR                          | MGR Software             |
| 68 | Mr. Pixel's Cartoon Kit            | Thunder Mountain         |
| 73 | Mystery of Hotel Victoria          | Tom Snyder Productions   |
| 63 | National Inspirer                  | Tom Snyder Productions   |
| 66 | Observatory (The)                  | Lightspeed Software      |
| 66 | Odin                               | Odessta                  |
| 63 | Operation Wolf                     | Taito                    |
| 68 | Pensate                            | Datasoft/Softdisk        |
| 69 | Phantasie II                       | SSI                      |
| 67 | Phantoms 5                         | Sirius                   |
| 67 | Pig Pen                            | Datamost                 |
| 67 | Project: Space Station             | Avantage                 |
| 67 | Pulsar II                          | Sirius                   |
| 68 | Pure Stat Basketball               | ?                        |
| 62 | Quadratic Equations II             | Olympus Educ Software    |
| 63 | Questron II                        | Electronic Arts          |
| 68 | Rails West                         | SSI                      |
| 63 | Rastan                             | Taito                    |
| 67 | Rear Guard                         | Adventure International  |
| 63 | Renegade                           | Taito                    |
| 67 | Rescue Raiders                     | Sir Tech                 |
| 67 | Rings of Saturn                    | Level 10                 |
| 69 | Rocket Ranger (llgs)               | Cinemaware               |
| 63 | Roundabout                         | Datamost                 |
| 63 | S.D.I. (llgs)                      | Cinemaware               |
| 72 | S.E.U.I.S.                         | SSI                      |
| 62 | Sea Stalker                        | Broderbund               |
| 67 | Serpentine                         | Broderbund               |
| 72 | Silpheed (llgs)                    | Sierra                   |
| 68 | Skeletal System                    | Brainbank                |
| 63 | Sky Shark                          | Taito                    |
| 63 | Sound Song & Vision                | Advanced Software        |
| 67 | Space Ark                          | Datamost                 |
| 62 | Spare Change                       | Broderbund               |
| 67 | Spectre                            | Datamost                 |
| 62 | Speedy Spides                      | Readers Digest           |
| 67 | Star Cruiser                       | Sirius                   |
| 67 | Star Maze                          | Sir Tech                 |
| 63 | StickyBear Math: Add & Subtract    | Optimum Resources        |
| 68 | Stickybear GS Versions 3.5         | Xerox                    |
| 63 | Strike Fleet                       | Electronic Arts          |
| 67 | Succession                         | Piccadilly               |
| 65 | Superstar Ice Hockey               | Mindscape                |
| 61 | Superstar Indoor Sports            | Mindscape                |
| 68 | Talking Text Writer GS             | Scholastic               |
| 68 | Tangled Tales                      | Origin Systems           |
| 69 | Tetris (llg)                       | Spectrum Holobyte        |
| 72 | Theatre Europe                     | PBI                      |
| 65 | Thunder Chopper                    | ?                        |
| 63 | Ticket to Washington D.C.          | Blue Lion Software       |
| 63 | Tomahawk                           | Electronic Arts          |
| 68 | Tomahawk (llgs)                    | Datasoft                 |
| 69 | Track Attack                       | Broderbund               |
| 68 | Triad                              | Thunder Mountain         |
| 72 | Triango (llgs)                     | California Dreams        |
| 68 | Trinity                            | Infocom                  |
| 73 | Unicorn 5.25" software             | Unicorn                  |
| 73 | Vincent's Museum                   | Tom Snyder Productions   |
| 68 | Volcanoes v1.8                     | Earthware Comp. Services |
| 66 | War in the Middle Earth            | Melbourne                |
| 67 | Wasteland                          | Electronic Arts          |
| 61 | Wayout                             | Sirius                   |
| 73 | Where in Europe is Carmen S (3.5") | Broderbund               |
| 73 | Where in Time is Carmen S (3.5")   | Broderbund               |
| 63 | Wings of Fury                      | Broderbund               |
| 63 | Wizardry:Return of Werda           | Sir-Tech.                |
| 68 | Word Attack Plus (llgs)            | Davidson                 |
| 65 | Works (the)                        | First Star Software      |
| 67 | Zenith                             | Softsmith                |
| 63 | ZorkQuest                          | Infocom                  |

## IBM Most Wanted

|    |                           |                              |
|----|---------------------------|------------------------------|
| 72 | GBA Championship Football | Electronic Arts              |
| 68 | Graphitti                 | George Best Phillips Academy |
| 61 | Gunship                   | Microprose                   |
| 63 | Herods of the Lance       | SSI                          |
| 72 | Kings Quest III           | Sierra                       |
| 72 | Operation Wolf            | Taito                        |
| 72 | Radio Baseball            | Electronic Arts              |
| 72 | Ultima V                  | Origin                       |

**73 The Product Monitor** - Dragon Wars - Fast Frames, Updates, etc. - 2088: Bargain Thrills - Dragon Wars Tavern Tales - Features, Notes and such: A note about Reading & Me - Autocopy Parm to copy Ultima V: -BBS News (RDEX entries) -BBS Notes (Questions and Answers) -Behind the scenes of a One Byte Patch -Blocks vs Tracks - ProDOS & DOS Converting from/to blocks & sectors -Bug in Crystal Quest Mod (issue #71) -Cheap NMI? -Comments on Assembly Language Programming for Beginners -Comments: Copy II Plus 9.0 -Free Adventure Maps -MONRWTs A Read/Write disk routine -Note on Bilestead -Notes on Disk Muncher -Notes on LaserForce -Notes on War in Middle Earth -Put Ancient Land of Ys on a Harddrive -Putting Shanghai on a hard disk -Quick and dirty ProDOS 16 READ\_BLOCK patch -Rick's Hello -Run Paintworks Gold under GS/OS 5.0 -Senior PROM - NOT Available -Some notes on Copy II Plus v9 -Some notes on RISK (Leisure Games) -Ultima II Character Editing -Ultima IV HELP -Using Copy II plus to make an APT -Softkeys: Ancient Land of Ys -Arkanoid II: Revenge of Doh -Bad Dudes -Battle Chess -Battle Chess GS -Bubble Ghost GS -Charlie Brown's ABC's -Chem Lab -Curse of the Azure Bonds (Ile) -Downhill Challenge -Four-in-One Infocom Sampler -GBA Championship Basketball -Geometry v1.0 -Grand Prix Circuit -Great Western Shootout -Heavy Barrel -How the West was One + Three x Four -Impossible Mission II -Jack Nicklaus' Greatest 18 Holes of Major Championship Golf -King of Chicago -Neuromancer -Operation Frog -Planetfall -Platoon -Pool of Radiance (Ile) -Sokoban -Stickybear Opposites GS -Stickybear Shapes GS -Study Skills -Test Drive II: The Duel -Test Drive II: The Duel (GS) -The Children's Writing and Publishing Center -The Design Your Own Home Series -Architectural Design -Interior Design -Landscape Design -Think Quick v1.2 -Three Stooges -Tunnels of Armageddon -U.S.A. Geograph v1.0 -Ultima II (Original Version) -Where in North Dakota is Carmen Sandiego -World Geograph v1.1 -Bitkeys: -Dungeon Master -Grabbers 123 v3.35 -Math Blaster Plus! v3.1 -Strike Fleet -Where in the USA is Carmen Sandiego -APTs: A.E. -Alien Ambush -Alien Game -Apple Kong -Apple Panic -Battle Zone -Beer Run -Bellhop -Berserker -Bolo -Borg -Bruce Lee -Buck Rogers -Bug Attack -Buzzerd Bait -Cannonball Blitz -Canyon Climb -Captain Power -Caverns of Calisto -Ceiling Zero -Chopchopper -Color Planets -Congo -Creepy Corridors -Crisis Mountain -Crossfire -Crystal Castles -Cyclod -Diamond Mine -Dig 'Em -Dig Dug -Donkey Kong -Dragon Wars -Drelbs -Drol -Dung Beetles -Electro Arena -Eliminator -Evolution -Falcons -Falcons II -Fire and Ice -Free Fall -Frogger -Galaxian -Genetic Drift -Gobbler -Gold Rush -Halloween -Hard Hat Mack -Hellstorm -Hellstrom -Horizon V -Ice Demons -Jawbreaker II -Joust (Atarisoft) -Joust -Jump Jet -Jumpman -Kameari -Labyrinth -Mapple: -Marauder -Mars Cars -Microwave -Milipede -Miner 2049er -Money Munchers -Montezuma's Revenge -Mouskattack -Mr Cool -Mr. Robot and the Robot Factory -Neptune -Night Crawler -Nightmare Gallery -Nomads -Oils Well -Outpost -Phaser Fire -Pooyan -Quadrant 6112 -Quest For Tires -Raiders of the Lost Ring -Randam -Raster Blaster -Rearguard -Repton -Ribbit -Robotron: 2084 -Sammy Lightfoot -Sea Dragon -Sea Fox -Serpentine -Situation Critical: -Snack Attack -Snake Byte -Snapper -Sneakers -Snoogle -Space Cadets -Space Quarks -Spy's Demise -Star Maze -Winter Thief -Star Trek -Succession -Super Puckman -Swashbucker -Syzygy -Taxman -Teleport -Thief -Threshold -Thunderbombs -Tubeway -Tubeway II -Viper -Wargle -Warlock GS -Zany Golf GS -Playing Tips: Bard's Tale I -Dungeon Master -Neuromancer -Ultima III -Ultima V -Where in the World is Carmen Sandiego -Wizardry (Proving Grounds of the Mad Overlord) -Wizardry -Zork Zero -IBM Playing Tips: Mean Streets -Mech Warrior -Pool of Radiance

**72 Features, Notes and such:** The Product Monitor - A Bug in Prentice Hall Science Courseware - A note on Stickybear encrypted sector - An accelerated Ile & EDD 4 - Finding the licensee's name in GEOS - A BUG in Teacher's Tool Kit Series - A reader review of the Trac Card - An Explanation of Self-sync Bytes - Another reason why Cookbook Cracks might not work - BBS News - Beginners Guide to "PACMAN" deprotection - Bogus 18 sector disks? - Bug in Typel softkey - Bugs in Pool of Radiance - Changing levels on Tetris (Ile) - Cheats, Hints, and Tips for Neuromancer - Comments & possible help to other readers - Comments on IBM Ragging - Converting Print Magic Graphics to Publish III - Copy Protecting Your Own Disks with ProDOS - Determining when individual files can be removed from a Protected Disk - DOS 3.3P (for protected) - Enhancing DOS 3.3 - FIND.CAT

Enhancement -Half & quarter Tracks -Installing GS/OS on Sierra 3D Adventures -Lifting the Lid on COPYA -Making Jack Nicklaus' Greatest 18 Holes of Championship Golf play faster -Moving Destroyer GS (Epyx) to Hard Disk -Note on '84 & '85 MECC disks -Notes on programs published by Micrograms -Notes on Time Out and Appleworks 2.1 -Notes on Ultima IV and V -Print in Color with Appleworks -Put Autoduel on a 3.5" diskette -Reading From Protected ProDOS Disks -Removing the Manual Check from Pirates! GS -Running other programs from your Hard Disk -Super 6.0 FastcopyA -Fun with Super6.0 FastcopyA -Turn Dig Dug into a BRUNable File -Ultimapper V: a mapping program -Softkeys: Addition & Subtraction -Aesop's Fables Ile -Algebra 1 -Algebra 2 -Algebra 3 -Alphabet -An Introduction to General Chemistry -APBA Major League Players Baseball -Arkanoid -Arkanoid II: The Revenge of DOH (GS) -Balance -Balance of Power 1990 v. 2.08 -Biosolve -Bubble Ghost (GS) -Building memory Skills -Calendar Crafter v1.2 -CBS's Pathwords -Charlie Brown's 1,2,3's -Chessmaster 2100 v1.1 -Children's Writing & Publishing Center -Conquering Decimals \* and / -Conquering Decimals + and - -Conquering Fractions; \* and / -Conquering Fractions; + and - -Coordinate Math -D.C. Heath/MB -Dark Lord -DataEast Games -Decimal Concepts -Decimal Discovery -Decimals -Delta Drawing 3.33 -Designasaurus -Dig Dug -Duel (gs) -Early Games -Eliminator -Equation Math -Estimation -Explora -Classic series -Explora -Science Whales -Fraction Concepts -Fraction Practice Unlimited -Fraction Recognition -Fractions -Freddy's Puzzling Adventures -Frogger -Galaxy Math Games -Galaxy Search -Garfield Companion -Garfield Trivia -Geometry (GS) -Ghobusters -Gnarly Golf (GS) -Gnee or Not Gnee -Grammar Examiner -Graphics Studio -Guinness World Records -Homeworker -Houghton Mifflin Math Courseware -Ice Demons -Initiation to Math series -Kid Niki -King of Chicago -Kittens, Kids, and a Frog -L.A. Crackdown -Language Carnival -Magic Slate II -Magic Word -Master Match -Math And Me -Math Blaster -Math Blaster Plus -Math for Everyday Living -Math in a Nutshell -Math Masters -Math Tutor (Percents) -Mathematics Skills -Mavis Beacon Teaches Typing (Ile) -McGraw Hill Compucut Quizware -Memory Castle -Meteor Multiplication -Microzine #3 -Microzine #8 -Microzine #9 -Microzine #10 -Microzine #11 -Microzine #12 -Microzine #13 -Microzine #15 -Microzine #16 -Microzine #22 -Microzine #23 -Microzines and Microzine Jr. -Mixed Numbers -Moptown Hotel -Mr. and Mrs. Patatohead -Mr. Pixel's Programming Paint Set -Mystery Matter -Mystery Objects -Numbers -Opposite -Organic Chemistry -Pacman -Peanuts Math Match -Percentages -Perplexing Puzzles -Pick the Numbers -Picture Perfect -Pirates! GS -Pixelwerks -Platoon -Police Quest -Pool of Radiance -Quest Strategy Checker -Rainbow Painter -Ratios & Proportions -Read 'N Roll 1.1 -Read-Write-Publish -Reading Comprehension -Robomath -Sailing Through Story Problems -Scuffy and Friends -Sensible Speller (ProDOS) -Sierra Programs -Silicon Dreams -SOKO-BAN -Solving Quadratic Equations -Spelling Bee -Spelltronics -Spy's Adventure in South America -Square Pairs -Star Trek -Stickers -Study for Success -Success With Typing -Super Print -Tales of Fantasy -Talking Stickybear Opposites -Talking Text Writer -Teasers by Tobbs -Test Drive II: The Duel (Ile) -Test Taking Made Easy -The Boars Store -The Boars Tell Time -The Duel: Test Drive II -The Game Show -The Games: Winter Edition -The Wonderful World of Paws -Time Capsule -Times of Lore -Townbuilder -Transylvania -VCR Companion -Voyage of the Mimi -What makes a Dinosaur sore -Where in the USA is Carmen Sandiego -Where in the World is Carmen Sandiego? (GS) -Who, What, Where, When, Why -Whole Number Operations -WISCAR Intelligence Test -Wood Car Rally -Word Attack Plus! Spanish -World Geograph -World History Adventure -Xenocide (GS) -Bitkeys: Borg -Great Western Shootout -Laser Force -Math Blaster Mystery -The Hunt for Red October -APTs: Anti Gravity -Autoduel -Bard's Tale II -Chrono Warrior -Commando -Deemonic Decks -Neuromancer -Pool of Radiance -Tetris -The Bard's Tale III -Track & Field -Victory Road -Xevious -Zany Golf -Playing Tips: Bard's Tale II -Bard's Tale III -Defender -Defender Of The Crown (IGS) -Leisure Suit Larry -Moebius -Pool of Radiance -Print Shop Companion -Robocop -Tower of Myrarglen -Wasteland -Who Framed Roger Rabbit -Wings Of Fury -IBM Softkeys: 688 Attack Sub -Battle Chess -Battle Hawks 1942 -Chuck Yeager's Advanced Flight Simulator v1.0 -Shinobi -IBM Feature & Notes: Bug in APT for Zany Golf -Cracking on the IBMpc -

**71 Features, Notes and such:** A BUG in Copy II Plus ver 9.0 - A Reader Review of the Trac Card -Deprotecting Mircolab

Disks -Enhancements to APT Scanner -Locksmith 6.0 Fastcopy with E.A. RWTS (Revised) -Putting Bubble Ghost in Harddisk -Super IOB Block Patch -The Computist BBS -The Junior PROM -The Mandelbrot Set -The Product Monitor -Softkeys: 4th & Inches: Team Construction Disk -2400 AD -A Science Experiment -An Introduction to General Chemistry -Analogies -Advanced I & Advanced II -Antonyms & Sentence Completion (Best Sentences) -Award Maker Plus -Battle Chess -Body in Focus -Boppie's Great Word Chase -Botanical Gardens -Bubble Ghost -California Games GS -California Games GS -Campaign Math -Case of the Great Train Robbery -Case of the Missing Chick -Cavern Creatures -ChessMaster 2100 -Children's Writing & Publishing Center -Comment Dit-On? -Computer Inspector v1.0 -Congo -Crosscountry Canada -Crystal Quest -Cutthroat -Deja-Vu -Deja-Vu II -Dinosaur Days -FastBreak -Final Assault -French: Verb Pairs and Idioms -Geometry v1.0 -Gnee or Not Gnee -High Wire Logic -Impossible Mission II GS -Into the Eagles Nest -Jack Nicklaus' 18 Holes of Major Championship Golf -Jigsaw -Jump Jet -Kinderama -King of Chicago -LA Crackdown -Magic Slate v1.3 -Magic Spells -Math Blaster Mystery -Math Blaster Plus -Microcomputer Study Guide - Fundamental Accounting Principles Chapters 1-14 & 15-28 -Ming's Challenge -Mission Escape -Monsters and Make Believe -Multiscribe v3.0 -Mystery of the Witches Shoes -Organic Chemistry -Oix -Reading Professor -Renegade -Science 4: Understanding our Solar System -Shadowgate -Sign Designer -Sliphead -Soko Ban -Sporting News Baseball -Sports Stats -Starglider -Stickybear Talking Opposites -Story Tree -Superprint v1.2 -Superstar Ice Hockey -Surveys Unlimited -Tag Team Wrestling -Ten Clues -The Duel: Test Drive II -Tip 'N Flip -Uninvited -VCR Companion -Where in the World is Carmen San Diego GS v1.0 -Word Puzzles for Creative Teaching -World Geography v1.0 -Xenocide -Bitkeys: Game Show -Magic Spells -Story Tree -APTs: 2400 AD -Microwave -Oil's Well -Oix -Trolls and Tribulations -Xenocide -Playing Tips: Leisure Suit Larry -Might & Magic II -IBM Softkeys: Zany Golf -IBM Playing Tips: Manhunter -Rocket Ranger -IBM APTs: Wizardry V -Zany Golf -

**70 Features:** Add Eleven Sectors to Your DOS Disks -Apple POKES, PEEKs and CALLs -Appleworks Printer Control Codes -Converting SSI's Non-RDOS Disks -CopyA Notes -Creating a Super Human Character (Pool of Radiance) -Modifying the HPLLOT code for Hi-res Hackers -More Power for Your Might and Magic Characters -Print Your Own Graph Paper -Unlimited Thunder Energy -Unlocking Lode Runner's Game Boards -Unlocking the Prolog Protection Scheme -The Product Monitor -Softkeys: 4th & Inches -4th & Inches Team Construction Disk -816 Paint v3.1 -Alphabet Circus -Arkanoid -Bank Street Writer Plus -Broadside v2.0 -Bumble Games -Computer Preparation for the ACT -Dungeon Master -Graphics Bank -How to Weigh an Elephant -Impossible Mission II -Impossible Mission -Into the Eagle's Nest -King of Chicago -LA Crackdown -LA Crackdown -Mastertype's Writer -Math Word Problems -Microzine 14 -Monsters & Make Believe -Monsters & Make Believe Plus -Moptown Parade -Ogre -Pirates! Iles -Ski Crazed -Soko Ban -Standing Room Only? -Stickybears Number (ProDOS 1.4) -Stickybears Opposites (ProDOS 1.5) -Stickybears Shapes (ProDOS 1.4) -Summer Games GS -Super Print! -Taipan -Techno Cop -The Children's Writing & Publishing Center -Tic-Tac Show -World Games -Writing and Publishing Center -APTs: Dragon Wars -Elite -Might and Magic II -Pharaoh's Revenge -Pool of Radiance -The Magic Candle vol 1 -Wizardry V: Heart of the Maelstrom -Playing Tips: Leisure Suit Larry -Might & Magic II -IBM Softkeys -Apollo 18 -Dallas Quest -Defender of the Crown -F-19 Stealth Fighter -Games: Winter Edition (The) -Gold Rush -Infiltrator -Jack's Greatest 18 -Last Ninja (The) -Leisure Suit Larry II -Mean 18 -Perfect College -Police Quest II: The Vengeance

**69 Features:** Custom Character Sets for the Apple II - A Bug in the Thief Softkey -Deprotecting & Enhancing Applewriter -Imagewriter II Color mapper for Ultima IV -Updating ProDOS 16 Disk to GS/OS -16 Byte Hex Dump for all II's -The Eamon Adventurer's Guild -Disk Mania: How to really use your 5.25" Drive -Hardware Corner: Build an Activity Monitor and see where your processor is spending it's time -The Product Monitor -Softkeys: All About America (5.25" disk) -Arkanoid Ile -California Games GS -Commando -Geopoint -Grizzly Bears -Hitchhiker's Guide to the Galaxy -Kid Niki -Magic Slate II -Might & Magic -Monte Carlo -Notes 'N' Files -Paper Boy GS -Peterson's SAT Success for Micros -Pirates! -Police Quest -Showoff -Silent Service -Space Quest II -Starglider -Street Sports Soccer -The Game Show

(1986 version) -The Games: Winter Edition -The Last Ninja GS -The Rings of Zifin -The Secrets of Science Island -Times of Lore -Ultima I (new release versions) -Warship -Where in the World is Carmen Sandiego (Ile) -Bitkeys: Crosscountry USA -Geospell -Geowrite -Bugs: -Double DOS -EOADIS Adapter -Ultima V -Notes: GEOS Notes -ProDOS Directory Format -Pronto Update -ThunderScan Problem -APT's: -Alien Mind -Commando -Thexder (v2.7) -Thief -Playing Tips: -Alien Mind -Bard's Tale III -Leisure Suit Larry -Might & Magic II -Neuromancer -Pirates! -The Tarturian -Ultima IV -Wasteland -Zany Golf

**68 Features, Notes and such:** The Product Monitor - A Mapping Program for Might & Magic I (revisited) -Adding Track Selection to Locksmith 6.0 Fastcopy -Another Duodisk Modification (Reversible) -BASIC Protection Schemes -Copy Protecting Your Own Disks -Disk Protection on the Apple II (Ile/Ile) Tips, techniques and tricks -Help to Finish Incomplete Animate Softkey -A General Softkey for Sunburst Software & Mastery Development -Introduction to Disk Usage -Introduction to Shape Tables -Making a Disk for Both Apple and IBM Systems -Nibble Counts/Checks Revisited -Notes on Altered DOS 3.3 Disk -Notes on Computist Super Index -Notes on Newer Electronic Arts -Notes on Softkey for Animate -Playing with ProDOS -Putting Mean 18 (Ile) on a Hard Drive -Using Print Shop graphics with Beagle Screens -Wizardry V - Bug or Feature? -Softkeys: Accolade software (Ile) -Accolade software (Ile) -Activision software (Ile) -Activision software (Ile) -Addison-Wesley software (Ile) -Alphabet Read Along -Alphakey -An Apple a Day -The Astronomy Disk -Basic Electricity #8010E -Battlezone -Batting Bugs -Baudville software -Broderbund software (Ile) -Broderbund software (Ile) -California Games GS -Certificate Library vol 1 -Channelmark software (Ile) -Children's Writing and Publishing Center -Cinemaware Inc. software (Ile) -Clock Works -Compucut Quizware Data Disks -Compucut Quizware Startup Disks -Counters -Counting Critters -Counting Read Along -Deja Vu -Digital Codes and Numbering Systems #8700E -Dinosaurs -Dive Bomber -Dr Jessie's Dinosaur -Dungeon Masters Assistant vol 1: Encounters -Easy Graph -Electronic Arts software (Ile) -Electronic Arts software (Ile) -Elementary Math -El Mundo Hispanico -Epyx (Lucas Film) software (Ile) -Epyx software (Ile) -Essential Math Grade 1-8 -Facts Match -Fantasyland -Feet Read Along -First Verbs -Flip Flop -Galactic Attack -Great Book Search -Grolier software (Ile) -Hartley Courseware software (Ile) -Hobbit -Homonyms, Synonyms & Antonyms Grade 1 - 8 -Impossible Mission II -Islands of Beta -Isle of Mem -Kindercomp -King of Chicago -Lantern of D'gamma -Learning Company software (Ile) -Learning Technologies software (Ile) -Learning to Cope with Pressure -Leisure Suit Larry -Lion's Work Shop -Lucky's Magic Hat -Magic Castle Red Level -Magic Slate (20 Column) -Magic Slate (40 Column) -Magic Slate (80 Column) -Magic Spells -Manager Backup Diskette -Marble Madness -Mastery Arithmetic Games -Math Activities -Math Blaster Plus -Math Facts Games -Math Man -Mathematics Skills Software Series -Micro School Program Series -Microprose software (Ile) -Microprose software (Ile) -Milliken Mathfun Frenzy -Milliken Mathfun Golf Classic -Mindplay software (Ile) -Mindscape (Tom Snyder and Alert) software (Ile) -Mindscape software (Ile) -Number Cruncher -Number Munchers -Number Match -Number Match It -Origin software (Ile) -Otters' Adventure (The) -Parts of Speech I & II -PBI software (Ile) -Phonics Prime Time: Final Consonants -Phonics Prime Time: Initial Consonants -Pirates -Polarware software (Ile) -Pool of Radiance -Punctuation & Caps -Quick Flash -Rainbow Painter -Rampage -Random House software (Ile) -Reader Rabbit -The Right Job -The Right Resume Writer II -Serve & Volley -Shadowgate -Shanghai (GS) -Show Time -Shutterbug's Patterns -Shutterbug's Pictures -Showoff v1.1 -Sierra On Line software (Ile) -Sierra On Line software (Ile) -Sir-Tech software (Ile) -Snooper Troops: The Case of the Disappearing Dolphin -Software Toolworks software (Ile) -Space Quest II -Spectrum Holobyte software (Ile) -Speedway Math -Spelling Grade 1 -Spelling Grade 2 -Spelling Grade 3 -Spelling Grade 4 -Spelling Grade 5 -Spelling Grade 6 -Spelling Grade 7 -Spelling Grade 8 -Spinnaker software (Ile) -Springboard software (Ile) - and much more...

**For a complete back issue list, send a 9" by 12", self-addressed, stamped (45¢) envelope to Computist.**

|       |     |     |    |
|-------|-----|-----|----|
| Core1 | 22  | 46  | 70 |
| 1     | 23  | 47  | 71 |
| 2     | 24  | 48  | 72 |
| Core2 | 25  | 49  | 73 |
| 3     | 26  | 50  | 74 |
| 4     | 27  | 51  |    |
| 5     | 28* | 52  |    |
| 6     | 29  | 53  |    |
| Core3 | 30  | 54  |    |
| 7     | 31  | 55  |    |
| 8     | 32  | 56  |    |
| 9     | 33  | 57  |    |
| 10    | 34  | 58  |    |
| 11    | 35  | 59  |    |
| 12    | 36  | 60  |    |
| 13    | 37  | 61  |    |
| 14    | 38  | 62  |    |
| 15    | 39  | 63  |    |
| 16*   | 40  | 64  |    |
| 17    | 41  | 65  |    |
| 18    | 42  | 66* |    |
| 19*   | 43  | 67  |    |
| 20    | 44  | 68  |    |
| 21    | 45  | 69  |    |

Some disks apply to more than one issue and are shown as taller boxes.

☆ Limited supply — first-come-first-serve basis.  
 ○ Out-of-print — only "Xeroxed" copies for sale.  
 \* Issue 66 is laser printed on 8 1/2 by 11 paper.

## Back Issue Order Form

**COMPUTIST back issues and library disks are frequently referenced in current issues.**

**Back Issue and Library Disk Rates**

|                       | US, Canada & Mexico | All others |
|-----------------------|---------------------|------------|
| Back issues (1 - 9)   | \$4.75              | \$8.75     |
| Back issues (10+)     | \$3.75              | \$6.00     |
| Zox back issues       | \$4.75              | \$8.75     |
| Library disks (1 - 9) | \$5.50              | \$7.50     |
| Library disks (10+)   | \$4.00              | \$6.00     |

Due to the time and effort involved in making Zox copies, their price will remain at \$4.75 each for US, Canada & Mexico and at \$8.75 for all other Foreign.

Shipping is included in all the prices shown.

### What's a library disk?

A library disk is a 5 1/4 inch floppy diskette that contains programs that would normally have to be typed in by the user. Documentation for each library disk can be found in the corresponding issue.

Library disks are available for all issues of COMPUTIST.

Number of back issues. \$ \_\_\_\_\_

Number of Zox back issues. \$ \_\_\_\_\_

Number of library Disks. \$ \_\_\_\_\_

Washington state residents add 7.8% tax \$ \_\_\_\_\_

Total enclosed \$ \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Country \_\_\_\_\_ Phone \_\_\_\_\_

VISA \_\_\_\_\_ Exp. \_\_\_\_\_

MC \_\_\_\_\_ Exp. \_\_\_\_\_

Signature \_\_\_\_\_ CP74

• US funds drawn on US bank. • Most orders shipped within 5 working days, however please allow up to 4 weeks delivery for some orders. • Orders are shipped UPS so please use a street address. • Offer good while supply lasts. • Call (206) 832-3055 to use a credit card or send check/money order to:

**COMPUTIST 33821 E Orville Road Eatonville WA 98328**