



Apple Manuals



Apple ][ Pascal



Macintosh



SwyftCard



Canon Cat

# Jef Raskin Information

*INTRODUCING THE CANON CAT*

*(IAI AD)*

*2 PAGES*

*SOURCE: BOB WING*

DOCUMENT NO. **45**

COMPILED BY  
DAVID T. CRAIG  
736 EDGEWATER, WICHITA, KS 67230 USA  
E-MAIL: 71533.606@compuserve.com



Apple Manuals



Apple ][ Pascal



Macintosh



SwyftCard



Canon Cat

# Introducing The Canon Cat

The Advanced Work Processor and available printers.



**Cat180**  
Daisy Wheel  
Printer

**Canon VP3103II**  
Laser Beam Printer

**Cat180**  
Daisy Wheel Printer  
with Optional  
**Cat40**  
Cut Sheet Feeder

## The Canon Cat

- Performs most important office tasks—writes and edits, stores and retrieves information, communicates, calculates
- Easy to use and learn—just plug-in and begin typing
- Unique Leap keys move cursor to where you want to be—instantly
- Designed to work the way people think—no mouse, no files, no extra keys



## The Canon Cat Printers

- Two Canon Printers especially designed to work with The Cat:
  - The Cat180 Daisy Wheel Printer (available with optional Cat40 Cut Sheet Feeder)
  - The Canon VP3103II Laser Beam Printer
- Also works with most Canon Electronic Typewriters with interface

The Canon Cat is the world's first Work Processor.

# Canon *Cat*

The Advanced WORK Processor

# The Canon Cat. A new breed of office machine.

## Product Specifications

### Canon Cat

#### Display

Size: 9-inch CRT  
Black letters on white background or reverse.  
Capacity: 1,920 characters on screen (80 characters x 24 lines) 1, 1½, 2 line spacing on display

#### Memory (RAM)

256KB RAM

#### Software

ROM based software

#### Built-in Disk Drive

3.5" Micro Floppy Disk Drive

#### Disk Type

Single-sided, double-density, double-track. Micro Floppy Disk AP-MM80

#### Text Capacity/Disk

180KB (Approx. 80 pages)

#### Dimensions

13.5"(W) x 20.1"(D) x 10.4"(H)  
(342mm x 510mm x 264mm)

#### Weight

20.3 lbs. (9.2 kg)

#### Power Supply

120V (-15%/ +10%) 0.8A  
60Hz

#### Operating Temperature

50°F - 95°F (10°C - 35°C)

#### Ambient Humidity

20% - 80%

#### Built-in Modem

300/1200 baud (Compatible with Bell 212A)

### Built-in Interface

Serial (Compatible with EIA/RS-232C) and Parallel (Compatible with Centronics)

### Printers

Cat180 Daisy Wheel Printer  
VP3103II Laser Beam Printer  
Most Canon Electronic Typewriters with interface.

### Formatting Functions

Decimal Tab  
Word Wraparound  
Page Break  
Page Numbering  
Paragraph Style Setting (Left Flush/Centering/Justification/Right Flush)  
Paragraph Indent  
Multiple Paragraph Format  
Auto Reformating

### Editing Functions

Boldface  
Underline  
Capitalization  
By using LEARN function:  
Search & Replace  
Global Search & Replace  
Block move/copy/delete  
Sort  
Calculation

### Other Functions

Text Send & Receive  
Undo  
Learn  
Explain  
Spell Check\*  
Auto Dial  
Multi-Lingual Capability

### Cat180 Daisy Wheel Printer

#### Print Characters

96 Characters

#### Printing Speed

18 cps

#### Bi-directional Printing

Selectable

#### Print Pitch

10, 12, 15

#### Paper Capacity

Maximum 10 inches (254mm)

#### Writing Line Width

Maximum 8 inches (203.2mm)

#### Ribbon

Correctable/Single Strike/  
Multistrike/Fabric

#### Dimensions

15.1"(W) x 14.8"(D) x 5.6"(H)  
(383mm x 375mm x 143mm)

#### Weight

17 lbs. (7.7 kg)

#### Power Supply

120V (-15%/ +10%) 0.5A 60Hz

#### Operating Temperature

50°F - 95°F (10°C - 35°C)

#### Ambient Humidity

20% - 80%

#### Option

Cat40 Cut Sheet Feeder

### VP3103II Laser Beam Printer

#### Printing Speed

Up to 8 pages/minute

#### (Letter-size)

#### Resolution

300 dpi

#### Built-in Fonts

Courier 10 Regular/Bold

#### Font Cartridges (Option)

Elite 12, Pica 10

#### Paper Size

Letter or Legal size

#### Paper Cassette Capacity

Approx. 200 sheets

#### Dimensions

17.9"(W) x 19"(D) x 8.6"(H)  
(454mm x 482mm x 216mm)

#### Weight

44.2 lbs. (20 kg)

#### Power Supply

100 - 115V (50/60Hz,  
Max. 0.9kw)

#### Operating Temperature

50°F - 90.5°F (10°C - 32.5°C)

#### Ambient Humidity


20% - 80%

\*Spelling software developed by Houghton Mifflin Company, publishers of The American Heritage Dictionary.

Subject to change without notice.

# Canon CANON INC.

30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146, Japan



### CANON U.S.A., INC.

HEAD OFFICE One Canon Plaza, Lake Success, New York 11042, U.S.A.  
CHICAGO 100 Park Boulevard, Itasca, Illinois 60143, U.S.A.  
LOS ANGELES 123 Paulatino Avenue East, Costa Mesa, California 92626, U.S.A.  
ATLANTA 5625 Oakbrook Parkway, Norcross, Georgia 30093, U.S.A.  
DALLAS 3200 Regent Blvd., Irving, Texas 75063, U.S.A.

### CANON CANADA INC.

HEAD OFFICE 6390 Dixie Road, Mississauga, Ontario, L5T1P7, Canada  
CALGARY 2828 16th Street N.E., Calgary, Alberta, T2E 7K7, Canada  
MONTREAL 10652 Côte de Liesse, Lachine, Quebec, H8T 1A5, Canada

### CANON EUROPA N.V.

P.O. Box 7907, 1008 AC Amsterdam, The Netherlands

### CANON FRANCE S.A.

93154 Le Blanc Mesnil, Cedex, France

### CANON U.K. LTD.

Canon House, Manor Road, Wallington, Surrey SM60AJ, England

### CANON RECHNER DEUTSCHLAND GMBH

P.O. Box 1209, 8033, München-Martinsried, West Germany

### CANON LATIN AMERICA, INC.

SALES DEPARTMENT P.O. Box 7022, Panama 5, Rep. of Panama  
REPAIR SERVICE CENTER P.O. Box 2019, Colon Free Zone, Rep. of Panama

### CANON HONG KONG TRADING CO., LTD.

Room 1101, 38-1121-2, Peninsula Centre, 67 Mody Road, Tsimshatsui East, Kowloon, Hong Kong

### CANON SINGAPORE PTE., LTD.

95 South Bridge Road #13-0115, South Bridge Centre, Singapore 0105

### CANON AUSTRALIA PTY. LTD.

10 Hall Street, Hawthorn East, Victoria, 3123, Australia